

ALCODET 260

Revision Date 11/14/2017

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1 Product identifier**

- Trade name ALCODET 260
- Synonyms Ethoxylated Thioether

1.2 Relevant identified uses of the substance or mixture and uses advised against**Uses of the Substance / Mixture**

- Surfactants for various applications

1.3 Details of the supplier of the safety data sheet**Company**

Solvay Canada Inc.,
NOVECARE
Brookfield Place, Suite 4400
181 Bay Street
Toronto, ON, M5J2T-3, CA
Telephone number: 800-973-7873

1.4 Emergency telephone

FOR EMERGENCIES INVOLVING A SPILL, LEAK, FIRE, EXPOSURE OR ACCIDENT CONTACT: CHEMTREC 800-424-9300 within the United States and Canada, or 703-527-3887 for international collect calls.

SECTION 2: Hazards identification

Although WHMIS has not adopted the environmental portion of the GHS regulations, this document may include information on environmental effects

2.1 Classification of the substance or mixture**Hazardous Products Regulations (WHMIS 2015)**

Serious eye damage, Category 1
Skin sensitization, Category 1

H318: Causes serious eye damage.
H317: May cause an allergic skin reaction.

2.2 Label elements**Hazardous Products Regulations (WHMIS 2015)****Pictogram****Signal Word**

- Danger

Hazard Statements

- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.

ALCODET 260

Revision Date 11/14/2017

Precautionary StatementsPrevention

- P261 Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray.
- P272 Contaminated work clothing must not be allowed out of the workplace.
- P280 Wear protective gloves/ eye protection/ face protection.

Response

- P302 + P352 IF ON SKIN: Wash with plenty of water.
- P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.
- P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.
- P362 + P364 Take off contaminated clothing and wash it before reuse.

2.3 Other hazards which do not result in classification

- H402: Harmful to aquatic life.
- H412: Harmful to aquatic life with long lasting effects.

SECTION 3: Composition/information on ingredients**3.1 Substance****WHMIS Hazardous Ingredients and Impurities**

Chemical name	Identification number CAS-No.	Concentration [% wt/wt or V/V]
Ter-dodecyl mercaptan ethoxylated	9004-83-5	>= 95 - < 99

WHMIS Non Hazardous Ingredients and Impurities

Chemical name	Identification number CAS-No.	Concentration [% wt/wt or V/V]
Water	7732-18-5	< 2

3.2 Mixture

Not applicable, this product is a substance.

SECTION 4: First aid measures**4.1 Description of first-aid measures****General advice**

- Show this material safety data sheet to the doctor in attendance.
- First responder needs to protect himself.

In case of inhalation

- Negligible or unlikely exposure pathways
- If inhaled, remove to fresh air.
- Consult a physician.

In case of skin contact

- In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated

PRCO90016788

Version : 1.04 / CA (Z8)

www.solvay.com



- clothing and shoes.
- Get medical attention if irritation develops and persists.
- Wash contaminated clothing before re-use.

In case of eye contact

- Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.
- Seek medical advice.

In case of ingestion

- Do not induce vomiting without medical advice.
- If victim is conscious:
- Rinse with water.
- Keep at rest.
- Do not give anything to drink.
- Do not leave the victim unattended.
- Vomiting may occur spontaneously
- Risk of product entering the lungs on vomiting after ingestion.
- Lay victim on side.
- Seek medical advice.

4.2 Most important symptoms and effects, both acute and delayed**Effects**

- Skin contact may aggravate existing skin disease
- Inhalation of product may aggravate existing chronic respiratory problems such as asthma, emphysema or bronchitis

4.3 Indication of any immediate medical attention and special treatment needed**Notes to physician**

- All treatments should be based on observed signs and symptoms of distress in the patient. Consideration should be given to the possibility that overexposure to materials other than this product may have occurred.
- Treat symptomatically.
- There is no specific antidote available.

SECTION 5: Firefighting measures**5.1 Extinguishing media****Suitable extinguishing media**

- Extinguishing media - small fires
- Dry chemical
- Carbon dioxide (CO₂)
- Extinguishing media - large fires
- Foam
- Water spray

Unsuitable extinguishing media

- High volume water jet
- (frothing possible)

5.2 Special hazards arising from the substance or mixture**Specific hazards during fire fighting**

- Under fire conditions:
- Will burn
- Hazardous decomposition products formed under fire conditions.

Hazardous combustion products:

- On combustion or on thermal decomposition (pyrolysis), releases:
- Carbon oxides
- Sulfur oxides

5.3 Advice for firefighters**Special protective equipment for fire-fighters**

- Firefighters should wear NIOSH/MSHA approved self-contained breathing apparatus and full protective clothing.

SECTION 6: Accidental release measures**6.1 Personal precautions, protective equipment and emergency procedures**

- Wear suitable protective equipment.
- For further information refer to section 8 "Exposure controls / personal protection."

6.2 Environmental precautions

- Do not flush into surface water or sanitary sewer system.
- Take all necessary measures to avoid accidental discharge of products into drains and waterways due to the rupture of containers or transfer systems.

6.3 Methods and materials for containment and cleaning up***Recovery***

- Soak up with inert absorbent material.
- Shovel or sweep up.
- Keep in suitable, closed containers for disposal.
- Never return spills in original containers for re-use.

Decontamination / cleaning

- Clean contaminated surface thoroughly.
- Wash nonrecoverable remainder with large amounts of water.
- Recover the cleaning water for subsequent disposal.
- Decontaminate tools, equipment and personal protective equipment in a segregated area.

6.4 Reference to other sections

- 7. HANDLING AND STORAGE
- 8. EXPOSURE CONTROLS/PERSONAL PROTECTION
- 13. DISPOSAL CONSIDERATIONS

SECTION 7: Handling and storage**7.1 Precautions for safe handling**

- Ethylene oxide may collect in container head space.
- Provide adequate ventilation.
- Handle in accordance with good industrial hygiene and safety practice.
- Avoid inhalation of vapor or mist.
- Avoid contact with skin and eyes.

Hygiene measures

- Personal hygiene is an important work practice exposure control measure and the following general measures should be taken when working with or handling this materials:
- 1) Do not store, use, and/or consume foods, beverages, tobacco products, or cosmetics in areas where this material is stored.
- 2) Wash hands and face carefully before eating, drinking, using tobacco, applying cosmetics, or using the toilet.
- 3) Wash exposed skin promptly to remove accidental splashes or contact with material.

7.2 Conditions for safe storage, including any incompatibilities**Technical measures/Storage conditions**

- Take all necessary measures to avoid accidental discharge of products into drains and waterways due to the rupture of containers or transfer systems.
- Keep container tightly closed in a dry and well-ventilated place.
- Keep away from open flames, hot surfaces and sources of ignition.
- Keep away from incompatible materials to be indicated by the manufacturer

Requirements for storage rooms and vessels

- Stable under recommended storage conditions.

7.3 Specific end use(s)

- no data available

SECTION 8: Exposure controls/personal protection

Introductory Remarks: These recommendations provide general guidance for handling this product. Because specific work environments and material handling practices vary, safety procedures should be developed for each intended application. Assistance with selection, use and maintenance of worker protection equipment is generally available from equipment manufacturers.

8.1 Control parameters

- Contains no substances with occupational exposure limit values above their regulatory reporting threshold.

8.2 Exposure controls**Control measures****Engineering measures**

- Where engineering controls are indicated by use conditions or a potential for excessive exposure exists, the following traditional exposure control techniques may be used to effectively minimize employee exposures :
- Effective exhaust ventilation system
- Extract at emission point.

Individual protection measures**Respiratory protection**

- When respirators are required, select NIOSH/MSHA approved equipment based on actual or potential airborne concentrations and in accordance with the appropriate regulatory standards and/or industrial recommendations.

Hand protection

- Recommended preventive skin protection
- Gloves

ALCODET 260

Revision Date 11/14/2017

- Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time.

Eye protection

- Eye and face protection requirements will vary dependent upon work environment conditions and material handling practices. Appropriate ANSI Z87 approved equipment should be selected for the particular use intended for this material.
- Eye contact should be prevented through the use of:
 - Safety glasses with side-shields
 - In case of contact through splashing:
 - Face-shield

Skin and body protection

- Recommended preventive skin protection
- Footwear protecting against chemicals
- Impervious clothing
- Protective suit
- Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Hygiene measures

- Personal hygiene is an important work practice exposure control measure and the following general measures should be taken when working with or handling this materials:
 - 1) Do not store, use, and/or consume foods, beverages, tobacco products, or cosmetics in areas where this material is stored.
 - 2) Wash hands and face carefully before eating, drinking, using tobacco, applying cosmetics, or using the toilet.
 - 3) Wash exposed skin promptly to remove accidental splashes or contact with material.

Protective measures

- Ensure that eyewash stations and safety showers are close to the workstation location.
- Emergency equipment immediately accessible, with instructions for use.
- Selection of appropriate personal protective equipment should be based on an evaluation of the performance characteristics of the protective equipment relative to the task(s) to be performed, conditions present, duration of use, and the potential hazards, and/or risks that may occur during use.
- The protective equipment must be selected in accordance with current local standards and in cooperation with the supplier of the protective equipment.

SECTION 9: Physical and chemical properties

Physical and Chemical properties here represent typical properties of this product. Contact the business area using the Product information phone number in Section 1 for its exact specifications.

9.1 Information on basic physical and chemical properties**Appearance**

Form: viscous
Physical state: liquid
Color: white to pale yellow.

Odor

slight

Odor Threshold

no data available

<u>pH</u>	6.0 - 7.5 (1 % (m/v))
<u>Melting point/freezing point</u>	<u>Freezing point</u> : < -4 °F (-20 °C)
<u>Initial boiling point and boiling range</u>	no data available
<u>Flash point</u>	> 200 °F (> 93 °C) closed cup Flammability class: Will burn
<u>Evaporation rate (Butylacetate = 1)</u>	< 1
<u>Flammability (solid, gas)</u>	no data available
<u>Flammability (liquids)</u>	no data available
<u>Flammability / Explosive limit</u>	no data available
<u>Autoignition temperature</u>	no data available
<u>Vapor pressure</u>	< 1 mmHg (1.33 hPa) (77 °F (25 °C))
<u>Vapor density</u>	no data available
<u>Density</u>	1.05 g/cm ³ (77 °F (25 °C))
<u>Relative density</u>	1.05 (77 °F (25 °C))
<u>Solubility</u>	<u>Water solubility</u> : soluble
<u>Partition coefficient: n-octanol/water</u>	no data available
<u>Decomposition temperature</u>	no data available
<u>Viscosity</u>	no data available
<u>Explosive properties</u>	no data available
<u>Oxidizing properties</u>	no data available

9.2 Other information

<u>Volatiles by Volume</u>	< 2 %
-----------------------------------	-------

SECTION 10: Stability and reactivity**10.1 Reactivity**

- no data available

10.2 Chemical stability

- Stable under normal conditions.

10.3 Possibility of hazardous reactions

polymerization

- Hazardous polymerization does not occur.

10.4 Conditions to avoid

- Keep away from heat and sources of ignition.

10.5 Incompatible materials

- Strong oxidizing agents
- Strong reducing agents

10.6 Hazardous decomposition products

Hazardous decomposition products

- On combustion or on thermal decomposition (pyrolysis), releases:
- Sulfur oxides
- Carbon oxides

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Acute oral toxicity

Ter-dodecyl mercaptan ethoxylated

LD50 : 3,465 mg/kg - Rat , male and female
Method: according to a standardized method
The product has a low acute toxicity
Unpublished reports

Acute inhalation toxicity

no data available

Acute dermal toxicity

no data available

Acute toxicity (other routes of administration)

no data available

Skin corrosion/irritation

Ter-dodecyl mercaptan ethoxylated

Rabbit
slight irritation
Method: according to a standardized method
Unpublished reports

Serious eye damage/eye irritation

Ter-dodecyl mercaptan ethoxylated

Rabbit
Risk of serious damage to eyes.
Method: Draize Test
Unpublished reports

Respiratory or skin sensitization

Ter-dodecyl mercaptan ethoxylated

Local lymph node assay - Mouse
Stimulation Index ≥ 3
Classified as a skin sensitizer category 1 according to GHS criteria
Method: OECD Test Guideline 429
Unpublished reports

Mutagenicity**Genotoxicity in vitro**

no data available

Genotoxicity in vivo

no data available

Carcinogenicity

no data available

This product does not contain any ingredient designated as probable or suspected human carcinogens by:
ACGIH

Toxicity for reproduction and development**Toxicity to reproduction / fertility**

no data available

Developmental Toxicity/Teratogenicity

no data available

STOT**STOT-single exposure**

Ter-dodecyl mercaptan ethoxylated

Routes of exposure: Ingestion
The substance or mixture is not classified as specific target organ toxicant, single exposure according to GHS criteria.
Unpublished reports

STOT-repeated exposure

no data available

Experience with human exposure

no data available

Aspiration toxicity

no data available

SECTION 12: Ecological information**12.1 Toxicity****Aquatic Compartment****Acute toxicity to fish**

no data available

Acute toxicity to daphnia and other aquatic invertebrates.

Ter-dodecyl mercaptan ethoxylated

By analogy

- 48 h : - Daphnia magna (Water flea)
Method: Tested according to Annex V of Directive 67/548/EEC.
Harmful to aquatic invertebrates.
Fresh water
Unpublished reports

Toxicity to aquatic plants

no data available

Toxicity to microorganisms

no data available

Chronic toxicity to fish

no data available

Chronic toxicity to daphnia and other aquatic invertebrates.

no data available

Chronic Toxicity to aquatic plants

no data available

12.2 Persistence and degradability**Abiotic degradation**

no data available

Physical- and photo-chemical elimination

no data available

Biodegradation

Biodegradability

Ter-dodecyl mercaptan ethoxylated

By analogy

Ready biodegradability study:

Method: OECD Test Guideline 301E

- 28 Days

The substance does not fulfill the criteria for ready biodegradability and ultimate aerobic biodegradability

Dissolved organic carbon (DOC)

Inoculum: activated sludge

Unpublished reports

By analogy

Inherent biodegradability study - aerobic

Method: OECD Test Guideline 302 B

- 28 Days

The substance fulfills the criteria for inherent primary biodegradability

Dissolved organic carbon (DOC)

Inoculum: activated sludge

Unpublished reports

Degradability assessment

Ter-dodecyl mercaptan ethoxylated

The product is not considered to be rapidly degradable in the environment

12.3 Bioaccumulative potential**Partition coefficient: n-octanol/water**

Ter-dodecyl mercaptan ethoxylated

Not applicable

Bioconcentration factor (BCF)

no data available

12.4 Mobility in soil**Adsorption potential (Koc)**

no data available

Known distribution to environmental compartments

no data available

12.5 Results of PBT and vPvB assessment

Ter-dodecyl mercaptan ethoxylated

Not classified as PBT substance.

Not classified as vPvB.

12.6 Other adverse effects**Ecotoxicity assessment****Acute aquatic toxicity**

Ter-dodecyl mercaptan ethoxylated Harmful to aquatic life.

Chronic aquatic toxicity

Ter-dodecyl mercaptan ethoxylated Harmful to aquatic life with long lasting effects.

SECTION 13: Disposal considerations**13.1 Waste treatment methods****Product Disposal**

- Waste Management options should first consider possible re-use or recycling opportunities. Some provinces have active "Waste Exchange" networks for re-use and recycling of wastes. Contact your local waste management companies to explore available options. All waste management activities must obey local, provincial and federal regulations. Possible disposal methods include the following:
- Incinerate directly or in combination with a flammable solvent.

Advice on cleaning and disposal of packaging

- Rinse with an appropriate solvent.
- Dispose of contents/container in accordance with local regulation.

SECTION 14: Transport information**TDG**

not regulated

DOT

not regulated

NOM

not regulated

IMDG

not regulated

IATA

not regulated

Note: The above regulatory prescriptions are those valid on the date of publication of this sheet. Given the possible evolution of transportation regulations for hazardous materials, it would be advisable to check their validity with your sales office.

ALCODET 260

Revision Date 11/14/2017

SECTION 15: Regulatory information**15.1 Notification status**

Inventory Information	Status
United States TSCA Inventory	- On TSCA Inventory
Canadian Domestic Substances List (DSL)	- All components of this product are on the Canadian DSL
Australia Inventory of Chemical Substances (AICS)	- On the inventory, or in compliance with the inventory
Japan. CSCL - Inventory of Existing and New Chemical Substances	- On the inventory, or in compliance with the inventory
Korea. Korean Existing Chemicals Inventory (KECI)	- On the inventory, or in compliance with the inventory
China. Inventory of Existing Chemical Substances in China (IECSC)	- On the inventory, or in compliance with the inventory

15.2 National Regulations

no data available

SECTION 16: Other information**Revision Date:**

11/14/2017

NFPA (National Fire Protection Association) - Classification

Health	2 moderate
Flammability	1 slight
Instability or Reactivity	0 minimal

HMIS (Hazardous Materials Identification System (Paint & Coating)) - Classification

Health	2 moderate
Flammability	1 slight
Reactivity	0 minimal
PPE	Determined by User; dependent on local conditions

- | | |
|---------|---|
| - ACGIH | American Conference of Governmental Industrial Hygienists |
| - OSHA | Occupational Safety and Health Administration |
| - NTP | National Toxicology Program |
| - IARC | International Agency for Research on Cancer |
| - NIOSH | National Institute for Occupational Safety and Health |

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information, and belief at the date of its publication. Such information is only given as a guidance to help the user handle, use, process, store, transport, dispose, and release the product in satisfactory safety conditions and is not to be considered as a warranty or quality specification. It should be used in conjunction with technical sheets but do not replace them. Thus, the information only relates to the designated specific product and may

PRCO90016788

Version : 1.04 / CA (Z8)

www.solvay.com



ALCODET 260

Revision Date 11/14/2017

not be applicable if such product is used in combination with other materials or in any other manufacturing process, unless otherwise specifically indicated. It does not release the user from ensuring he is in conformity with all regulations linked to its activity.