

SAFETY DATA SHEET

according to the Hazardous Products Regulations



CAFLON LAS 98 H2P

Version	Revision Date:	SDS Number:	Date of last issue: 05/22/2026
1.5	07/22/2026	100000040942	Date of first issue: 08/02/2021

SECTION 1. IDENTIFICATION

Product Identifier : CAFLON LAS 98 H2P
Product code : 000000000016151316
Synonyms : DODECYLBENZENESULFONIC ACID (DDBSA)
Other means of identification : No data available

Manufacturer or supplier's details

Company : Univar Solutions Canada Ltd.
Address : 64 Arrow Road
North York, ON, M9M 2L9
Canada

Emergency telephone number:

Local Emergency Contact : During Office hours Monday-Friday, 8.00 am - 4.30 pm (Pacific Standard Time) : 1-866-686-4827

Additional Information: : Responsible Party: Product Compliance Department
E-mail: SDSNA@univarsolutions.com
SDS Requests: 1-855-429-2661
Website: www.univarsolutions.com

Recommended use of the chemical and restrictions on use

Recommended use : Reserved for industrial and professional use.

SECTION 2. HAZARD IDENTIFICATION

GHS classification in accordance with the Hazardous Products Regulations

Acute toxicity (Oral) : Category 4
Skin corrosion : Category 1A
Serious eye damage : Category 1

GHS label elements

Hazard pictograms :



Signal word : Danger

Hazard statements : H302 Harmful if swallowed.
H314 Causes severe skin burns and eye damage.

Precautionary statements : **Prevention:**
P264 Wash skin thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection/ hearing protection.

SAFETY DATA SHEET

according to the Hazardous Products Regulations



CAFLON LAS 98 H2P

Version	Revision Date:	SDS Number:	Date of last issue: 05/22/2026
1.5	07/22/2026	100000040942	Date of first issue: 08/02/2021

Response:

P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Rinse mouth.

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.

P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor.

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.

P363 Wash contaminated clothing before reuse.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous components

CAS-No.	Synonyms	Chemical name	Weight percent
68584-22-5	Benzenesul-fonic acid, C10-16-alkyl derivs.	Benzenesulfonic acid, C10-16-alkyl derivs.	80 - 100
7664-93-9	sulphuric acid	Sulfuric acid	1 - 5
68648-87-3	Benzene, C10-16-alkyl derivs.	Benzene, C10-16-alkyl derivs.	1 - 5

Actual concentration or concentration range is withheld as a trade secret

Any concentration shown as a range is due to batch variation.

SECTION 4. FIRST-AID MEASURES

General advice	: Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance. Do not leave the victim unattended.
If inhaled	: If unconscious, place in recovery position and seek medical advice.

SAFETY DATA SHEET

according to the Hazardous Products Regulations



CAFLON LAS 98 H2P

Version 1.5	Revision Date: 07/22/2026	SDS Number: 100000040942	Date of last issue: 05/22/2026 Date of first issue: 08/02/2021
----------------	------------------------------	-----------------------------	---

		If symptoms persist, call a physician. Move to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen.
In case of skin contact	:	Immediate medical treatment is necessary as untreated wounds from corrosion of the skin heal slowly and with difficulty. Wash off immediately with plenty of water for at least 15 minutes. If on clothes, remove clothes.
In case of eye contact	:	Take victim immediately to hospital. Small amounts splashed into eyes can cause irreversible tissue damage and blindness. Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Continue rinsing eyes during transport to hospital. Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.
If swallowed	:	Take victim immediately to hospital. Keep respiratory tract clear. Do not induce vomiting without medical advice. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person.
Most important symptoms and effects, both acute and delayed	:	If symptoms persist, call a physician. Take victim immediately to hospital. Harmful if swallowed. Causes serious eye damage. Causes severe burns.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	:	Use an extinguishing media appropriate for surrounding fire.
Unsuitable extinguishing media	:	High volume water jet
Specific hazards during fire-fighting	:	Do not allow run-off from fire fighting to enter drains or water courses.
Hazardous combustion products	:	Gases hazardous to health may be formed. Carbon oxides sulfur oxides Sulphuric acid
Further information	:	Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
Special protective equipment and precautions for fire-fighters	:	Wear self-contained breathing apparatus for firefighting if necessary.

SAFETY DATA SHEET

according to the Hazardous Products Regulations



CAFLON LAS 98 H2P

Version 1.5	Revision Date: 07/22/2026	SDS Number: 100000040942	Date of last issue: 05/22/2026 Date of first issue: 08/02/2021
----------------	------------------------------	-----------------------------	---

SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.
- Environmental precautions : Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities.
- Methods and materials for containment and cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).
Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

- Advice on protection against fire and explosion : Normal measures for preventive fire protection.
- Precautions for safe handling : Do not breathe vapours/dust.
Avoid exposure - obtain special instructions before use.
Avoid contact with skin and eyes.
For personal protection see section 8.
Smoking, eating and drinking should be prohibited in the application area.
To avoid spills during handling keep bottle on a metal tray.
Dispose of rinse water in accordance with local and national regulations.
- Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.
Containers which are opened must be carefully resealed and kept upright to prevent leakage.
Observe label precautions.
Electrical installations / working materials must comply with the technological safety standards.
- Further information on storage stability : No decomposition if stored and applied as directed.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

CAS-No.	Components	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
7664-93-9	Sulfuric acid	TWA	1 mg/m ³	CA AB OEL
		STEL	3 mg/m ³	CA AB OEL
		TWA (Thoric)	0.2 mg/m ³	CA BC OEL

SAFETY DATA SHEET

according to the Hazardous Products Regulations



CAFLON LAS 98 H2P

Version 1.5	Revision Date: 07/22/2026	SDS Number: 100000040942	Date of last issue: 05/22/2026 Date of first issue: 08/02/2021
----------------	------------------------------	-----------------------------	---

		TWAEV (tho- racic aerosol fraction)	0.2 mg/m3	CA QC OEL
--	--	---	-----------	-----------

Engineering measures : Ensure adequate ventilation, especially in confined areas.
Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections).
Use only in an area equipped with flame proof exhaust ventilation.

Personal protective equipment

Respiratory protection : Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.

Filter type : Combined particulates, inorganic gas/vapour and organic vapour type
In the case of vapour formation use a respirator with an approved filter.

Hand protection

Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Eye protection : Eye wash bottle with pure water
Tightly fitting safety goggles
Wear face-shield and protective suit for abnormal processing problems.

Skin and body protection : Impervious clothing
Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Hygiene measures : When using do not eat or drink.
When using do not smoke.
Wash hands before breaks and at the end of workday.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State : liquid
Colour : dark amber, brown
Odour : characteristic
Odour Threshold : No data available
pH : < 1 @ 20 - 25 °C (68 - 77 °F)

Freezing point : No data available
Boiling point : No data available
Flash point : Not applicable

Evaporation rate : No data available
Flammability (solid, gas) : No data available
Upper explosion limit : No data available

Lower explosion limit : No data available

Vapour pressure : No data available

SAFETY DATA SHEET

according to the Hazardous Products Regulations



CAFLON LAS 98 H2P

Version	Revision Date:	SDS Number:	Date of last issue: 05/22/2026
1.5	07/22/2026	100000040942	Date of first issue: 08/02/2021

Relative vapour density	: No data available
Relative density	: No data available
Density	: 1.04 - 1.06 g/cm ³ @ 20 - 25 °C (68 - 77 °F)
Water solubility	: No data available
Solubility in other solvents	: No data available
Partition coefficient: n-octanol/water	: No data available
Auto-ignition temperature	: No data available
Thermal decomposition	: No data available
Particle characteristics	: No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: No dangerous reaction known under conditions of normal use.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: No decomposition if stored and applied as directed.
Conditions to avoid	: Keep away from heat, flame, sparks and other ignition sources.
Incompatible materials	: Bases Reducing agents Acids Metals Combustible material Oxidizing agents water Organic materials nitrates nitrites Nitriles Ammonia acetylenes phosphorus Flammable materials Peroxides Powdered metals Alkaline compounds Phosphorus oxides Hydrides Permanganates Picrates Nitrocompounds Chromates Chlorides Paper Cotton

SAFETY DATA SHEET

according to the Hazardous Products Regulations



CAFLON LAS 98 H2P

Version	Revision Date:	SDS Number:	Date of last issue: 05/22/2026
1.5	07/22/2026	100000040942	Date of first issue: 08/02/2021

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Harmful if swallowed.

Product:

Acute dermal toxicity : Assessment: The substance or mixture has no acute dermal toxicity

Components:

68584-22-5:

Acute oral toxicity : Assessment: The component/mixture is moderately toxic after single ingestion.

Acute inhalation toxicity : LC50 (Rat, male and female): > 1.9 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Remarks: Based on data from similar materials

Acute dermal toxicity : Assessment: The component/mixture is moderately toxic after single contact with skin.
Remarks: Based on data from similar materials

7664-93-9:

Acute oral toxicity : LC50 (Rat, male and female): 2,140 mg/kg

Acute inhalation toxicity : LC50 (Rat, male and female): Exposure time: 4 h
Test atmosphere: dust/mist

Acute dermal toxicity : Remarks: No data available

Skin corrosion/irritation

Causes severe burns.

Components:

68584-22-5:

Species : Rabbit
Result : Corrosive, category 1C - where responses occur after exposures between 1 hour and 4 hours and observations up to 14 days.

7664-93-9:

Species : Rabbit
Result : Causes severe burns.

68648-87-3:

Result : Irritating to skin.

Serious eye damage/eye irritation

Causes serious eye damage.

SAFETY DATA SHEET

according to the Hazardous Products Regulations



CAFLON LAS 98 H2P

Version	Revision Date:	SDS Number:	Date of last issue: 05/22/2026
1.5	07/22/2026	100000040942	Date of first issue: 08/02/2021

Components:

68584-22-5:

Species	:	Rabbit
Result	:	Risk of serious damage to eyes.

7664-93-9:

Remarks	:	No data available
---------	---	-------------------

Respiratory or skin sensitisation

Skin sensitisation

Not classified due to lack of data.

Respiratory sensitisation

Not classified due to lack of data.

Components:

7664-93-9:

Remarks	:	No data available
---------	---	-------------------

Germ cell mutagenicity

Not classified due to lack of data.

Components:

7664-93-9:

Genotoxicity in vitro	:	Test Type: Ames test Test system: Salmonella typhimurium Metabolic activation: with and without metabolic activation Result: negative
-----------------------	---	--

Germ cell mutagenicity - Assessment	:	Not mutagenic in Ames Test
-------------------------------------	---	----------------------------

Carcinogenicity

Based on available data, the classification criteria are not met.

Components:

7664-93-9:

Carcinogenicity - Assessment	:	Weight of evidence does not support classification as a carcinogen
------------------------------	---	--

Reproductive toxicity

Not classified due to lack of data.

Components:

7664-93-9:

Reproductive toxicity - Assessment	:	Fertility classification not possible from current data. Did not show teratogenic effects in animal experiments.
------------------------------------	---	---

STOT - single exposure

Not classified due to lack of data.

SAFETY DATA SHEET

according to the Hazardous Products Regulations



CAFLON LAS 98 H2P

Version	Revision Date:	SDS Number:	Date of last issue: 05/22/2026
1.5	07/22/2026	100000040942	Date of first issue: 08/02/2021

STOT - repeated exposure

Not classified due to lack of data.

Aspiration toxicity

Based on available data, the classification criteria are not met.

Product:

No aspiration toxicity classification

Further information

Product:

Remarks : No data available

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Ecotoxicology Assessment

Acute aquatic toxicity : Toxic to aquatic life.

Chronic aquatic toxicity : This product has no known ecotoxicological effects.

Components:

68648-87-3:

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.08 mg/l
Exposure time: 48 h

M-Factor (Acute aquatic toxicity) : 10

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : Chronic Toxicity Value (Daphnia magna (Water flea)): 0.0075 mg/l
Exposure time: 21 d

Ecotoxicology Assessment

Acute aquatic toxicity : Very toxic to aquatic life.

Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.

Persistence and degradability

No data available

Bioaccumulative potential

No data available

Mobility in soil

No data available

SAFETY DATA SHEET

according to the Hazardous Products Regulations



CAFLON LAS 98 H2P

Version	Revision Date:	SDS Number:	Date of last issue: 05/22/2026
1.5	07/22/2026	100000040942	Date of first issue: 08/02/2021

Other adverse effects

Product:

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Toxic to aquatic life.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Dispose of in accordance with all applicable local, state and federal regulations.
For assistance with your waste management needs - including disposal, recycling and waste stream reduction, contact Univar Solutions ChemCare: 1-800-637-7922

Contaminated packaging : Empty remaining contents.
Dispose of as unused product.
Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION

International Regulations

IATA-DGR

UN/ID No. : UN 2586
Proper shipping name : Alkylsulphonic acids, liquid
(BENZENESULFONIC ACID, DODECYL-, SULFURIC ACID)
Class : 8
Packing group : III
Labels : Corrosive
Packing instruction (cargo aircraft) : 856
Packing instruction (passenger aircraft) : 852

IMDG-Code

UN number : UN 2586
Proper shipping name : ALKYL SULPHONIC ACIDS, LIQUID
(BENZENESULFONIC ACID, DODECYL-, SULFURIC ACID)
Class : 8
Packing group : III
Labels : 8
EmS Code : F-A, S-B
Marine pollutant : no

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

TDG_ROAD

SAFETY DATA SHEET

according to the Hazardous Products Regulations



CAFLON LAS 98 H2P

Version	Revision Date:	SDS Number:	Date of last issue: 05/22/2026
1.5	07/22/2026	100000040942	Date of first issue: 08/02/2021

UN number	:	UN 2586
Proper shipping name	:	ALKYLSULFONIC ACIDS, LIQUID (BENZENESULFONIC ACID, DODECYL-, SULFURIC ACID)
Class	:	8
Packing group	:	III
Labels	:	8
ERG Code	:	153
Marine pollutant	:	no

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

NPRI Components : 7664-93-9

This product has been classified according to the hazard criteria of the HPR and the SDS contains all of the information required by the HPR.

The components of this product are reported in the following inventories:

TSCA	:	In compliance with the TSCA inventory
AIIC	:	On the inventory, or in compliance with the inventory
CA. DSL	:	All components of this product are on the Canadian DSL

129813-58-7

ENCS	:	On the inventory, or in compliance with the inventory
KECI	:	not determined
PICCS	:	On the inventory, or in compliance with the inventory
IECSC	:	On the inventory, or in compliance with the inventory
NZIoC	:	On the inventory, or in compliance with the inventory

Canadian lists

No substances are subject to a Significant New Activity Notification.

No substances are subject to CEPA Section 84 Ministerial Conditions.

SAFETY DATA SHEET

according to the Hazardous Products Regulations



CAFLON LAS 98 H2P

Version	Revision Date:	SDS Number:	Date of last issue: 05/22/2026
1.5	07/22/2026	100000040942	Date of first issue: 08/02/2021

SECTION 16. OTHER INFORMATION

Full text of other abbreviations

CA AB OEL	:	Canada. Alberta, Occupational Health and Safety Code (table 2: OEL)
CA BC OEL	:	Canada. British Columbia OEL
CA QC OEL	:	Québec. Regulation respecting occupational health and safety, Schedule 1, Part 1: Permissible exposure values for airborne contaminants
CA AB OEL / TWA	:	8-hour Occupational exposure limit
CA AB OEL / STEL	:	15-minute occupational exposure limit
CA BC OEL / TWA	:	8-hour time weighted average
CA QC OEL / TWA/EV	:	Time-weighted average exposure value

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardization; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organization for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MERCOSUR - The Agreement for the Facilitation of the Transport of Dangerous Goods; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorization and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information accumulated is based on the data of which we are aware and is believed to be correct as of the date hereof. Since this information may be applied under conditions beyond our control and with which we may be unfamiliar and since data made become available subsequently to the date hereof, we do not assume any responsibility for the results of its use. Recipients are advised to confirm in advance of need that the information is current, applicable, and suitable to

SAFETY DATA SHEET

according to the Hazardous Products Regulations



CAFLON LAS 98 H2P

Version	Revision Date:	SDS Number:	Date of last issue: 05/22/2026
1.5	07/22/2026	100000040942	Date of first issue: 08/02/2021

their circumstances. This SDS has been prepared by Univar Solutions EHS Product Compliance Department (1-855-429-2661) SDSNA@univarsolutions.com.

Revision Date : 07/22/2026
Date format : mm/dd/yyyy

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

CA / EN