

Section 1. Identification**Product identifier****Product Identity**

Dry Alum (CHE-5002S)

Other means of identification

Aluminum Sulfate, Dry,
Aluminum Sulfate, Dry, Ground FCC Grade,
Aluminum Sulfate, Dry, Ground Food Grade,
Aluminum Sulfate, Dry, Powdered FCC Grade,
Aluminum Sulfate, Iron Free, Granular,
Aluminum Sulfate, Iron Free, Ground,
Aluminum Sulfate, Iron Free, Powdered,
Aluminum Sulfate, Low Iron, Granular,
Aluminum Sulfate, Standard, Ground,
Aluminum Sulfate, Standard, Powdered

Relevant identified uses of the substance or mixture and uses advised against

Alum is used as a coagulating agent in municipal and industrial water and wastewater treatment and as an additive in papermaking.

Restrictions on use:

For use in water treatment, refer to NSF dosage information.

Details of the supplier of the safety data sheet**Company Name**

Chemtrade Logistics Inc. (Canada)
155 Gordon Baker Road Suite 300
Toronto, Ontario M2H 3N5
(416) 496-5856

Chemtrade Logistics Inc. (US)
90 East Halsey Road, Suite 200
Parsippany, NJ 07054
(800) 228- 8558

Emergency**24 hour Emergency Telephone No.**

Chemtrade Emergency Contact: (866) 416-4404 (US and Canada)
CHEMTREC +1-800-424-9300
For Chemical Emergency, Spill, Leak, Fire, Exposure, or Accident, call CHEMTREC – Day or Night

Customer Service:

For SDS Info: (416) 496-5856
www.chemtradelogistics.com

Section 2. Hazard(s) identification

Exposure may aggravate pre-existing eye, skin, or respiratory conditions.

Classification of the substance or mixture

Serious eye damage / eye irritation,
category 2A;H319

Causes serious eye irritation.

Specific target organ toxicity, Single
exposure category 3;H335

May cause respiratory irritation.

Aquatic toxicity (chronic), category
3;H412

Harmful to aquatic life with long lasting effects.

Label elements**Warning**

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

H412 Harmful to aquatic life with long lasting effects.

[Prevention]:

P233 Keep container tightly closed.

P261 Avoid breathing dust, fume, gas, mist, vapors, spray.

P264 Wash thoroughly after handling.

P271 Use only outdoors or in a well-ventilated area.

P273 Avoid release to the environment.

P280 Wear protective gloves, eye protection, and face protection.

[Response]:

P304+340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+351+338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P312 Call a POISON CENTER, doctor or physician if you feel unwell.

P337+313 If eye irritation persists: Get medical advice or attention.

[Storage]:

P403+233 Store in a well ventilated place. Keep container tightly closed.

P405 Store locked up.

[Disposal]:

P501 Dispose of contents or container in accordance with local and national regulations.

Other hazards

This product contains no PBT/vPvB/vPvM chemicals.

This product contains no endocrine disrupting chemicals.

Does NOT contain component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS) per the US EPA PFASMASTER combined list of PFAS chemicals.

Section 3. Composition/information on ingredients

This product contains the following substances that present a hazard within the meaning of the Hazardous Products Regulations.

Ingredient/Chemical Designations	Weight %	GHS Classification	Notes
ALUMINIUM SULFATE TETRADECAHYDRATE* *Anhydrous form as (10043-01-3) CAS Number: 16828-12-9 Synonyms: Sulfuric acid, aluminum salt (3:2), tetradecahydrate	80 - 100	Serious eye damage / eye irritation, category 2;H319 Specific target organ toxicity, Single exposure category 3;H335 Aquatic toxicity (chronic), category 3;H412	No data available

The actual concentration or concentration range is withheld as a trade secret.

*PBT/vPvB - PBT, vPvM or vPvB-substance.

The full texts of the phrases are shown in Section 16.

The specific chemical identity and/or exact percentage of composition are withheld as a trade secret within the meaning of the OSHA Hazard Communication Standard [29 CFR 1910.1200].

Section 4. First aid measures
Description of first aid measures
General

In all cases of doubt, or when symptoms persist, seek medical attention.
 Never give anything by mouth to an unconscious person.

Inhalation

When symptoms occur: Remove person to fresh air and keep comfortable for breathing.

Eyes

Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention.

Skin

Rinse immediately with plenty of water for at least 15 minutes. Remove contaminated clothing and wash before reuse. Obtain medical attention if irritation develops or persists.

Ingestion

Do NOT induce vomiting. Rinse mouth. Obtain medical attention.

Most important symptoms and effects, both acute and delayed

Overview

Contact with eyes causes serious eye irritation. May cause respiratory irritation.

Acute Health Effects : the substance causes serious eye irritation. May cause respiratory irritation.

EYE: Contact causes severe irritation with redness and swelling of the conjunctiva. (IMMEDIATE)

SKIN: May cause skin irritation.

INHALATION: May cause respiratory irritation.

INGESTION: Ingestion may cause adverse effects. (IMMEDIATE)

Indication of Any Immediate Medical Attention and Special Treatment Needed: If exposed or concerned, get medical advice and attention.

See section 2 for further details.

Inhalation

May cause respiratory irritation.

Eyes

Causes serious eye irritation.

Chronic effects

Not available, none known.

Section 5. Fire-fighting measures**Extinguishing media**

Suitable Extinguishing Media: Water spray, dry chemical, foam, carbon dioxide.

Unsuitable extinguishing media: Do not use water jet, or heavy water stream. Use of heavy stream of water may spread fire.

Special hazards arising from the substance or mixture

Hazardous decomposition: Forms aluminum oxide, sulfur dioxide and/or sulfur trioxide at temperatures above 760°C (1400°F) or when dry alum is encompassed in a fire involving other burning materials. The decomposition products are corrosive and hazardous to health.

Keep container tightly closed.

Avoid breathing dust, fume, gas, mist, vapors, spray.

Advice for fire-fighters

As with all fires, wear positive pressure, self-contained breathing apparatus, (SCBA) with a full-face piece and protective clothing. Persons without respiratory protection should leave area. Wear SCBA during clean up immediately after fire. No smoking.

Fire Hazard: Not considered flammable but may burn at high temperatures.

Explosion Hazard: Product is not explosive.

Firefighting Instructions: Do not enter fire area without proper protective equipment, including respiratory protection. Use water spray or fog for cooling exposed containers. **Exercise caution when fighting any chemical fire.**

Hazardous reactions will not occur under normal conditions.

Other Information: Do not allow run-off from firefighting to enter drains or water courses.

ERG Guide No. ----

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

General Measures: Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid contact with eyes, skin and clothing. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment. See Section 8.

Use only outdoors or in a well-ventilated area. Do not breathe mist, spray, and vapours.

Do not get in eyes, on skin, or on clothing. Use appropriate personal protection equipment (PPE). Wear protective gloves, eye protection, face protection (refer to section 8 for more details).

Use good personal hygiene practices. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Promptly remove soiled clothing and wash thoroughly before reuse.

Environmental precautions

Prevent entry to sewers and public waters. Avoid release to environment.

See Section 8 for exposure controls and personal protection and Section 13 for disposal considerations.

Methods and material for containment and cleaning up

Upon arrival at the scene, a first responder is expected to recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit.

Ventilate area.

Methods for Clean up: Clean up spills immediately and dispose of waste safely. Transfer spilled material to a suitable container for disposal. Contact competent authorities after a spill.

Containment: Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. As an immediate precautionary measure, isolate spill or leak area in all directions. Ventilate area. Equip cleanup crew with proper protection.

Section 7. Handling and storage

Precautions for safe handling

Handle containers carefully to prevent damage and spillage.

Store locked up.

Use only outdoors or in a well-ventilated area. Do not breathe mist, spray, and vapours.

Do not get in eyes, on skin, or on clothing. Use appropriate personal protection equipment (PPE). Wear protective gloves, eye protection, face protection (refer to section 8 for more details).

Use good personal hygiene practices. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Promptly remove soiled clothing and wash thoroughly before reuse.

See section 2 for further details. - [Prevention]:

Conditions for safe storage, including any incompatibilities

Store in a dry, cool and well-ventilated place. Containers which are opened should be properly resealed and kept upright to prevent leakage. Keep container closed when not in use. Keep/Store away from direct sunlight, extremely high or low temperatures and incompatible materials.

Comply with applicable regulations.

Incompatible materials: Non acid-proof metals (such as aluminum, copper and iron), bases, unalloyed steel, galvanized surfaces.

See section 2 for further details. - [Storage]:

Specific end use(s)

Alum is used as a coagulating agent in municipal and industrial water and wastewater treatment and as an additive in papermaking.

Restrictions on use:

For use in water treatment, refer to NSF dosage information.

Section 8. Exposure controls / personal protection
Control parameters
Exposure Limits

CAS No.	Ingredient	Source	Value
16828-12-9	ALUMINIUM SULFATE TETRADECAHYDRATE* *Anhydrous form as (10043-01-3)	ACGIH	No Established Limit
		OSHA	No Established Limit
		NIOSH	No Established Limit
		Alberta	No Established Limit
		British Columbia	No Established Limit
		Manitoba	No Established Limit
		New Brunswick	No Established Limit
		Newfoundland and Labrador	No Established Limit
		Nova Scotia	No Established Limit
		Northwest Territories	No Established Limit
		Nunavut	No Established Limit
		Ontario	No Established Limit
		Prince Edward Island	No Established Limit
		Quebec	No Established Limit
		Saskatchewan	No Established Limit
		Yukon	No Established Limit

The exposure limits for nuisance dust are: OSHA PEL: 15 mg/m³ (50 mppcf*) TWA, ACGIH 10 mg/m³.

Exposure controls

Respiratory	If exposure limits are exceeded or irritation is experienced, approved respiratory protection should be worn. In case of inadequate ventilation, oxygen deficient atmosphere, or where exposure levels are not known wear approved respiratory protection.
Eyes	Chemical safety goggles
Skin	Wear chemically resistant protective gloves. Avoid skin contact. Wear protective gloves. Wear suitable protective clothing. Materials for Protective Clothing: Chemically resistant materials and fabrics.
Engineering Controls	Exposure Controls Appropriate Engineering Controls: Emergency eyewash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Ensure adequate ventilation, especially in confined areas. Ensure all national/local regulations are observed.
Other Work Practices	Put on appropriate personal protective equipment. Chemically compatible gloves, protective clothing, and chemical resistant safety goggles. Use only outdoors or in a well-ventilated area. Do not breathe mist, spray, and vapours. Do not get in eyes, on skin, or on clothing. Use appropriate personal protection equipment (PPE). Wear protective gloves, eye protection, face protection (refer to section 8 for more details). Use good personal hygiene practices. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Promptly remove soiled clothing and wash thoroughly before reuse.

See section 2 for further details.

Section 9. Physical and chemical properties

Information on basic physical and chemical properties

Physical State	Solid
Color	Pale green to white
Odor	Odourless
Odor threshold	No available information
Melting point / freezing point	86 °C (186.8°F)
Initial boiling point and boiling range	117 °C (242.6°F)
Flammability (solid, gas)	Not Applicable
Upper/lower flammability or explosive limits	Lower Explosive Limit: No available information Upper Explosive Limit: No available information
Flash Point	°F °C, Test method: (Open/Close cup)
Auto-ignition temperature	No available information
Decomposition temperature	No available information

pH	3.5 (1% Solution)
Viscosity (cSt)	No available information
Solubility in Water	Completely Soluble in water.
Partition coefficient n-octanol/water (Log Kow)	No available information
Vapour pressure (Pa)	No available information
Relative Density	No available information
Vapour Density	No available information
Particle Characteristics	Granulation (Ground): Through 4 mesh (4.76 mm/0.187 inch) screen 100% Through 10 mesh (2 mm/0.0487 inch) screen 90% (min) Granulation (Powdered): Through 30 mesh (0.595 mm/0.0234 inch) screen 99% (min) Through 100 mesh (0.149 mm/0.0059 inch) screen 50% (min)
Evaporation rate (Ether = 1)	No available information
Bulk Density	63-71 lbs/cu.ft. (ground) 38-45 lbs/cu.ft. (powdered)
Other information	No other relevant information.

Section 10. Stability and reactivity

Reactivity

Hazardous reactions will not occur under normal conditions

Chemical stability

Stable under recommended handling and storage conditions (see section 7).

Possibility of hazardous reactions

Hazardous polymerization will not occur.

Conditions to avoid

Direct sunlight, extremely high or low temperatures, and incompatible materials.

Incompatible materials

Non acid-proof metals (such as aluminum, copper and iron), bases, unalloyed steel, galvanized surfaces.

Hazardous decomposition products

Forms aluminum oxide, sulfur dioxide and/or sulfur trioxide at temperatures above 760°C (1400°F) or when dry alum is encompassed in a fire involving other burning materials. The decomposition products are corrosive and hazardous to health.

Section 11. Toxicological information

Acute toxicity

Ingestion of large amounts of aluminum salts over a prolonged period may cause phosphate deficiency, based on animal and human information (Krueger, G.L., et al. The health effects of aluminum compounds in mammals. CRC Critical reviews in Toxicology. Vol. 13, vo1 (1984). Prolonged ingestion in high doses (several grams per day) may result in osteomalacia (softening and bending of the bones) (Elinder, C.-G., et al. Aluminum. In: Handbook on the toxicology of metals. 2nd ed. Vol.II:Specific Metals (1986). There are no reports of these effects from occupational exposures to aluminum salts.

Note: When no route specific LD50 data is available for an acute toxin, the converted acute toxicity point estimate was used in the calculation of the product's ATE (Acute Toxicity Estimate).

	Oral LD50, mg/kg	Skin LD50, mg/kg	Inhalation Vapor LC50, mg/L/4hr	Inhalation Dust/Mist LC50, mg/L/4hr	Inhalation Gas LC50, ppm
Product Acute Toxicity Estimates	NA	NA	NA	NA	NA

Ingredient	Oral LD50, mg/kg	Skin LD50, mg/kg	Inhalation Vapor LC50, mg/L/4hr	Inhalation Dust/Mist LC50, mg/L/4hr	Inhalation Gas LC50, ppm
ALUMINIUM SULFATE TETRADECAHYDRATE* *Anhydrous form as (10043-01-3) - (16828-12-9)	No data available.	No data available.	No data available.	No data available.	No data available.

Carcinogen Data

CAS No.	Ingredient	Source	Value
16828-12-9	ALUMINIUM SULFATE TETRADECAHYDRATE* *Anhydrous form as (10043-01-3)	IARC	No
		ACGIH	No Established Limit

Classification	Category	Hazard Description
Acute toxicity (oral)	---	Not Applicable
Acute toxicity (dermal)	---	Not Applicable
Acute toxicity (inhalation)	---	Not Applicable
Skin corrosion/irritation	---	Not Applicable
Serious eye damage/irritation	2A	Causes serious eye irritation.
Respiratory sensitization	---	Not Applicable
Skin sensitization	---	Not Applicable
Germ cell mutagenicity	---	Not Applicable
Carcinogenicity	---	Not Applicable
Reproductive toxicity	---	Not Applicable
STOT-single exposure	---	Not Applicable
STOT-single exposure	3	May cause respiratory irritation.
STOT-repeated exposure	---	Not Applicable

Aspiration hazard	---	Not Applicable
-------------------	-----	----------------

Possible routes of entry:

Inhalation, ingestion, skin contact, and skin absorption.

Symptoms and effects, both acute and delayed:

Contact with eyes causes serious eye irritation. May cause respiratory irritation.

Acute Health Effects : the substance causes serious eye irritation. May cause respiratory irritation.

EYE: Contact causes severe irritation with redness and swelling of the conjunctiva. (IMMEDIATE)

SKIN: May cause skin irritation.

INHALATION: May cause respiratory irritation.

INGESTION: Ingestion may cause adverse effects. (IMMEDIATE)

Indication of Any Immediate Medical Attention and Special Treatment Needed: If exposed or concerned, get medical advice and attention.

Eyes Causes serious eye irritation.

Chronic effects Not available, none known.

Section 12. Ecological information

Toxicity

Harmful to aquatic life with long lasting effects.

No additional information provided for this product. See Section 3 for chemical specific data.

Aquatic Ecotoxicity

Ingredient	96 hr LC50 fish, mg/l	48 hr EC50 crustacea, mg/l	ErC50 algae, mg/l
ALUMINIUM SULFATE TETRADECAHYDRATE* *Anhydrous form as (10043-01-3) - (16828-12-9)	No data available.	No data available.	No data available.

Persistence and degradability

There is no data available on the preparation itself.

Bioaccumulative potential

No available information

Mobility in soil

No available information

Results of PBT and vPvB assessment

This product contains no PBT/vPvB/vPvM chemicals.

Other adverse effects

No available information

Section 13. Disposal considerations

Waste treatment methods

Dispose of waste material in accordance with all local, regional, federal, provincial, state, territorial and international regulations.

Ecology - Waste Materials: Avoid release to the environment. This material is hazardous to the aquatic environment. Keep out of sewers and waterways.

Additional Information: Container may remain hazardous when empty. Continue to observe all precautions.

Section 14. Transport information

Classification Method: Classified as per Part 2, Sections 2.1-2.8 of the Transportation of Dangerous Goods Regulations.

DOT (Domestic Surface Transportation)

UN number	Not Regulated
UN proper shipping name	Not Regulated
Transport hazard class(es)	Not Applicable
Sub Class	Not Applicable
Packing group	Not Applicable

TDG (Domestic Surface Transportation)

UN number	Not Regulated
UN proper shipping name	Not Regulated
Transport hazard class(es)	Not Applicable
Sub Class	Not Applicable
Packing group	Not Applicable

IMO / IMDG (Ocean Transportation)

UN number	Not Regulated
UN proper shipping name	Not Regulated
Transport hazard class(es)	Not Applicable
Sub Class	Not Applicable
Packing group	Not Applicable

ICAO/IATA

UN number	Not Regulated
------------------	---------------

UN proper shipping name	Not Regulated
Transport hazard class(es)	Not Applicable
Sub Class	Not Applicable
Packing group	Not Applicable

Environmental hazards

IMDG Marine Pollutant: No;

Special precautions for user

No available information

Section 15. Regulatory information

Regulatory Overview The regulatory data in Section 15 is not intended to be all-inclusive, only selected regulations are represented.

Toxic Substance Control Act (TSCA) All components of this material are either listed or exempt from listing on the TSCA Inventory.


NFPA Ranking

Health (blue) :2

Fire (red) :1

Reactivity (yellow) :0

Special (white) :--


Toxic Substance Control Act (TSCA)
CERCLA Chemicals and RQs:

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

EPCRA 302 Extremely Hazardous:

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

EPCRA 313 Toxic Chemicals:

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Canadian Domestic Substance List (DSL):

*Anhydrous form of aluminum sulfate (10043-01-3) listed. Hydrates of a substance or hydrated ions formed by association of a substance with water are considered to be a mixture.

Canadian Non-Domestic Substance List (NDSL):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

New Jersey RTK Substances (>1%) :

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Pennsylvania RTK Substances (>1%) :

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Carcinogens (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Developmental Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Female Repro Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Male Repro Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 Label Warning:

This product contains no chemicals known to the State of California to cause cancer and birth defects or other reproductive harm.

Chemical Name (CAS Number)	US TSCA	Australia AICS	Korea ECL	EU EINECS	EU ELINCS	EU SVHC	EN NLP	Mexico INSQ
ALUMINIUM SULFATE TETRADECAHYDRATE* *Anhydrous form as (10043-01-3) (16828-12-9)	Yes* A chemical is considered to be listed if the CAS number for the anhydrous form is on the Inventory list.	Yes*	Yes*	Yes*	No	No	No	Yes*

Chemical Name (CAS Number)	China IECSC	Japan ENCS	Japan ISHL	Japan PDSCS	Japan PRTR 1	Japan PRTR 2	Philippines PICCS	New Zealand NZIOC
ALUMINIUM SULFATE TETRADECAHYDRATE* *Anhydrous form as (10043-01-3) (16828-12-9)	Yes*	Yes*	No	No	No	No	Yes	Yes

Section 16. Other information
Revision Date

03/02/2026

Revision Number 9.1

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to our products.

Customers/users of this product must comply with all applicable health and safety laws, regulations, and orders.

The full text of the phrases appearing in section 3 is:

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

H412 Harmful to aquatic life with long lasting effects.

Disclaimer: The information presented herein is supplied as a guide to those who handle or use this product. Safe work practices must be employed when working with any materials. It is important that the end user makes a determination regarding the adequacy of the safety procedures employed during the use of this product.

End of Document