

Safety Data Sheet

VANFLOC FS 90C

Version 1.1

Revision Date: 11/06/2022

SECTION 1. IDENTIFICATION

Product name : VANFLOC FS 90C

Synonyms : No data available

Recommended use of the chemical and restrictions on use

Recommended use : Reserved for industrial and professional use.

Restricted Uses : No data available

Manufacturer or supplier's details

Company : Univar Solutions Canada Ltd.
Address : 64 Arrow Road
 North York, ON, M9M 2L9
 Canada

Emergency telephone number:

Local Emergency Contact : During Office hours Monday-Friday, 8.00 am - 4.30 pm (Pacific Standard Time) : 1-866-686-4827

Additional Information: : Responsible Party: Product Compliance Department
 E-mail: SDSNA@univarsolutions.com
 SDS Requests: 1-855-429-2661
 Website: www.univarsolutions.com

SECTION 2. HAZARD IDENTIFICATION

Hazardous Classification of the substance or mixture

Serious eye damage : Category 1

Aspiration hazard : Category 1

Label elements

Hazard pictograms :



Signal word : Danger

Hazard statements : H304 May be fatal if swallowed and enters airways.
 H318 Causes serious eye damage.

Precautionary statements : **Prevention:**
 P280 Wear eye protection/ face protection.
Response:
 P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.
 P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.
 P331 Do NOT induce vomiting.

Safety Data Sheet

VANFLOC FS 90C

Version 1.1

Revision Date: 11/06/2022

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous components

CAS-No.	Chemical name	% by Weight	Synonyms
64742-47-8	Distillates (petroleum), hydrotreated light	30 - 60	Distillates (petroleum), hydrotreated light
69011-36-5	Isotridecanol, ethoxylated	5 - 10	Isotridecanol, ethoxylated

Actual concentration or concentration range is withheld as a trade secret

SECTION 4. FIRST-AID MEASURES

- General advice : Move out of dangerous area.
Consult a physician.
Show this safety data sheet to the doctor in attendance.
Symptoms of poisoning may appear several hours later.
Do not leave the victim unattended.
- If inhaled : If unconscious, place in recovery position and seek medical advice.
If symptoms persist, call a physician.
- In case of skin contact : If skin irritation persists, call a physician.
If on skin, rinse well with water.
If on clothes, remove clothes.
- In case of eye contact : Small amounts splashed into eyes can cause irreversible tissue damage and blindness.
In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
Continue rinsing eyes during transport to hospital.
Remove contact lenses.
Protect unharmed eye.
Keep eye wide open while rinsing.
If eye irritation persists, consult a specialist.
- If swallowed : Take victim immediately to hospital.
Keep respiratory tract clear.
Do NOT induce vomiting.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician.
Take victim immediately to hospital.

Safety Data Sheet

VANFLOC FS 90C

Version 1.1

Revision Date: 11/06/2022

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	: Alcohol-resistant foam Carbon dioxide (CO ₂) Dry chemical
Unsuitable extinguishing media	: High volume water jet
Specific hazards during fire-fighting	: Do not allow run-off from fire fighting to enter drains or water courses.
Hazardous combustion products	: Carbon oxides A complex mixture of airborne solid and liquid particulates and gases (smoke). toxic fumes Unidentified organic and inorganic compounds. Hydrogen sulfide sulfur oxides Irritating fumes or substances may form. Sulphuric acid
Further information	: Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. For safety reasons in case of fire, cans should be stored separately in closed containments. Use a water spray to cool fully closed containers.
Special protective equipment for firefighters	: Wear self-contained breathing apparatus for firefighting if necessary.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	: Use personal protective equipment. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.
Environmental precautions	: Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.
Methods and materials for containment and cleaning up	: Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).

SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion	: Do not spray on a naked flame or any incandescent material. Take necessary action to avoid static electricity discharge
---	--

Safety Data Sheet

VANFLOC FS 90C

Version 1.1

Revision Date: 11/06/2022

(which might cause ignition of organic vapours). Keep away from open flames, hot surfaces and sources of ignition.

- Advice on safe handling : Avoid formation of aerosol.
Do not breathe vapours/dust.
Avoid contact with skin and eyes.
For personal protection see section 8.
Smoking, eating and drinking should be prohibited in the application area.
Take precautionary measures against static discharges.
Provide sufficient air exchange and/or exhaust in work rooms.
Open drum carefully as content may be under pressure.
To avoid spills during handling keep bottle on a metal tray.
Dispose of rinse water in accordance with local and national regulations.
- Conditions for safe storage : No smoking.
Keep container tightly closed in a dry and well-ventilated place.
Containers which are opened must be carefully resealed and kept upright to prevent leakage.
Observe label precautions.
Electrical installations / working materials must comply with the technological safety standards.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

CAS-No.	Components	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
64742-47-8	Distillates (petroleum), hydrotreated light	TWA	200 mg/m ³ (total hydrocarbon vapor)	CA BC OEL
		TWA	200 mg/m ³ (total hydrocarbon vapor)	CA AB OEL
		TWA (Mist)	5 mg/m ³	CA AB OEL
		STEL (Mist)	10 mg/m ³	CA AB OEL
		TWAEV (Mist)	5 mg/m ³	CA QC OEL
		STEV (Mist)	10 mg/m ³	CA QC OEL
		TWA	525 mg/m ³	CA ON OEL

Personal protective equipment

- Respiratory protection : Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.
- Filter type : Organic vapour type
- Hand protection
- Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.
- Eye protection : Eye wash bottle with pure water
Tightly fitting safety goggles
Wear face-shield and protective suit for abnormal processing

Safety Data Sheet

VANFLOC FS 90C

Version 1.1

Revision Date: 11/06/2022

Skin and body protection	: problems. Impervious clothing Choose body protection according to the amount and concentration of the dangerous substance at the work place.
Hygiene measures	: When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: liquid
Colour	: No data available
Odour	: No data available
Odour Threshold	: No data available
pH	: 5.5 - 8.5
Freezing Point (Melting point/freezing point)	: < 5 °C (41 °F)
Boiling Point (Boiling point/boiling range)	: 100 °C (212 °F)
Flash point	: No data available
Evaporation rate	: No data available
Flammability (solid, gas)	: No data available
Upper explosion limit	: No data available
Lower explosion limit	: No data available
Vapour pressure	: No data available
Relative vapour density	: No data available
Relative density	: 1.0 - 1.1 @ 20 °C (68 °F) Reference substance: (water = 1)
Density	: No data available
Water solubility	: No data available
Solubility in other solvents	: No data available
Partition coefficient: n-octanol/water	: No data available
Auto-ignition temperature	: No data available
Thermal decomposition	: No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: No dangerous reaction known under conditions of normal use.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: No hazards to be specially mentioned.
Conditions to avoid	: Heat, flames and sparks.
Incompatible materials	: Strong oxidizing agents

Safety Data Sheet
VANFLOC FS 90C

Version 1.1

Revision Date: 11/06/2022

SECTION 11. TOXICOLOGICAL INFORMATION**Acute toxicity****Components:****64742-47-8:**

Acute oral toxicity : LD50 (Rat, male and female): > 5,000 mg/kg
Remarks: Information given is based on data obtained from similar substances.

Acute dermal toxicity : LD50 (Rabbit, male and female): > 2,000 mg/kg
Remarks: Information given is based on data obtained from similar substances.

Skin corrosion/irritation**Components:****69011-36-5:**

Species: Rabbit

Result: Irritating to skin.

Serious eye damage/eye irritation**Components:****69011-36-5:**

Species: Rabbit

Result: Risk of serious damage to eyes.

ACGIH

Confirmed animal carcinogen with unknown relevance to humans

64742-47-8

Distillates (petroleum), hydrotreated light

Aspiration toxicity**Components:****64742-47-8:**

May be fatal if swallowed and enters airways.

Further information**Product:**

Remarks: Solvents may degrease the skin.

SECTION 12. ECOLOGICAL INFORMATION**Ecotoxicity****Components:**

Safety Data Sheet

VANFLOC FS 90C

Version 1.1

Revision Date: 11/06/2022

69011-36-5:

- | | |
|--|---|
| Toxicity to fish | : LL50 (Danio rerio (zebra fish)): 2.5 mg/l
Exposure time: 96 h |
| Toxicity to daphnia and other aquatic invertebrates | : EC50 (Daphnia magna (Water flea)): 1.5 mg/l
Exposure time: 48 h |
| Toxicity to algae | : EL50 (Desmodesmus subspicatus (green algae)): 2.5 mg/l
Exposure time: 72 h |
| Toxicity to fish (Chronic toxicity) | : Chronic Toxicity Value (Pimephales promelas (fathead minnow)): Calculated 1.097 mg/l
Exposure time: 30 d |
| Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) | : Chronic Toxicity Value (Daphnia magna (Water flea)): Calculated 0.74 mg/l
Exposure time: 21 d |
| Acute aquatic toxicity- Assessment | : Toxic to aquatic life. |
| Chronic aquatic toxicity- Assessment | : Harmful to aquatic life with long lasting effects. |

Persistence and degradability

No data available

Bioaccumulative potential

Components:

69011-36-5:

- | | |
|--|------------------------|
| Partition coefficient: n-octanol/water | : log Pow: 6.4 (22 °C) |
|--|------------------------|

Mobility in soil

No data available

Other adverse effects

Product:

- | | |
|-----------------------------------|---|
| Additional ecological information | : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Harmful to aquatic life. |
|-----------------------------------|---|

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

- | | |
|------------------------|---|
| Waste from residues | : Dispose of in accordance with all applicable local, state and federal regulations.
For assistance with your waste management needs - including disposal, recycling and waste stream reduction, contact Univar Solutions ChemCare: 1-800-637-7922 |
| Contaminated packaging | : Empty remaining contents. |

Safety Data Sheet
VANFLOC FS 90C

Version 1.1

Revision Date: 11/06/2022

Dispose of as unused product.
Do not re-use empty containers.
Do not burn, or use a cutting torch on, the empty drum.

SECTION 14. TRANSPORT INFORMATION**TDG (Transportation of Dangerous Goods):** Not regulated as a dangerous good**IATA (International Air Transport Association):** Not regulated as a dangerous good**IMDG-Code:** Not regulated as a dangerous good

SECTION 15. REGULATORY INFORMATION

This product has been classified according to the hazard criteria of the Hazardous Products Regulations (HPR) and the SDS contains all of the information required by the HPR.

The components of this product are reported in the following inventories:

TSCA	: On TSCA Inventory
DSL	: All components of this product are on the Canadian DSL
AICS	: not determined
NZIoC	: not determined
ENCS	: not determined
KECI	: not determined
PICCS	: not determined
IECSC	: not determined

SECTION 16. OTHER INFORMATION

The information accumulated is based on the data of which we are aware and is believed to be correct as of the date hereof. Since this information may be applied under conditions beyond our control and with which we may be unfamiliar and since data made become available subsequently to the date hereof, we do not assume any responsibility for the results of its use. Recipients are advised to confirm in advance of need that the information is current, applicable, and suitable to their circumstances. This SDS has been prepared by Univar Solutions EHS Product Compliance Department (1-855-429-2661) SDSNA@univarsolutions.com.

Revision Date : 11/06/2022

Safety Data Sheet

VANFLOC FS 90C

Version 1.1

Revision Date: 11/06/2022

Material number:

16181398,

Key or legend to abbreviations and acronyms used in the safety data sheet

ACGIH	American Conference of Government Industrial Hygienists	LD50	Lethal Dose 50%
AICS	Australia, Inventory of Chemical Substances	LOAEL	Lowest Observed Adverse Effect Level
DSL	Canada, Domestic Substances List	NFPA	National Fire Protection Agency
NDSL	Canada, Non-Domestic Substances List	NIOSH	National Institute for Occupational Safety & Health
CNS	Central Nervous System	NTP	National Toxicology Program
CAS	Chemical Abstract Service	NZIoC	New Zealand Inventory of Chemicals
EC50	Effective Concentration	NOAEL	No Observable Adverse Effect Level
EC50	Effective Concentration 50%	NOEC	No Observed Effect Concentration
EGEST	EOSCA Generic Exposure Scenario Tool	OSHA	Occupational Safety & Health Administration
EOSCA	European Oilfield Specialty Chemicals Association	PEL	Permissible Exposure Limit
EINECS	European Inventory of Existing Chemical Substances	PICCS	Philippines Inventory of Commercial Chemical Substances
MAK	Germany Maximum Concentration Values	PRNT	Presumed Not Toxic
GHS	Globally Harmonized System	RCRA	Resource Conservation Recovery Act
>=	Greater Than or Equal To	STEL	Short-term Exposure Limit
IC50	Inhibition Concentration 50%	SARA	Superfund Amendments and Reauthorization Act.
IARC	International Agency for Research on Cancer	TLV	Threshold Limit Value
IECSC	Inventory of Existing Chemical Substances in China	TWA	Time Weighted Average
ENCS	Japan, Inventory of Existing and New Chemical Substances	TSCA	Toxic Substance Control Act
KECI	Korea, Existing Chemical Inventory	UVCB	Unknown or Variable Composition, Complex Reaction Products, and Biological Materials
<=	Less Than or Equal To	WHMIS	Workplace Hazardous Materials Information System
LC50			Lethal Concentration 50%