

Safety Data Sheet

SULFURIC ACID 66Be°

Version 1.9

Revision Date: 08/21/2025

SECTION 1. IDENTIFICATION

Product name : SULFURIC ACID 66Be°
Synonyms : NC SULFURIC ACID 66Be

Recommended use of the chemical and restrictions on use

Recommended use : Acid.
 Fertilizers.
 Water treatment chemical

Restricted Uses : No data available

Manufacturer or supplier's details

Company : Univar Solutions Canada Ltd.
Address : 64 Arrow Road
 North York, ON, M9M 2L9
 Canada

Emergency telephone number:

Local Emergency Contact : During Office hours Monday-Friday, 8.00 am - 4.30 pm (Pacific Standard Time) : 1-866-686-4827

Additional Information: : Responsible Party: Product Compliance Department
 E-mail: SDSNA@univarsolutions.com
 SDS Requests: 1-855-429-2661
 Website: www.univarsolutions.com

SECTION 2. HAZARD IDENTIFICATION

Hazardous Classification of the substance or mixture

Corrosive to metals : Category 1
Skin corrosion : Category 1A
Serious eye damage : Category 1
Carcinogenicity : Category 1A
Specific target organ toxicity - single exposure : Category 3 (Respiratory system)

Label elements

Hazard pictograms : 

Signal word : Danger

Hazard statements : H290 May be corrosive to metals.
 H314 Causes severe skin burns and eye damage.
 H335 May cause respiratory irritation.
 H350 May cause cancer.

Safety Data Sheet
SULFURIC ACID 66Be°

Version 1.9

Revision Date: 08/21/2025

Precautionary statements : **Prevention:**
P201 Obtain special instructions before use.
P202 Do not handle until all safety precautions have been read and understood.
P234 Keep only in original packaging.
P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.
P264 Wash skin thoroughly after handling.
P271 Use only outdoors or in a well-ventilated area.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:
P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.
P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor.
P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.
P308 + P313 IF exposed or concerned: Get medical advice/ attention.
P363 Wash contaminated clothing before reuse.
P390 Absorb spillage to prevent material damage.

Storage:
P403 + P233 Store in a well-ventilated place. Keep container tightly closed.
P405 Store locked up.

Disposal:
P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous components

CAS-No.	Chemical name	% by Weight	Synonyms
7664-93-9	Sulfuric acid	80 - 100	Sulfuric acid

The exact ranges of this mixture are being withheld due to a Trade Secret.

Molecular formula : H₂-O₄-S**SECTION 4. FIRST-AID MEASURES**General advice : Move out of dangerous area.
Consult a physician.

Safety Data Sheet

SULFURIC ACID 66Be°

Version 1.9

Revision Date: 08/21/2025

If inhaled	Show this safety data sheet to the doctor in attendance. Do not leave the victim unattended.
	: If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician.
In case of skin contact	: Immediate medical treatment is necessary as untreated wounds from corrosion of the skin heal slowly and with difficulty. If on skin, rinse well with water.
	If on clothes, remove clothes.
In case of eye contact	: Small amounts splashed into eyes can cause irreversible tissue damage and blindness. In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
	Continue rinsing eyes during transport to hospital. Remove contact lenses. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.
If swallowed	Take victim immediately to hospital.
	: Clean mouth with water and drink afterwards plenty of water. Keep respiratory tract clear. Do NOT induce vomiting. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician. Take victim immediately to hospital.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	: Dry chemical Carbon dioxide (CO ₂)
Unsuitable extinguishing media	: High volume water jet Water
Hazardous combustion products	: sulfur oxides Gases hazardous to health may be formed. Sulphuric acid
Specific extinguishing methods	: Use a water spray to cool fully closed containers.
Further information	: Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
Special protective equipment for firefighters	: Wear self-contained breathing apparatus for firefighting if necessary.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	: Use personal protective equipment.
Environmental precautions	: Prevent product from entering drains.

Safety Data Sheet

SULFURIC ACID 66Be°

Version 1.9

Revision Date: 08/21/2025

Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities.

Methods and materials for containment and cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).
Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion : Normal measures for preventive fire protection.

Advice on safe handling : Do not breathe vapours/dust.
Avoid contact with skin and eyes.
For personal protection see section 8.
Smoking, eating and drinking should be prohibited in the application area.
To avoid spills during handling keep bottle on a metal tray.
Dispose of rinse water in accordance with local and national regulations.

Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.
Containers which are opened must be carefully resealed and kept upright to prevent leakage.
Observe label precautions.
Electrical installations / working materials must comply with the technological safety standards.

Materials to avoid : Do not store near acids.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

CAS-No.	Components	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
7664-93-9	Sulfuric acid	TWA	1 mg/m3	CA AB OEL
		STEL	3 mg/m3	CA AB OEL
		TWA (Thoracic)	0.2 mg/m3	CA BC OEL
		TWAEV (thoracic dust)	0.2 mg/m3	CA QC OEL

Personal protective equipment

Hand protection

Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Eye protection : Eye wash bottle with pure water
Tightly fitting safety goggles
Wear face-shield and protective suit for abnormal processing

Safety Data Sheet

SULFURIC ACID 66Be°

Version 1.9

Revision Date: 08/21/2025

Skin and body protection	: problems. Impervious clothing Choose body protection according to the amount and concentration of the dangerous substance at the work place.
Hygiene measures	: When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: liquid
Colour	: Clear, colorless, amber
Odour	: pungent
Odour Threshold	: No data available
pH	: 0.3 @ 25 °C (77 °F)
Freezing Point (Melting point/range)	: -31 - 10.56 °C (-24 - 51.01 °F)
Boiling Point (Boiling point/boiling range)	: 217 - 330 °C (423 - 626 °F)
Flash point	: does not flash
Evaporation rate	: No data available
Flammability (solid, gas)	: No data available
Upper explosion limit	: No data available
Lower explosion limit	: No data available
Vapour pressure	: < 0.3 mmHg @ 25 °C (77 °F)
Relative vapour density	: 3.4 @ 20 °C (68 °F) (Air = 1.0)
Relative density	: 1.8347 - 1.8437 @ 25 °C (77 °F) Reference substance: (water = 1)
Density	: Estimated 1.837 g/cm ³ @ 20 °C (68 °F)
Solubility(ies)	
Water solubility	: completely miscible
Solubility in other solvents	: No data available
Partition coefficient: n-octanol/water	: No data available
Auto-ignition temperature	: No data available
Thermal decomposition	: 340 °C

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: No dangerous reaction known under conditions of normal use.
Chemical stability	: Stable under normal conditions.

Safety Data Sheet
SULFURIC ACID 66Be°

Version 1.9

Revision Date: 08/21/2025

Possibility of hazardous reactions	: Acid reacts with most metals to release hydrogen gas which can form explosive mixtures with air. Reacts with organic materials and may cause ignition of finely divided materials on contact.
Conditions to avoid Incompatible materials	: Avoid contact with combustible material (paper, wool, oil). : acetylenes Acids Ammonia Combustible material Flammable materials Metals nitrates Nitriles nitrites Organic materials Oxidizing agents phosphorus Powdered metals Reducing agents water Peroxides
Hazardous decomposition products	: corrosive vapors Sulphur oxides toxic fumes

SECTION 11. TOXICOLOGICAL INFORMATION**Acute toxicity****Components:****7664-93-9:**

Acute oral toxicity	: LC50 (Rat, male and female): 2,140 mg/kg
Acute inhalation toxicity	: LC50 (Rat, male and female): mg/m3 375 Exposure time: 4 h Test atmosphere: dust/mist
Acute dermal toxicity	: Remarks: No data available

Skin corrosion/irritation**Product:**

Remarks: Extremely corrosive and destructive to tissue.

Components:**7664-93-9:**

Species: Rabbit

Result: Causes severe burns.

Safety Data Sheet
SULFURIC ACID 66Be°

Version 1.9

Revision Date: 08/21/2025

Serious eye damage/eye irritation**Product:**

Remarks: May cause irreversible eye damage.

Components:**7664-93-9:**

Remarks: No data available

Respiratory or skin sensitisation**Components:****7664-93-9:**

Remarks: No data available

Germ cell mutagenicity**Components:****7664-93-9:**

Genotoxicity in vitro : Test Type: Ames test
Species: Salmonella typhimurium
Metabolic activation: with and without metabolic activation
Result: negative

Germ cell mutagenicity - Assessment : Not mutagenic in Ames Test

Carcinogenicity**Product:**

Carcinogenicity - Assessment : Human carcinogen.

Components:**7664-93-9:**

Species: Mouse, (male and female)
Application Route: Oral
Exposure time: lifetime
Dose: 0.2 mL of 0.2% aq solution
Frequency of Treatment: 1 days/week
Symptoms: Local irritation, Tumors

Carcinogenicity - Assessment : Weight of evidence does not support classification as a carcinogen

ACGIH

Suspected human carcinogen

7664-93-9

Sulfuric acid

Reproductive toxicity**Components:****7664-93-9:**

Safety Data Sheet
SULFURIC ACID 66Be°

Version 1.9

Revision Date: 08/21/2025

Reproductive toxicity - Assessment

Fertility classification not possible from current data.

Teratogenicity - Assessment : Did not show teratogenic effects in animal experiments.

STOT - single exposure**Product:**

Assessment: The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with respiratory tract irritation.

Further information**Product:**

Remarks: No data available

SECTION 12. ECOLOGICAL INFORMATION**Ecotoxicity**

No data available

Persistence and degradability

No data available

Bioaccumulative potential

No data available

Mobility in soil

No data available

Other adverse effects**Product:**

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

SECTION 13. DISPOSAL CONSIDERATIONS**Disposal methods**Waste from residues : Dispose of in accordance with all applicable local, state and federal regulations.
For assistance with your waste management needs - including disposal, recycling and waste stream reduction, contact Univar Solutions ChemCare: 1-800-637-7922

Contaminated packaging : Empty remaining contents.

Safety Data Sheet
SULFURIC ACID 66Be°

Version 1.9

Revision Date: 08/21/2025

Dispose of as unused product.
Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION**TDG (Transportation of Dangerous Goods):**

UN1830, SULFURIC ACID, 8, II

IATA (International Air Transport Association):

UN1830, SULPHURIC ACID, 8, II

IMDG (International Maritime Dangerous Goods):

UN1830, SULPHURIC ACID, 8, II

SECTION 15. REGULATORY INFORMATION

This product has been classified according to the hazard criteria of the Hazardous Products Regulations (HPR) and the SDS contains all of the information required by the HPR.

NPRI Components : 7664-93-9**The components of this product are reported in the following inventories:**

TSCA	: All substances listed as active on the TSCA inventory
AIIC	: On the inventory, or in compliance with the inventory
DSL	: All components of this product are on the Canadian DSL
ENCS	: On the inventory, or in compliance with the inventory
KECI	: On the inventory, or in compliance with the inventory
PICCS	: On the inventory, or in compliance with the inventory
IECSC	: On the inventory, or in compliance with the inventory
NZIoC	: Not in compliance with the inventory

SECTION 16. OTHER INFORMATION

The information accumulated is based on the data of which we are aware and is believed to be correct as of the date hereof. Since this information may be applied under conditions beyond our control and with which we may be unfamiliar and since data made become available subsequently to the date hereof, we do not assume any responsibility for the results of its use. Recipients are advised to confirm in advance of need that the information is current, applicable, and suitable to their circumstances. This SDS has been prepared by Univar Solutions EHS Product Compliance Department (1-855-429-2661) SDSNA@univarsolutions.com.

Revision Date : 08/21/2025

Safety Data Sheet

SULFURIC ACID 66Be°

Version 1.9

Revision Date: 08/21/2025

Legacy SDS: : R0001174

Material number:

16186267, 16174712, 16175807, 16178772, 16181534, 16174800, 16177108, 16175890, 16175344, 16175320, 16174913, 16174890, 16174602, 16168596, 16168315, 55254, 104393, 153270, 136507, 170942, 20261, 747387, 746673, 572695, 549278, 554154, 105608, 55212, 74712, 55684, 56633, 72048, 152711, 88318, 89725, 87701, 592090, 52439, 89466, 107474, 56705, 88445, 108413, 106107

Key or legend to abbreviations and acronyms used in the safety data sheet			
ACGIH	American Conference of Government Industrial Hygienists	LD50	Lethal Dose 50%
AiIC	Australia Inventory of Industrial Chemicals	LOAEL	Lowest Observed Adverse Effect Level
DSL	Canada, Domestic Substances List	NFPA	National Fire Protection Agency
NDSL	Canada, Non-Domestic Substances List	NIOSH	National Institute for Occupational Safety & Health
CNS	Central Nervous System	NTP	National Toxicology Program
CAS	Chemical Abstract Service	NZIoC	New Zealand Inventory of Chemicals
EC50	Effective Concentration	NOAEL	No Observable Adverse Effect Level
EC50	Effective Concentration 50%	NOEC	No Observed Effect Concentration
EGEST	EOSCA Generic Exposure Scenario Tool	OSHA	Occupational Safety & Health Administration
EOSCA	European Oilfield Specialty Chemicals Association	PEL	Permissible Exposure Limit
EINECS	European Inventory of Existing Chemical Substances	PICCS	Philippines Inventory of Commercial Chemical Substances
MAK	Germany Maximum Concentration Values	PRNT	Presumed Not Toxic
GHS	Globally Harmonized System	RCRA	Resource Conservation Recovery Act
>=	Greater Than or Equal To	STEL	Short-term Exposure Limit
IC50	Inhibition Concentration 50%	SARA	Superfund Amendments and Reauthorization Act.
IARC	International Agency for Research on Cancer	TLV	Threshold Limit Value
IECSC	Inventory of Existing Chemical Substances in China	TWA	Time Weighted Average
ENCS	Japan, Inventory of Existing and New Chemical Substances	TSCA	Toxic Substance Control Act
KECI	Korea, Existing Chemical Inventory	UVCB	Unknown or Variable Composition, Complex Reaction Products, and Biological Materials
<=	Less Than or Equal To	WHMIS	Workplace Hazardous Materials Information System
LC50			Lethal Concentration 50%