

Safety Data Sheet

CAFLON EDTA 100

Version 1.3

Revision Date: 04/13/2023

SECTION 1. IDENTIFICATION

Product name : CAFLON EDTA 100

Synonyms : No data available

Restricted Uses : No data available

Manufacturer or supplier's details

Company : Univar Solutions Canada Ltd.
Address : 64 Arrow Road
 North York, ON, M9M 2L9
 Canada

Emergency telephone number:

Local Emergency Contact : During Office hours Monday-Friday, 8.00 am - 4.30 pm (Pacific Standard Time) : 1-866-686-4827

Additional Information: : Responsible Party: Product Compliance Department
 E-mail: SDSNA@univarsolutions.com
 SDS Requests: 1-855-429-2661
 Website: www.univarsolutions.com

SECTION 2. HAZARD IDENTIFICATION

Hazardous Classification of the substance or mixture

Corrosive to metals : Category 1

Acute toxicity (Inhalation) : Category 4

Skin irritation : Category 2

Serious eye damage : Category 1

Specific target organ toxicity
 - repeated exposure : Category 2

Label elements

Hazard pictograms :



Signal word : Danger

Hazard statements : H290 May be corrosive to metals.
 H315 Causes skin irritation.
 H318 Causes serious eye damage.
 H332 Harmful if inhaled.
 H373 May cause damage to organs through prolonged or repeated exposure.

Precautionary statements : **Prevention:**
 P234 Keep only in original packaging.

Safety Data Sheet

CAFLON EDTA 100

Version 1.3

Revision Date: 04/13/2023

P260 Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.

P264 Wash skin thoroughly after handling.

P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves/ eye protection/ face protection.

Response:

P302 + P352 IF ON SKIN: Wash with plenty of water.

P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.

P314 Get medical advice/ attention if you feel unwell.

P332 + P313 If skin irritation occurs: Get medical advice/ attention.

P362 + P364 Take off contaminated clothing and wash it before reuse.

P390 Absorb spillage to prevent material damage.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous components

CAS-No.	Chemical name	% by Weight	Synonyms
64-02-8	Tetrasodium ethylenediaminetetraacetate	37 - 39	Tetrasodium ethylenediaminetetraacetate
1310-73-2	Sodium hydroxide	1.0 - 1.6	Sodium hydroxide
5064-31-3	Glycine, N,N-bis(carboxymethyl)-, sodium salt (1:3)	1	Glycine, N,N-bis(carboxymethyl)-, sodium salt (1:3)
7732-18-5	Water	56	water (Drinking water)
2836-32-0	Acetic acid, 2-hydroxy-, sodium salt (1:1)	3	Acetic acid, 2-hydroxy-, sodium salt (1:1)

Actual concentration or concentration range is withheld as a trade secret

SECTION 4. FIRST-AID MEASURES

Safety Data Sheet

CAFLON EDTA 100

Version 1.3

Revision Date: 04/13/2023

General advice	: Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance. Do not leave the victim unattended.
If inhaled	: Consult a physician after significant exposure. If unconscious, place in recovery position and seek medical advice.
In case of skin contact	: If skin irritation persists, call a physician. If on skin, rinse well with water. If on clothes, remove clothes.
In case of eye contact	: Small amounts splashed into eyes can cause irreversible tissue damage and blindness. In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Continue rinsing eyes during transport to hospital. Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist. Take victim immediately to hospital.
If swallowed	: Keep respiratory tract clear. Do NOT induce vomiting. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician. Take victim immediately to hospital.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	: Carbon dioxide (CO ₂) Water mist Foam Dry chemical
Unsuitable extinguishing media	: High volume water jet
Specific hazards during fire-fighting	: Do not allow run-off from fire fighting to enter drains or water courses.
Hazardous combustion products	: Nitrogen oxides (NO _x) Carbon oxides
Further information	: Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
Special protective equipment for firefighters	: Wear self-contained breathing apparatus for firefighting if necessary.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	: Use personal protective equipment. Ensure adequate ventilation.
---	--

Safety Data Sheet

CAFLON EDTA 100

Version 1.3

Revision Date: 04/13/2023

- Environmental precautions : Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities.
- Methods and materials for containment and cleaning up : Neutralise with acid.
Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).
Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

- Advice on protection against fire and explosion : Normal measures for preventive fire protection.
- Advice on safe handling : Avoid formation of aerosol.
Do not breathe vapours/dust.
Avoid exposure - obtain special instructions before use.
Avoid contact with skin and eyes.
For personal protection see section 8.
Smoking, eating and drinking should be prohibited in the application area.
Provide sufficient air exchange and/or exhaust in work rooms.
To avoid spills during handling keep bottle on a metal tray.
Dispose of rinse water in accordance with local and national regulations.
- Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.
Containers which are opened must be carefully resealed and kept upright to prevent leakage.
Electrical installations / working materials must comply with the technological safety standards.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

CAS-No.	Components	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
1310-73-2	Sodium hydroxide	(c)	2 mg/m ³	CA AB OEL
		C	2 mg/m ³	CA BC OEL
		C	2 mg/m ³	CA QC OEL

Personal protective equipment

- Respiratory protection : In the case of vapour formation use a respirator with an approved filter.
- Hand protection
- Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.
- Eye protection : Eye wash bottle with pure water
Tightly fitting safety goggles

Safety Data Sheet

CAFLON EDTA 100

Version 1.3

Revision Date: 04/13/2023

Skin and body protection	:	Wear face-shield and protective suit for abnormal processing problems.
		Impervious clothing
Hygiene measures	:	Choose body protection according to the amount and concentration of the dangerous substance at the work place.
		When using do not eat or drink.
		When using do not smoke.
		Wash hands before breaks and at the end of workday.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	liquid
Colour	:	colourless, yellow
Odour	:	mild
Odour Threshold	:	No data available
pH	:	11.0 - 11.8 @ 1 %Aqueous solution
Freezing Point (Freezing Point)	:	-25 °C (-13 °F)
Boiling Point (Boiling point/boiling range)	:	106 °C (223 °F) (1013 hPa)
Flash point	:	Method: Pensky-Martens closed cup does not flash
Evaporation rate	:	No data available
Flammability (solid, gas)	:	No data available
Upper explosion limit	:	No data available
Lower explosion limit	:	No data available
Vapour pressure	:	No data available
Relative vapour density	:	No data available
Relative density	:	1.31 @ 25 °C (77 °F) Reference substance: (water = 1)
Density	:	No data available
Solubility(ies)	:	
Water solubility	:	Miscible
Solubility in other solvents	:	No data available
Partition coefficient: n-octanol/water	:	No data available
Auto-ignition temperature	:	No data available
Thermal decomposition	:	No data available
Viscosity	:	
Viscosity, kinematic	:	20 mm ² /s @ 20 °C (68 °F)

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	No dangerous reaction known under conditions of normal use.
Chemical stability	:	Stable under normal conditions.

Safety Data Sheet

CAFLON EDTA 100

Version 1.3

Revision Date: 04/13/2023

Possibility of hazardous reactions	: No hazards to be specially mentioned.
Conditions to avoid	: Keep away from heat, flame, sparks and other ignition sources.
Incompatible materials	: Acids aluminum Halogenated compounds Metals organic nitro compounds Oxidizing agents Strong bases Zinc

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Product:

Acute oral toxicity	: Assessment: The substance or mixture has no acute oral toxicity
Acute inhalation toxicity	: Assessment: The component/mixture is moderately toxic after short term inhalation.

Components:

64-02-8:

Acute oral toxicity	: LD50 (Rat): 630 mg/kg Assessment: The component/mixture is moderately toxic after single ingestion.
Acute inhalation toxicity	: LC50 (Rat): 10 mg/l Test atmosphere: dust/mist Assessment: The component/mixture is moderately toxic after short term inhalation.

Acute dermal toxicity	: Remarks: No data available
-----------------------	------------------------------

1310-73-2:

Acute oral toxicity	: LD50 (Rabbit): 325 mg/kg
---------------------	----------------------------

5064-31-3:

Acute oral toxicity	: LD50 (Rat, male and female): 1,600 mg/kg Assessment: The component/mixture is toxic after single ingestion.
---------------------	--

Skin corrosion/irritation

Components:

64-02-8:

Species: Rabbit
Result: No skin irritation

Safety Data Sheet
CAFLON EDTA 100

Version 1.3

Revision Date: 04/13/2023

1310-73-2:

Species: Rabbit

Result: Causes severe burns.

Serious eye damage/eye irritation**Components:****64-02-8:**

Species: Rabbit

Result: Risk of serious damage to eyes.

1310-73-2:

Species: Rabbit

Result: Risk of serious damage to eyes.

5064-31-3:

Species: Rabbit

Result: Irritating to eyes.

Respiratory or skin sensitisation**Components:****64-02-8:**

Species: Guinea pig

Result: Did not cause sensitisation on laboratory animals.

Germ cell mutagenicity**Components:****64-02-8:**

Germ cell mutagenicity - Assessment : Tests on bacterial or mammalian cell cultures did not show mutagenic effects.

Carcinogenicity**Components:****64-02-8:**

Carcinogenicity - Assessment : No evidence of carcinogenicity in animal studies.

5064-31-3:

Species: Rat, (male and female)

Application Route: Oral

Exposure time: 104 wks

Dose: 0, 9.2, 92, 921 mg/kg/d

LOAEL: 92 mg/kg body weight

Result: evidence of carcinogenic activity

Remarks: Category 2

Carcinogenicity - Assessment : Suspected human carcinogens

Safety Data Sheet
CAFLON EDTA 100

Version 1.3

Revision Date: 04/13/2023

ACGIH

No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

Reproductive toxicity**Components:****64-02-8:**

Teratogenicity - Assessment : No evidence of adverse effects on sexual function and fertility, or on development, based on animal experiments.

STOT - repeated exposure**Product:**

Assessment: The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 2.

Aspiration toxicity**Components:****64-02-8:**

No aspiration toxicity classification

Further information**Product:**

Remarks: No data available

SECTION 12. ECOLOGICAL INFORMATION**Ecotoxicity****Components:****64-02-8:**

Toxicity to fish : LC50 (*Lepomis macrochirus* (Bluegill sunfish)): 486 mg/l
Exposure time: 96 h
Test Type: static test

Toxicity to daphnia and other aquatic invertebrates : LC50 (*Daphnia magna* (Water flea)): 625 mg/l
Exposure time: 24 h
Test Type: static test

Toxicity to algae : EC50 (*Desmodesmus subspicatus* (green algae)): 2.77 mg/l
End point: Growth rate
Exposure time: 72 h
Test Type: static test

Acute aquatic toxicity- Assessment : Toxic to aquatic life.

Safety Data Sheet

CAFLON EDTA 100

Version 1.3

Revision Date: 04/13/2023

Chronic aquatic toxicity- Assessment : Toxic to aquatic life with long lasting effects.
5064-31-3:
Toxicity to algae : EC50 (Desmodesmus subspicatus (green algae)): > 91.5 mg/l
End point: Biomass
Exposure time: 72 h
Test Type: static test

Persistence and degradability

No data available

Bioaccumulative potential

No data available

Mobility in soil

No data available

Other adverse effects

Product:

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Toxic to aquatic life with long lasting effects.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : The product should not be allowed to enter drains, water courses or the soil.
Do not contaminate ponds, waterways or ditches with chemical or used container.
Send to a licensed waste management company.
Dispose of in accordance with all applicable local, state and federal regulations.
For assistance with your waste management needs - including disposal, recycling and waste stream reduction, contact Univar Solutions ChemCare: 1-800-637-7922

Contaminated packaging : Empty remaining contents.
Dispose of as unused product.
Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION

TDG (Transportation of Dangerous Goods):

UN3267, CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S., (SODIUM HYDROXIDE, TETRASODIUM ETHYLENEDIAMINETETRAACETATE), 8, III

IATA (International Air Transport Association):

Safety Data Sheet

CAFLON EDTA 100

Version 1.3

Revision Date: 04/13/2023

UN3267, CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S., (SODIUM HYDROXIDE, TETRASODIUM ETHYLENEDIAMINETETRAACETATE), 8, III

IMDG (International Maritime Dangerous Goods):

UN3267, CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S., (SODIUM HYDROXIDE, TETRASODIUM ETHYLENEDIAMINETETRAACETATE), 8, III

SECTION 15. REGULATORY INFORMATION

This product has been classified according to the hazard criteria of the Hazardous Products Regulations (HPR) and the SDS contains all of the information required by the HPR.

NPRI Components : 5064-31-3

The components of this product are reported in the following inventories:

TSCA : On TSCA Inventory

DSL : All components of this product are on the Canadian DSL

AICS : not determined

NZIoC : not determined

ENCS : not determined

KECI : not determined

PICCS : not determined

IECSC : not determined

SECTION 16. OTHER INFORMATION

The information accumulated is based on the data of which we are aware and is believed to be correct as of the date hereof. Since this information may be applied under conditions beyond our control and with which we may be unfamiliar and since data made become available subsequently to the date hereof, we do not assume any responsibility for the results of its use. Recipients are advised to confirm in advance of need that the information is current, applicable, and suitable to their circumstances. This SDS has been prepared by Univar Solutions EHS Product Compliance Department (1-855-429-2661) SDSNA@univarsolutions.com.

Revision Date : 04/13/2023

Legacy SDS: : 100000010727; 100000039741; 100000061201

Material number:

16168869, 16168870, 16168868, 736343, 733163, 16126225, 16019053, 16134364, 733576, 728935, 728934, 16043979, 736342, 743455, 727723, 16145442, 16144179, 16140905, 16141931, 16141266, 16185559, 16143368, 16143792

Safety Data Sheet

CAFLON EDTA 100

Version 1.3

Revision Date: 04/13/2023

Key or legend to abbreviations and acronyms used in the safety data sheet			
ACGIH	American Conference of Government Industrial Hygienists	LD50	Lethal Dose 50%
AICS	Australia, Inventory of Chemical Substances	LOAEL	Lowest Observed Adverse Effect Level
DSL	Canada, Domestic Substances List	NFPA	National Fire Protection Agency
NDSL	Canada, Non-Domestic Substances List	NIOSH	National Institute for Occupational Safety & Health
CNS	Central Nervous System	NTP	National Toxicology Program
CAS	Chemical Abstract Service	NZIoC	New Zealand Inventory of Chemicals
EC50	Effective Concentration	NOAEL	No Observable Adverse Effect Level
EC50	Effective Concentration 50%	NOEC	No Observed Effect Concentration
EGEST	EOSCA Generic Exposure Scenario Tool	OSHA	Occupational Safety & Health Administration
EOSCA	European Oilfield Specialty Chemicals Association	PEL	Permissible Exposure Limit
EINECS	European Inventory of Existing Chemical Substances	PICCS	Philippines Inventory of Commercial Chemical Substances
MAK	Germany Maximum Concentration Values	PRNT	Presumed Not Toxic
GHS	Globally Harmonized System	RCRA	Resource Conservation Recovery Act
>=	Greater Than or Equal To	STEL	Short-term Exposure Limit
IC50	Inhibition Concentration 50%	SARA	Superfund Amendments and Reauthorization Act.
IARC	International Agency for Research on Cancer	TLV	Threshold Limit Value
IECSC	Inventory of Existing Chemical Substances in China	TWA	Time Weighted Average
ENCS	Japan, Inventory of Existing and New Chemical Substances	TSCA	Toxic Substance Control Act
KECI	Korea, Existing Chemical Inventory	UVCB	Unknown or Variable Composition, Complex Reaction Products, and Biological Materials
<=	Less Than or Equal To	WHMIS	Workplace Hazardous Materials Information System
LC50			Lethal Concentration 50%