

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Polyethylene Glycol 200

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 11/11/2023  |
| 1.7     | 08/25/2026     | 100000011192 | Date of first issue: 10/08/2014 |

### SECTION 1. IDENTIFICATION

Product Identifier : Polyethylene Glycol 200  
Product code : 000000000000153492  
Synonyms : No data available  
**Manufacturer or supplier's details**  
**Company** : Univar Solutions USA  
**Address** : 3250 Lacey Rd., Suite 600  
Downers Grove, IL 60515  
United States of America (USA)

#### Emergency telephone number:

Univar Solutions USA:-CHEMTREC: 1-800-424-9300  
CHEMTREC INTERNATIONAL Tel # 703-527-3887

**Additional Information:** : Phone: 1-855-429-2661  
Regulatory Information Number: 1-855-429-2661  
Email: SDSNA@univarsolutions.com

#### Recommended use of the chemical and restrictions on use

Recommended use : Industrial chemical

### SECTION 2. HAZARD IDENTIFICATION

**GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)**

#### Hazards for the product as supplied

Not a hazardous substance or mixture.

#### Other hazards

None known.

#### Hazards associated with a change in physical form:

No data available

#### GHS label elements

Not a hazardous substance or mixture.

#### Hazards resulting from a reaction with other chemicals under normal conditions of use:

No data available

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

#### Hazardous components

| CAS-No.    | Chemical name       | Weight percent | Trade secret |
|------------|---------------------|----------------|--------------|
| 25322-68-3 | Polyethylene glycol | 90 - 100       | -            |
| 111-46-6   | Diethylene glycol   | 1 - 5          | -            |

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Polyethylene Glycol 200

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 11/11/2023  |
| 1.7     | 08/25/2026     | 100000011192 | Date of first issue: 10/08/2014 |

|          |                 |       |   |
|----------|-----------------|-------|---|
| 107-21-1 | Ethylene glycol | 1 - 5 | - |
|----------|-----------------|-------|---|

Actual concentration is withheld as a trade secret  
Any concentration shown as a range is due to batch variation.

### SECTION 4. FIRST-AID MEASURES

|                                                             |                                                                                                                                                                                     |
|-------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| General advice                                              | : Move out of dangerous area.<br>Show this safety data sheet to the doctor in attendance.<br>Do not leave the victim unattended.                                                    |
| If inhaled                                                  | : If unconscious, place in recovery position and seek medical advice.<br>If symptoms persist, call a physician.                                                                     |
| In case of skin contact                                     | : In case of contact, immediately flush skin with plenty of water.<br>Call a physician if irritation develops or persists.                                                          |
| In case of eye contact                                      | : Flush eyes with water as a precaution.<br>Keep eye wide open while rinsing.<br>If eye irritation persists, consult a specialist.                                                  |
| If swallowed                                                | : Keep respiratory tract clear.<br>Never give anything by mouth to an unconscious person.<br>Take victim immediately to hospital.<br>Do not induce vomiting without medical advice. |
| Most important symptoms and effects, both acute and delayed | : None known.                                                                                                                                                                       |

### SECTION 5. FIRE-FIGHTING MEASURES

|                                                        |                                                                                                           |
|--------------------------------------------------------|-----------------------------------------------------------------------------------------------------------|
| Suitable extinguishing media                           | : Water spray<br>Dry chemical<br>Carbon dioxide (CO <sub>2</sub> )<br>Alcohol-resistant foam              |
| Unsuitable extinguishing media                         | : High volume water jet                                                                                   |
| Specific hazards during fire-fighting                  | : Do not allow run-off from fire fighting to enter drains or water courses.                               |
| Hazardous combustion products                          | : Carbon oxides                                                                                           |
| Specific extinguishing methods                         | : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. |
| Further information                                    | : Standard procedure for chemical fires.                                                                  |
| Special protective equipment and precautions for fire- | : Wear self-contained breathing apparatus for firefighting if necessary.                                  |

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Polyethylene Glycol 200

|                |                              |                             |                                                                   |
|----------------|------------------------------|-----------------------------|-------------------------------------------------------------------|
| Version<br>1.7 | Revision Date:<br>08/25/2026 | SDS Number:<br>100000011192 | Date of last issue: 11/11/2023<br>Date of first issue: 10/08/2014 |
|----------------|------------------------------|-----------------------------|-------------------------------------------------------------------|

fighters

Use personal protective equipment.

### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.

Environmental precautions : Prevent product from entering drains.  
Prevent further leakage or spillage if safe to do so.  
If the product contaminates rivers and lakes or drains inform respective authorities.

Methods and materials for containment and cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).  
Keep in suitable, closed containers for disposal.

### SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion : Normal measures for preventive fire protection.

Precautions for safe handling : Avoid formation of aerosol.  
Do not breathe vapours/dust.  
Avoid exposure - obtain special instructions before use.  
For personal protection see section 8.  
Smoking, eating and drinking should be prohibited in the application area.  
Provide sufficient air exchange and/or exhaust in work rooms.  
Dispose of rinse water in accordance with local and national regulations.

Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.  
Observe label precautions.  
Electrical installations / working materials must comply with the technological safety standards.

Further information on storage stability : No decomposition if stored and applied as directed.

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

| CAS-No.    | Components          | Value type<br>(Form of exposure) | Control parameters / Permissible concentration | Basis   |
|------------|---------------------|----------------------------------|------------------------------------------------|---------|
| 25322-68-3 | Polyethylene glycol | TWA                              | 10 mg/m <sup>3</sup>                           | US WEEL |
|            |                     | TWA (aerosol)                    | 10 mg/m <sup>3</sup>                           | US WEEL |
| 111-46-6   | Diethylene glycol   | TWA                              | 10 mg/m <sup>3</sup>                           | US WEEL |
| 107-21-1   | Ethylene glycol     | TWA (Va-                         | 25 ppm                                         | ACGIH   |

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Polyethylene Glycol 200

Version 1.7      Revision Date: 08/25/2026      SDS Number: 100000011192      Date of last issue: 11/11/2023  
Date of first issue: 10/08/2014

|  |  |                                                 |                     |         |
|--|--|-------------------------------------------------|---------------------|---------|
|  |  | pour)                                           |                     |         |
|  |  | STEL (Va-<br>pour)                              | 50 ppm              | ACGIH   |
|  |  | STEL (Inhal-<br>able fraction,<br>Aerosol only) | 10 mg/m3            | ACGIH   |
|  |  | C                                               | 50 ppm<br>125 mg/m3 | OSHA P0 |

**Engineering measures** : Use local exhaust ventilation to control residual dust from broken or crushed tablets/capsules when handling in bulk quantities.

### Personal protective equipment

**Respiratory protection** : No personal respiratory protective equipment normally required.  
In the case of vapour formation use a respirator with an approved filter.

**Hand protection**

**Remarks** : The suitability for a specific workplace should be discussed with the producers of the protective gloves.

**Eye protection** : Eye wash bottle with pure water  
Tightly fitting safety goggles

**Skin and body protection** : Impervious clothing  
Choose body protection according to the amount and concentration of the dangerous substance at the work place.

**Hygiene measures** : Wash hands before breaks and at the end of workday.

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

**Physical State** : liquid  
**Colour** : colourless  
**Odour** : mild, characteristic  
**Odour Threshold** : No data available  
**pH** : 4.5 - 7.0 @ 5 % @ 20 - 25 °C (68 - 77 °F)

**Freezing point (Freezing Point)** : -65 °C (-85 °F)  
**Boiling point (Boiling point/boiling range)** : > 200 °C (> 392 °F)  
Decomposition: yes

**Flash point** : 185 °C (365 °F)  
Method: closed cup

**Evaporation rate** : < 0.01  
(Butyl Acetate = 1)

**Flammability (solid, gas)** : No data available  
**Upper explosion limit** : 7 %(V)

**Lower explosion limit** : 1 %(V)

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Polyethylene Glycol 200

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 11/11/2023  |
| 1.7     | 08/25/2026     | 100000011192 | Date of first issue: 10/08/2014 |

|                                        |                                                             |
|----------------------------------------|-------------------------------------------------------------|
| Vapour pressure                        | : < 0.01 mmHg @ 20 °C (68 °F)                               |
| Relative vapour density                | : < 7 @ 20 - 25 °C (68 - 77 °F)<br>(Air = 1.0)              |
| Relative density                       | : 1.127 @ 20 °C (68 °F)<br>Reference substance: (water = 1) |
| Density                                | : 1.1244 g/cm3 @ 20 °C (68 °F)                              |
| Solubility(ies)                        |                                                             |
| Water solubility                       | : soluble @ 20 °C (68 °F)                                   |
| Solubility in other solvents           | : No data available                                         |
| Partition coefficient: n-octanol/water | : No data available                                         |
| Auto-ignition temperature              | : 350 °C                                                    |
| Thermal decomposition                  | : > 250 °C                                                  |
| Viscosity                              |                                                             |
| Viscosity, kinematic                   | : 4.1 - 4.8 mm2/s @ 98.9 °C (210.0 °F)                      |
| Particle characteristics               | : No data available                                         |

### SECTION 10. STABILITY AND REACTIVITY

|                                    |                                                                                                                                                                                            |
|------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Reactivity                         | : No dangerous reaction known under conditions of normal use.                                                                                                                              |
| Chemical stability                 | : Stable under normal conditions.                                                                                                                                                          |
| Possibility of hazardous reactions | : No hazards to be specially mentioned.                                                                                                                                                    |
| Conditions to avoid                | : Keep away from heat, flame, sparks and other ignition sources.<br>Exposure to moisture<br>Possible emission of gaseous decomposition products may lead to a dangerous pressure build-up. |
| Incompatible materials             | : Strong acids<br>Strong bases<br>Strong oxidizing agents<br>Aldehydes<br>aluminum<br>Zinc                                                                                                 |
| Hazardous decomposition products   | : Aldehydes<br>Alcohols<br>Carbon oxides<br>ethers<br>carboxylic acids                                                                                                                     |

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Polyethylene Glycol 200

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 11/11/2023  |
| 1.7     | 08/25/2026     | 100000011192 | Date of first issue: 10/08/2014 |

### SECTION 11. TOXICOLOGICAL INFORMATION

#### Acute toxicity

##### Product:

Acute oral toxicity : Acute toxicity estimate: > 5,000 mg/kg  
Method: Calculation method

##### Components:

###### **111-46-6:**

Acute oral toxicity : LD50 (Human): Calculated 1,120 mg/kg  
Assessment: The component/mixture is moderately toxic after single ingestion.

###### **107-21-1:**

Acute oral toxicity : Assessment: The component/mixture is moderately toxic after single ingestion.

Acute inhalation toxicity : LC50 (Rat, male and female): > 2.5 mg/l  
Exposure time: 6 h  
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Mouse, male and female): > 3,500 mg/kg

#### Skin corrosion/irritation

##### Components:

###### **107-21-1:**

Species : Rabbit  
Result : No skin irritation

#### Serious eye damage/eye irritation

##### Components:

###### **107-21-1:**

Species : Rabbit  
Result : No eye irritation

#### Respiratory or skin sensitisation

##### Components:

###### **107-21-1:**

Test Type : Maximisation Test  
Species : Guinea pig  
Result : Did not cause sensitisation on laboratory animals.

#### Carcinogenicity

**IARC** No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Polyethylene Glycol 200

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 11/11/2023  |
| 1.7     | 08/25/2026     | 100000011192 | Date of first issue: 10/08/2014 |

**OSHA** No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

**NTP** No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

### STOT - single exposure

#### Product:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

### STOT - repeated exposure

#### Product:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

#### Components:

##### **107-21-1:**

Target Organs : Kidney  
Assessment : The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 2.

### Repeated dose toxicity

#### Components:

##### **107-21-1:**

Species : Rat, male  
NOAEL : 150 mg/kg  
Application Route : Oral  
Exposure time : 12 Months  
Method : OECD Test Guideline 452  
Target Organs : Kidney  
Symptoms : Kidney disorders

### Further information

#### Product:

Remarks : No data available

---

## SECTION 12. ECOLOGICAL INFORMATION

### Ecotoxicity

No data available

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Polyethylene Glycol 200

|                |                              |                             |                                                                   |
|----------------|------------------------------|-----------------------------|-------------------------------------------------------------------|
| Version<br>1.7 | Revision Date:<br>08/25/2026 | SDS Number:<br>100000011192 | Date of last issue: 11/11/2023<br>Date of first issue: 10/08/2014 |
|----------------|------------------------------|-----------------------------|-------------------------------------------------------------------|

### Persistence and degradability

#### Components:

##### 25322-68-3:

|                              |                |
|------------------------------|----------------|
| Chemical Oxygen Demand (COD) | : 0.00182 mg/g |
| ThOD                         | : 0.00177 mg/g |

### Bioaccumulative potential

No data available

### Mobility in soil

No data available

### Other adverse effects

#### Product:

|                           |                                                                                                                                                                                                                                                                                                                  |
|---------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Ozone-Depletion Potential | : Regulation: 40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances<br>Remarks: This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B). |
|---------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

|                                   |                     |
|-----------------------------------|---------------------|
| Additional ecological information | : No data available |
|-----------------------------------|---------------------|

## SECTION 13. DISPOSAL CONSIDERATIONS

### Disposal methods

|                        |                                                                                                                                                                                                                                                       |
|------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Waste from residues    | : Dispose of in accordance with all applicable local, state and federal regulations.<br>For assistance with your waste management needs - including disposal, recycling and waste stream reduction, contact Univar Solutions ChemCare: 1-800-637-7922 |
| Contaminated packaging | : Empty remaining contents.<br>Dispose of as unused product.<br>Do not re-use empty containers.                                                                                                                                                       |

## SECTION 14. TRANSPORT INFORMATION

### International Regulations

#### IATA-DGR

Not regulated as a dangerous good

#### IMDG-Code

Not regulated as a dangerous good

### Transport in bulk according to IMO instruments

Not applicable for product as supplied.

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Polyethylene Glycol 200

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 11/11/2023  |
| 1.7     | 08/25/2026     | 100000011192 | Date of first issue: 10/08/2014 |

### National Regulations

#### 49 CFR Road

Not regulated as a dangerous good

#### Special precautions for user

Not applicable

## SECTION 15. REGULATORY INFORMATION

### CERCLA Reportable Quantity

| CAS-No. | Components     | Component RQ<br>(lbs) | Calculated product RQ<br>(lbs) |
|---------|----------------|-----------------------|--------------------------------|
| 75-21-8 | Ethylene oxide | 10                    | 11111                          |

### SARA 304 Extremely Hazardous Substances Reportable Quantity

| CAS-No. | Components     | Component RQ<br>(lbs) | Calculated product RQ<br>(lbs) |
|---------|----------------|-----------------------|--------------------------------|
| 75-21-8 | Ethylene oxide | 10                    | 11111                          |

### SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

**SARA 311/312 Hazards** : No SARA Hazards

**SARA 313** : The following components are subject to reporting levels established by SARA Title III, Section 313:

|          |                 |              |
|----------|-----------------|--------------|
| 107-21-1 | Ethylene glycol | >= 1 - < 5 % |
|----------|-----------------|--------------|

### Clean Air Act

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

The following chemical(s) are listed as HAP under the U.S. Clean Air Act, Section 112 (40 CFR 61):

|          |                 |              |
|----------|-----------------|--------------|
| 107-21-1 | Ethylene glycol | >= 1 - < 5 % |
|----------|-----------------|--------------|

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

The following chemical(s) are listed under the U.S. Clean Air Act Section 111 SOCM I Intermediate or Final VOC's (40 CFR 60.489):

|            |                     |                  |
|------------|---------------------|------------------|
| 25322-68-3 | Polyethylene glycol | >= 90 - <= 100 % |
| 111-46-6   | Diethylene glycol   | >= 1 - < 5 %     |
| 107-21-1   | Ethylene glycol     | >= 1 - < 5 %     |

### Clean Water Act

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Polyethylene Glycol 200

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 11/11/2023  |
| 1.7     | 08/25/2026     | 100000011192 | Date of first issue: 10/08/2014 |

### US State Regulations

#### Massachusetts Right To Know

|          |                 |
|----------|-----------------|
| 107-21-1 | Ethylene glycol |
| 75-21-8  | Ethylene oxide  |

#### Pennsylvania Right To Know

|            |                     |
|------------|---------------------|
| 25322-68-3 | Polyethylene glycol |
| 111-46-6   | Diethylene glycol   |
| 107-21-1   | Ethylene glycol     |
| 75-21-8    | Ethylene oxide      |

#### Maine Chemicals of High Concern

|         |                |
|---------|----------------|
| 75-21-8 | Ethylene oxide |
|---------|----------------|

#### Vermont Chemicals of High Concern

|          |                 |
|----------|-----------------|
| 107-21-1 | Ethylene glycol |
|----------|-----------------|

#### Washington Chemicals of High Concern

|          |                 |
|----------|-----------------|
| 107-21-1 | Ethylene glycol |
|----------|-----------------|

### California Prop 65

**⚠ WARNING:** This product can expose you to chemicals including Ethylene glycol, Ethylene oxide, which is/are known to the State of California to cause birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

### California List of Hazardous Substances

|          |                 |
|----------|-----------------|
| 107-21-1 | Ethylene glycol |
|----------|-----------------|

### California Permissible Exposure Limits for Chemical Contaminants

|          |                 |
|----------|-----------------|
| 107-21-1 | Ethylene glycol |
|----------|-----------------|

### The components of this product are reported in the following inventories:

|         |                                                          |
|---------|----------------------------------------------------------|
| TSCA    | : All substances listed as active on the TSCA inventory  |
| AIIC    | : On the inventory, or in compliance with the inventory  |
| CA. DSL | : All components of this product are on the Canadian DSL |
| ENCS    | : On the inventory, or in compliance with the inventory  |
| KECI    | : On the inventory, or in compliance with the inventory  |
| PICCS   | : On the inventory, or in compliance with the inventory  |
| IECSC   | : On the inventory, or in compliance with the inventory  |
| NZIoC   | : Not in compliance with the inventory                   |

### TSCA list

No substances are subject to a Significant New Use Rule.

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Polyethylene Glycol 200


|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 11/11/2023  |
| 1.7     | 08/25/2026     | 100000011192 | Date of first issue: 10/08/2014 |

No substances are subject to TSCA 12(b) export notification requirements.

### SECTION 16. OTHER INFORMATION

#### Further information

##### NFPA 704:



##### HMIS® IV:

|                 |  |   |
|-----------------|--|---|
| HEALTH          |  | 1 |
| FLAMMABILITY    |  | 1 |
| PHYSICAL HAZARD |  | 0 |

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "\*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

#### Full text of other abbreviations

|               |                                                                      |
|---------------|----------------------------------------------------------------------|
| ACGIH         | : USA. ACGIH Threshold Limit Values (TLV)                            |
| OSHA P0       | : USA. Table Z-1-A Limits for Air Contaminants (1989 vacated values) |
| US WEEL       | : USA. Workplace Environmental Exposure Levels (WEEL)                |
| ACGIH / TWA   | : 8-hour, time-weighted average                                      |
| ACGIH / STEL  | : Short-term exposure limit                                          |
| OSHA P0 / C   | : Ceiling limit                                                      |
| US WEEL / TWA | : 8-hr TWA                                                           |

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardization; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Polyethylene Glycol 200

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 11/11/2023  |
| 1.7     | 08/25/2026     | 100000011192 | Date of first issue: 10/08/2014 |

Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organization for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorization and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Revision Date : 08/25/2026

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN