

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1 Product identifier**

- Trade name RHODOLINE 679
- Synonyms Oil based Defoamer

1.2 Relevant identified uses of the substance or mixture and uses advised against**Uses of the Substance / Mixture**

- Defoamer

1.3 Details of the supplier of the safety data sheet**Company**

Solvay USA Inc.,
NOVECARE
504 Carnegie Center
Princeton, NJ, 08540, US
Telephone Number: 800-973-7873

1.4 Emergency telephone

FOR EMERGENCIES INVOLVING A SPILL, LEAK, FIRE, EXPOSURE OR ACCIDENT CONTACT: CHEMTREC 800-424-9300 within the United States and Canada, or 703-527-3887 for international collect calls.

SECTION 2: Hazards identification

Although OSHA has not adopted the environmental portion of the GHS regulations, this document may include information on environmental effects.

2.1 Classification of the substance or mixture**HCS 2012 (29 CFR 1910.1200)**

Aspiration hazard, Category 1

H304: May be fatal if swallowed and enters airways.

2.2 Label elements**HCS 2012 (29 CFR 1910.1200)****Pictogram****Signal Word**

- Danger

Hazard Statements

- H304

May be fatal if swallowed and enters airways.

Precautionary Statements**Response**

- P301 + P310
- P331

IF SWALLOWED: Immediately call a POISON CENTER/doctor.
Do NOT induce vomiting.

Storage

- P405 Store locked up.
- Disposal
- P501 Dispose of contents/ container to an approved waste disposal plant.

2.3 Other hazards which do not result in classification

- H402: Harmful to aquatic life.
- Slightly irritating to eyes.
- Does NOT present any particular fire hazard.
- Harmful or toxic vapors are released.
- Hazardous reactions may occur on contact with certain chemicals. (Refer to the list of incompatible materials section 10: "Stability-Reactivity").

SECTION 3: Composition/information on ingredients**3.1 Substance**

- Not applicable, this product is a mixture.

3.2 Mixture

- Synonyms Oil based Defoamer

Hazardous Ingredients and Impurities

Chemical name	Identification number CAS-No.	Concentration [%]
Petroleum Distillate	64742-65-0	>= 60 - < 90
Polypropylene Glycol	25322-69-4	>= 5 - < 10
Aluminum Distearate	300-92-5	>= 5 - < 10

The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

SECTION 4: First aid measures**4.1 Description of first-aid measures****General advice**

- Show this material safety data sheet to the doctor in attendance.
- First responder needs to protect himself.
- Place affected apparel in a sealed bag for subsequent decontamination.
- Show this material safety data sheet to the doctor in attendance.
- Place affected apparel in a sealed bag for subsequent decontamination.

In case of inhalation

- Negligible or unlikely exposure pathways
- If breathed in, move person into fresh air.
- Consult a physician if necessary.

In case of skin contact

- In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated

- clothing and shoes.
- Get medical attention if irritation develops and persists.
 - Wash contaminated clothing before reuse.

In case of eye contact

- Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.
- If eye irritation persists, consult a physician.

In case of ingestion

- Do not induce vomiting without medical advice.
- If victim is conscious:
 - Rinse mouth with water.
 - Keep at rest.
 - Do not give anything to drink.
 - Do not leave the victim unattended.
- Vomiting may occur spontaneously
- Risk of product entering the lungs on vomiting after ingestion.
- Lay victim on side.
- Seek medical advice.

4.2 Most important symptoms and effects, both acute and delayed**Effects**

- Skin contact may aggravate existing skin disease
- Inhalation of product may aggravate existing chronic respiratory problems such as asthma, emphysema or bronchitis

4.3 Indication of any immediate medical attention and special treatment needed**Notes to physician**

- All treatments should be based on observed signs and symptoms of distress in the patient. Consideration should be given to the possibility that overexposure to materials other than this product may have occurred.
- Treat symptomatically.
- There is no specific antidote available.
- Do not induce vomiting: contains petroleum distillates and/or aromatic solvents.

SECTION 5: Firefighting measures

Flash point >347 °F (175 °C)
Pensky-Martens closed cup

Flammability class: Will burn

Autoignition temperature no data available

Flammability / Explosive limit no data available

5.1 Extinguishing media**Suitable extinguishing media**

- Extinguishing media - small fires
- Dry chemical
- Carbon dioxide (CO₂)

- Extinguishing media - large fires
- Foam
- Water mist

Unsuitable extinguishing media

- Water
- (burning material will float)

5.2 Special hazards arising from the substance or mixture**Specific hazards during fire fighting**

- Under fire conditions:
- Will burn
- Container may rupture on heating.
- Hazardous decomposition products formed under fire conditions.

Hazardous combustion products:

- On combustion or on thermal decomposition (pyrolysis), releases:
- Carbon oxides
- Hydrocarbon residues

5.3 Advice for firefighters**Special protective equipment for fire-fighters**

- Firefighters should wear NIOSH/MSHA approved self-contained breathing apparatus and full protective clothing.

Specific fire fighting methods

- Cool closed containers exposed to fire with water spray.

Further information

- Standard procedure for chemical fires.
- Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
- Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures**6.1 Personal precautions, protective equipment and emergency procedures**

- Wear suitable protective equipment.
- For further information refer to section 8 "Exposure controls / personal protection."
- Caution
- If spilled, may cause the floor to be slippery.
- Sweep up to prevent slipping hazard.

6.2 Environmental precautions

- Do not flush into surface water or sanitary sewer system.
- Take all necessary measures to avoid accidental discharge of products into drains and waterways due to the rupture of containers or transfer systems.
- Spills may be reportable to the National Response Center (800-424-8802) and to state and/or local agencies

6.3 Methods and materials for containment and cleaning up***Methods for containment***

- Stop leak if safe to do so.

- Dam up with sand or inert earth (do not use combustible materials).

Recovery

- Recover as much of the product as possible.
- Soak up with inert absorbent material.
- Shovel or sweep up.
- Keep in suitable, closed containers for disposal.
- Never return spills in original containers for re-use.

Decontamination / cleaning

- Wash with plenty of water and detergent.
- Clean contaminated surface thoroughly.
- Recover the cleaning water for subsequent disposal.
- Decontaminate tools, equipment and personal protective equipment in a segregated area.

Disposal

- Dispose of in accordance with local regulations.

Additional advice

- Material can create slippery conditions.

6.4 Reference to other sections

- 7. HANDLING AND STORAGE
- 8. EXPOSURE CONTROLS/PERSONAL PROTECTION
- 13. DISPOSAL CONSIDERATIONS

SECTION 7: Handling and storage**7.1 Precautions for safe handling**

- Handle in accordance with good industrial hygiene and safety practice.
- Avoid inhalation of vapor or mist.
- Avoid contact with skin and eyes.
- Freezing will affect the physical condition but will not damage the material. Thaw and mix before using.
- Avoid localized overheating.
- Vent drums while heating
- Homogenize before using.

Hygiene measures

- Personal hygiene is an important work practice exposure control measure and the following general measures should be taken when working with or handling this materials:
 - 1) Do not store, use, and/or consume foods, beverages, tobacco products, or cosmetics in areas where this material is stored.
 - 2) Wash hands and face carefully before eating, drinking, using tobacco, applying cosmetics, or using the toilet.
 - 3) Wash exposed skin promptly to remove accidental splashes or contact with material.

7.2 Conditions for safe storage, including any incompatibilities

Technical measures/Storage conditions

- Take all necessary measures to avoid accidental discharge of products into drains and waterways due to the rupture of containers or transfer systems.
- Stable under normal conditions.
- Keep in a dry, cool and well-ventilated place.
- Keep container tightly closed.
- Keep away from open flames, hot surfaces and sources of ignition.
- Keep away from incompatible materials to be indicated by the manufacturer
- Keep away from: Hazardous reactions may occur on contact with certain chemicals. (Refer to the list of incompatible materials section 10: "Stability-Reactivity").

7.3 Specific end use(s)

- no data available

SECTION 8: Exposure controls/personal protection

Introductory Remarks: These recommendations provide general guidance for handling this product. Because specific work environments and material handling practices vary, safety procedures should be developed for each intended application. Assistance with selection, use and maintenance of worker protection equipment is generally available from equipment manufacturers.

8.1 Control parameters**Components with workplace occupational exposure limits**

Ingredients	Value type	Value	Basis
Petroleum Distillate	TWA	5 mg/m3	Occupational Safety and Health Administration - Table Z-1 Limits for Air Contaminants
	Form of exposure : Mist		
Petroleum Distillate	TWA	5 mg/m3	American Conference of Governmental Industrial Hygienists
	Form of exposure : Inhalable fraction		
Petroleum Distillate			American Conference of Governmental Industrial Hygienists
Petroleum Distillate	TWA	5 mg/m3	National Institute for Occupational Safety and Health
	Form of exposure : Mist		
Petroleum Distillate	ST	10 mg/m3	National Institute for Occupational Safety and Health
	Form of exposure : Mist		
Polypropylene Glycol	WEEL	10 mg/m3	American Industrial Hygiene Association
	Form of exposure : aerosol		

RHODOLINE 679

Revision Date 07/12/2016

Aluminum Distearate	TWA	10 mg/m3	American Conference of Governmental Industrial Hygienists
Aluminum Distearate	TWA	1 mg/m3	American Conference of Governmental Industrial Hygienists
Form of exposure : Respirable fraction Expressed as :Aluminum			

NIOSH IDLH (Immediately Dangerous to Life or Health Concentrations)

Ingredients	CAS-No.	Concentration
Petroleum Distillate	64742-65-0	2500 mg/m ³

8.2 Exposure controls**Control measures****Engineering measures**

- Where engineering controls are indicated by use conditions or a potential for excessive exposure exists, the following traditional exposure control techniques may be used to effectively minimize employee exposures :
- Effective exhaust ventilation system

Individual protection measures**Respiratory protection**

- When respirators are required, select NIOSH/MSHA approved equipment based on actual or potential airborne concentrations and in accordance with the appropriate regulatory standards and/or industrial recommendations.

Hand protection

- Recommended preventive skin protection
- Gloves
- Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time.

Eye protection

- Eye and face protection requirements will vary dependent upon work environment conditions and material handling practices. Appropriate ANSI Z87 approved equipment should be selected for the particular use intended for this material.
- Eye contact should be prevented through the use of:
- Safety glasses with side-shields

Skin and body protection

- Recommended preventive skin protection
- Footwear protecting against chemicals
- Impervious clothing
- Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Hygiene measures

- Personal hygiene is an important work practice exposure control measure and the following general measures should be taken when working with or handling this materials:
- 1) Do not store, use, and/or consume foods, beverages, tobacco products, or cosmetics in areas where this material is stored.

- 2) Wash hands and face carefully before eating, drinking, using tobacco, applying cosmetics, or using the toilet.
- 3) Wash exposed skin promptly to remove accidental splashes or contact with material.

Protective measures

- Ensure that eyewash stations and safety showers are close to the workstation location.
- Emergency equipment immediately accessible, with instructions for use.
- Selection of appropriate personal protective equipment should be based on an evaluation of the performance characteristics of the protective equipment relative to the task(s) to be performed, conditions present, duration of use, and the potential hazards, and/or risks that may occur during use.
- The protective equipment must be selected in accordance with current local standards and in cooperation with the supplier of the protective equipment.

SECTION 9: Physical and chemical properties

Physical and Chemical properties here represent typical properties of this product. Contact the business area using the Product information phone number in Section 1 for its exact specifications.

9.1 Information on basic physical and chemical properties**Appearance**

Form: mobile
Physical state: liquid
Color: off-white

Odor

odorless

Odor Threshold

no data available

pH

5.5 - 7.0 (5 % (m/v))

Melting point/freezing point

no data available

Initial boiling point and boiling range

Boiling point/boiling range: 212 - 900 °F (100 - 482 °C) (760 mmHg (1,013.25 hPa))

Flash point

> 347 °F (175 °C) Pensky-Martens closed cup

Flammability class: Will burn

Evaporation rate (Butylacetate = 1)

< 1

Flammability (solid, gas)

no data available

Flammability (liquids)

no data available

Flammability / Explosive limit

no data available

Autoignition temperature

no data available

Vapor pressure

< 17.5 mmHg (23.33 hPa) (68 °F (20 °C))

Vapor density

no data available

Density

0.86 - 0.91 g/cm3 (77 °F (25 °C))

<u>Relative density</u>	0.885 (77 °F (25 °C))
<u>Solubility</u>	<u>Water solubility</u> : dispersible
<u>Partition coefficient: n-octanol/water</u>	no data available
<u>Decomposition temperature</u>	no data available
<u>Viscosity</u>	<u>Viscosity, dynamic</u> : 200 - 800 mPa.s (77 °F (25 °C))
<u>Explosive properties</u>	no data available
<u>Oxidizing properties</u>	no data available

9.2 Other information

no data available

SECTION 10: Stability and reactivity

10.1 Reactivity

- no data available

10.2 Chemical stability

- Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

Polymerization

- Hazardous polymerization does not occur.

10.4 Conditions to avoid

- Keep away from heat and sources of ignition.
- Keep away from flames and sparks.

10.5 Incompatible materials

- Strong oxidizing agents

10.6 Hazardous decomposition products

- On combustion or on thermal decomposition (pyrolysis), releases:
- (Carbon oxides (CO + CO₂)).
- Hydrocarbon residues

SECTION 11: Toxicological information**11.1 Information on toxicological effects****Acute toxicity****Acute oral toxicity**

Not classified as hazardous for acute oral toxicity according to GHS.
According to the data on the components
According to the classification criteria for mixtures.

Acute inhalation toxicity

Petroleum Distillate

Rat
Method: Expert judgment
Not classified as hazardous for acute inhalation toxicity according to GHS.
Unpublished reports
Information given is based on data obtained from similar substances.

Acute dermal toxicity

Not classified as hazardous for acute dermal toxicity according to GHS.
According to the data on the components
According to the classification criteria for mixtures.

Acute toxicity (other routes of administration)

no data available

Skin corrosion/irritation

Not classified as irritating to skin
According to the data on the components
According to the classification criteria for mixtures.

Serious eye damage/eye irritation

Not classified as irritating to eyes
According to the data on the components
According to the classification criteria for mixtures.

Respiratory or skin sensitization

Does not cause skin sensitization.
According to the data on the components
According to the classification criteria for mixtures.

Mutagenicity**Genotoxicity in vitro**

According to the data on the components
Product is not considered to be genotoxic
According to the classification criteria for mixtures.

Genotoxicity in vivo

Petroleum Distillate

In vivo micronucleus test
negative
Information given is based on data obtained from similar substances.
Published data

RHODOLINE 679

Revision Date 07/12/2016

Carcinogenicity

Petroleum Distillate

Dermal

Expert judgment and weight of evidence determination.

The product is not considered to be carcinogenic.

Ingredients	CAS-No.	Rating	Basis
Petroleum Distillate	64742-65-0	Suspected human carcinogen	ACGIH

This product does not contain any ingredient designated as probable or suspected human carcinogens by:

OSHA

NTP

IARC

Toxicity for reproduction and development**Toxicity to reproduction / fertility**

Petroleum Distillate

Reproduction / developmental toxicity screening test - Rat

Dermal

Information given is based on data obtained from similar substances.

Published data

no impairment of fertility has been observed

Developmental Toxicity/Teratogenicity

Petroleum Distillate

Rat

Application Route: Dermal

Information given is based on data obtained from similar substances.

Unpublished reports

No effect observed on development

STOT**STOT-single exposure**

The substance or mixture is not classified as specific target organ toxicant, single exposure according to GHS criteria.

According to the classification criteria for mixtures.

STOT-repeated exposure

Petroleum Distillate

Routes of exposure: Inhalation, Skin contact

The substance or mixture is not classified as specific target organ toxicant, repeated exposure according to GHS criteria.

Petroleum Distillate

Inhalation - Rat

Information given is based on data obtained from similar substances.

Subacute toxicity

Published data

Not considered to cause serious damage to health on repeated exposure

Dermal 21 Days - Rabbit, male and female

NOAEL: 1000 mg/kg

Unpublished reports

Subacute toxicity

Not considered to cause serious damage to health on repeated exposure

Aspiration toxicity

Petroleum Distillate

May be fatal if swallowed and enters airways.

SECTION 12: Ecological information**12.1 Toxicity****Aquatic Compartment****Acute toxicity to fish**

The product itself has not been tested.

Acute toxicity to daphnia and other aquatic invertebrates.

The product itself has not been tested.

Toxicity to aquatic plants

The product itself has not been tested.

Toxicity to microorganisms

The product itself has not been tested.

Chronic toxicity to fish

no data available

Chronic toxicity to daphnia and other aquatic invertebrates.

Petroleum Distillate

- 21 Days - Daphnia magna (Water flea)
semi-static test
Analytical monitoring: no
Test substance: >100% saturated aqueous solution.
Method: OECD Test Guideline 211
Fresh water
Unpublished reports
No toxicity at the limit of solubility.

Chronic Toxicity to aquatic plants

no data available

12.2 Persistence and degradability**Abiotic degradation**

no data available

Physical- and photo-chemical elimination

no data available

Biodegradation

Biodegradability

Petroleum Distillate

Ready biodegradability study:

The substance does not fulfill the criteria for ready biodegradability and ultimate aerobic biodegradability

Information given is based on data obtained from similar substances.

Unpublished reports

Aluminum Distearate

Ultimate aerobic biodegradability

Readily biodegradable.

Biochemical oxygen demand

Published data

Ratio BOD / ThOD

Polypropylene Glycol

BOD type: BOD5

BOD / ThBOD value: 0.62 %

Published data

Degradability assessment

Conclusion is not possible due to incomplete or heterogeneous data on the components

12.3 Bioaccumulative potential**Partition coefficient: n-octanol/water**

Petroleum Distillate

Bioaccumulative potential

Expert judgment

Polypropylene Glycol

Not potentially bioaccumulable

Aluminum Distearate

By analogy

Not potentially bioaccumulable

Published data

Bioconcentration factor (BCF)

no data available

12.4 Mobility in soil**Adsorption potential (Koc)**

Conclusion is not possible due to incomplete or heterogeneous data on the components

Known distribution to environmental compartments

Petroleum Distillate

Ultimate destination of the product: Sediment

Predicted distribution to environmental compartments

Soil

Predicted distribution to environmental compartments

Air

Predicted distribution to environmental compartments

12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Other adverse effects no data available

Ecotoxicity assessment

Acute aquatic toxicity

According to the data on the components
Harmful to aquatic life.
According to the classification criteria for mixtures.

Chronic aquatic toxicity

According to the data on the components
Does not have any known long term adverse effects on the aquatic organisms tested
According to the classification criteria for mixtures.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product Disposal

- Chemical additions, processing or otherwise altering this material may make the waste management information presented in this SDS incomplete, inaccurate or otherwise inappropriate. Please be advised that state and local requirements for waste disposal may be more restrictive or otherwise different from federal laws and regulations. Consult state and local regulations regarding the proper disposal of this material.

Waste Code

- Environmental Protection Agency
- Hazardous Waste – NO

Advice on cleaning and disposal of packaging

- Rinse with an appropriate solvent.
- Dispose of in accordance with local regulations.

SECTION 14: Transport information

DOT

not regulated

TDG

not regulated

IMDG

not regulated

IATA

not regulated

Note: The above regulatory prescriptions are those valid on the date of publication of this sheet. Given the possible evolution of transportation regulations for hazardous materials, it would be advisable to check their validity with your sales office.

SECTION 15: Regulatory information**15.1 Notification status**

Inventory Information	Status
United States TSCA Inventory	- On TSCA Inventory
Canadian Domestic Substances List (DSL)	- All components of this product are on the Canadian DSL
Australia Inventory of Chemical Substances (AICS)	- On the inventory, or in compliance with the inventory
Japan. CSCL - Inventory of Existing and New Chemical Substances	- On the inventory, or in compliance with the inventory
Korea. Korean Existing Chemicals Inventory (KECI)	- On the inventory, or in compliance with the inventory
China. Inventory of Existing Chemical Substances in China (IECSC)	- On the inventory, or in compliance with the inventory

15.2 Federal Regulations**US. EPA EPCRA SARA Title III****SARA HAZARD DESIGNATION SECTIONS 311/312 (40 CFR 370)**

Fire Hazard	no
Reactivity Hazard	no
Sudden Release of Pressure Hazard	no
Acute Health Hazard	yes
Chronic Health Hazard	no

Section 313 Toxic Chemicals (40 CFR 372.65)

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Section 302 Emergency Planning Extremely Hazardous Substance Threshold Planning Quantity (40 CFR 355)

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

Section 302 Emergency Planning Extremely Hazardous Substance Reportable Quantity (40 CFR 355)

Ingredients	CAS-No.	Reportable quantity
Ethylene Oxide	75-21-8	10 lb
Propylene Oxide	75-56-9	100 lb

Section 304 Emergency Release Notification Reportable Quantity (40 CFR 355)

Ingredients	CAS-No.	Reportable quantity
Ethylene Oxide	75-21-8	10 lb
Propylene Oxide	75-56-9	100 lb

RHODOLINE 679

Revision Date 07/12/2016

US. EPA CERCLA Hazardous Substances and Reportable Quantities (40 CFR 302.4)

Ingredients	CAS-No.	Reportable quantity
Ethylene Oxide	75-21-8	10 lb
Propylene Oxide	75-56-9	100 lb
1,4-Dioxane	123-91-1	100 lb

15.3 State Regulations**US. California Safe Drinking Water & Toxic Enforcement Act (Proposition 65)**

WARNING! This product contains a chemical known in the State of California to cause cancer.

Ingredients	CAS-No.
Petroleum Distillate	64742-65-0
Distillates (petroleum), solvent-refined light paraffinic	64741-89-5
Propylene Oxide	75-56-9
Ethylene Oxide	75-21-8
1,4-Dioxane	123-91-1

WARNING: This product contains a chemical known in the State of California to cause birth defects or other reproductive harm.

Ingredients	CAS-No.
Ethylene Oxide	75-21-8

SECTION 16: Other information**NFPA (National Fire Protection Association) - Classification**

Health	1 slight
Flammability	1 slight
Instability or Reactivity	0 minimal

HMIS (Hazardous Materials Identification System (Paint & Coating)) - Classification

Health	1 slight
Flammability	1 slight
Reactivity	0 minimal
PPE	Determined by User; dependent on local conditions

Further information

- Product evaluated under the US GHS format.
- This sheet was updated (refer to the date at the top of this page). Subheadings and text which have been modified since the previous version are indicated with two vertical bars.

Date Prepared: 07/12/2016

Key or legend to abbreviations and acronyms used in the safety data sheet

- ST STEL - 15-minute TWA exposure that should not be exceeded at any time during a workday
- TWA 8-hr TWA
- ACGIH American Conference of Governmental Industrial Hygienists
- OSHA Occupational Safety and Health Administration
- NTP National Toxicology Program
- IARC International Agency for Research on Cancer

PRCO90029953

Version : 1.02 / US (Z8)

www.solvay.com



- NIOSH

National Institute for Occupational Safety and Health

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information, and belief at the date of its publication. Such information is only given as a guidance to help the user handle, use, process, store, transport, dispose, and release the product in satisfactory safety conditions and is not to be considered as a warranty or quality specification. It should be used in conjunction with technical sheets but do not replace them. Thus, the information only relates to the designated specific product and may not be applicable if such product is used in combination with other materials or in any other manufacturing process, unless otherwise specifically indicated. It does not release the user from ensuring he is in conformity with all regulations linked to its activity.