

1 Identification

- **Product identifier**
- **Trade name:** **SYLOID® C 803**
- **Application of the substance / the preparation:**
Intermediate product of varied applicability in industry and trade.
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
GRACE
W. R. Grace & Co.-Conn
7500 Grace Drive
Columbia MD 21044
U. S. A.
- **Information department:**
Health and Safety (9 AM to 5 PM-EST) 1-410-531-4000
MSDS.Davison@grace.com
- **Emergency telephone number:**
Chemtrec North America: +1-800-424-9300
Chemtrec International: +1-703-527-3887
Other Emergencies (24hr): +1-410-531-4000

2 Hazard(s) identification

- **Classification of the substance or mixture**
The substance is not classified according to the Globally Harmonized System (GHS).
- **Label elements**
- **GHS label elements** None
- **Hazard pictograms** None
- **Signal word** None
- **Hazard statements** None
- **Classification system:**
- **NFPA ratings (scale 0 - 4)**



Health = 1
Fire = 0
Reactivity = 0

- **HMIS-ratings (scale 0 - 4)**



Health = 1
Fire = 0
Reactivity = 0

- **Other hazards**

The product is very adsorbent and may have a drying effect on skin and eyes.
When exceeding the OEL (Occupational Exposure Limit) a mechanical overburdening of the respiratory system is possible.

Trade name: SYLOID® C 803

(Contd. of page 1)

3 Composition/information on ingredients

- **Chemical characterization: Substances**

- **Description:**

- **CAS No. and description:**

7631-86-9 amorphous silicon dioxide, chemically prepared

95-100%

4 First-aid measures

- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:**
Generally the product does not irritate the skin.
Wash with water.
- **After eye contact:**
Flush opened eye with large quantities of running water for at least 30 minutes. If symptoms occur, consult a doctor.
- **After swallowing:** Seek medical attention. Do not induce vomiting.
- **Most important symptoms and effects, both acute and delayed**
No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

5 Fire-fighting measures

- **Suitable extinguishing agents:** Use fire fighting measures that suit the environment.
- **Hazardous combustion products** No further relevant information available.
- **Protective equipment:** Wear personal protective equipment.
- **Additional information**
Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**
Wear protective clothing.
- **Environmental precautions:** Damp down dust with water spray.
- **Methods and material for containment and cleaning up:**
Vacuuming or wet sweeping may be used to avoid dust dispersal.
- **Reference to other sections** No dangerous substances are released.

7 Handling and storage

- **Precautions for safe handling**
Prevent formation of dust.
Keep receptacles tightly sealed.
Provide suction extractors if dust is formed.
Use appropriate industrial vacuum cleaners or central vacuum systems for dust removal.
Take precautionary measures against static discharges.
- **Information about protection against explosions and fires:**
Protect against electrostatic charges.
The product is not flammable.

(Contd. on page 3)

Trade name: **SYLOID® C 803**

(Contd. of page 2)

- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:**
Keep receptacle tightly sealed.
Store in dry conditions.
This product is hygroscopic.

8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.

- **Components with limit values that require monitoring at the workplace:**

7631-86-9 amorphous silicon dioxide, chemically prepared

IDLH	Short-term value: 3000 mg/m ³ IDLH: Immediately Dangerous to Life or Health
PEL	Long-term value: 80/%SiO ₂ mg/m ³ OSHA TWA for amorphous silica
REL	Long-term value: 6 mg/m ³ NIOSH TWA
TLV	Long-term value: 10* 5** mg/m ³ ACGIH TWA *Total dust **Respirable fraction

- **Additional information:** Valid lists at time of creation were used as basis.
- **Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**
The usual precautionary measures for handling chemicals should be followed.
- **Protection of hands:**



Protective gloves

Wear gloves for the protection against mechanical hazards.
Use gloves of stable material (e.g. Nitrile)
Check protective gloves prior to each use for their proper condition.
Check the permeability prior to each new use of the glove.
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

- **Material of gloves**
Butyl rubber, BR
Nitrile rubber, NBR
Recommended thickness of the material: ≥ 0.11 mm
- **For the permanent contact in work areas without heightened risk of injury (e.g. Laboratory) gloves made of the following material are suitable:**
Butyl rubber, BR
Nitrile rubber, NBR
- **For the permanent contact gloves made of the following materials are suitable:**
Butyl rubber, BR
Nitrile rubber, NBR
- **Not suitable are gloves made of the following materials:** Strong fabric gloves

(Contd. on page 4)

Trade name: **SYLOID® C 803**

(Contd. of page 3)

· Eye protection:



Safety glasses

· Body protection: Protective work clothing

9 Physical and chemical properties

· Information on basic physical and chemical properties

· General Information

· Appearance:

Form: Powder
Color: White

· Odor: Odorless

· Odour threshold: Not available.

· pH-value at 20 °C (68 °F): 2.0 - 4.5

· Change in condition

Melting point/Melting range: >1700 °C (>3092 °F)

Boiling point/Boiling range: >1700 °C (>3092 °F)

· Conditions of flammability

Flash point: Not available.

· Flammability (solid, gaseous): Product is not flammable.

· Ignition temperature: Not available.

· Decomposition temperature: Not available.

· Auto igniting: Product is not self-igniting.

· Danger of explosion: Product does not present an explosion hazard.

· Explosion limits:

Lower: Not determined.

Upper: Not determined.

· Vapor pressure at 20 °C (68 °F): -- hPa

· Density at 20 °C (68 °F): 2.17 - 2.20 g/cm³ (18.109 - 18.359 lbs/gal)· Bulk density at 20 °C (68 °F): 70 - 600 kg/m³

· Vapour density: Not available

· Evaporation rate: Not available

· Solubility in / Miscibility with

Water: Insoluble.

· Coefficient of water/oil distribution: Not available.

· Viscosity:

Dynamic at 20 °C (68 °F): -- mPas

· Other information: No further relevant information available.

10 Stability and reactivity

· Chemical stability: No decomposition if used according to specifications.

(Contd. on page 5)

Trade name: **SYLOID® C 803**

(Contd. of page 4)

- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

11 Toxicological information

- **Information on the likely routes of exposure**
- **Delayed and immediate effects and chronic effects from short or long term exposure**
- **Information on toxicological effects**
- **Acute toxicity:**

- **LD/LC50 values that are relevant for classification:**

7631-86-9 amorphous silicon dioxide, chemically prepared

Oral	LD50	>5000 mg/kg (rat) (OECD 401)
Dermal	LD50	>6000 mg/kg (rabbit) (no guidance available)
Inhalative	LC0	>140->2000 mg/m ³ /4h (rat) (OCED 403) Maximum attainable concentration, mortality does not appear.

- **Primary irritant effect:**

- **on the skin:**

7631-86-9 amorphous silicon dioxide, chemically prepared

Irritation of skin | IS | 0 (rabbit) (OECD 404)

- **on the eye:**

7631-86-9 amorphous silicon dioxide, chemically prepared

Irritation of eyes | IS | 0 (rabbit) (OECD 405)

- **Respiratory sensitization** No further relevant information available.
- **Skin sensitization** No further relevant information available.

- **Additional toxicological information:**

- **Carcinogenic categories**

- **IARC (International Agency for Research on Cancer)**

7631-86-9 | amorphous silicon dioxide, chemically prepared

3

- **NTP (National Toxicology Program)**

Substance is not listed.

- **OSHA-Ca (Occupational Safety & Health Administration)**

Substance is not listed.

- **Repeated dose toxicity**

7631-86-9 amorphous silicon dioxide, chemically prepared

Oral	NOAEL (90 d)	9000 mg/kg bw/day (rat) (OECD 408)
Inhalative	NOAEC (90 d)	1 mg/m ³ (rat) (OECD 413)

- **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**
- **Carcinogenicity** No further relevant information available.

- **Mutagenicity**

7631-86-9 amorphous silicon dioxide, chemically prepared

AMES Test >5 mg/plate (in-vitro) (OECD 471)
negative, with and without metabolic activation
ECHA 2012

(Contd. on page 6)

Trade name: **SYLOID® C 803**

(Contd. of page 5)

· **Reproductive toxicity****7631-86-9 amorphous silicon dioxide, chemically prepared**

Oral	NOAEL (maternal toxicity)	1350 mg/kg bw/day (rat) (OECD 414)
	NOAEL (teratogenicity)	1350 mg/kg bw/day (rat) (OECD 414)

- **Specific target organ toxicity (single exposure)** No further relevant information available.
- **Specific target organ toxicity (repeated exposure)** No further relevant information available.
- **Aspiration hazard** No further relevant information available.

12 Ecological information· **Toxicity**· **Aquatic toxicity:**· **Fish toxicity****7631-86-9 amorphous silicon dioxide, chemically prepared**

LC0 (96 h) (static) | 10000 mg/l (zebra fish) (OECD 203)

· **Water flea toxicity****7631-86-9 amorphous silicon dioxide, chemically prepared**

EC50 (24 h) | > 1000 mg/l (Daphnia magna) (OECD 202)

· **Algae toxicity****7631-86-9 amorphous silicon dioxide, chemically prepared**EC50 (72 h) | > 10000 mg/l (Scenedesmus subspicatus) (OECD 201)
comparable substance

- **Persistence and degradability** No further relevant information available.
- **Other information:**
Amorphous silica dioxide is chemically and biologically inert.
By the insolubility in water there is a separation at every filtration and sedimentation process.
- **Bioaccumulative potential** Does not accumulate in organisms
- **Mobility in soil** No further relevant information available.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

13 Disposal considerations· **Recommendation:**

Disposal must be made according to official regulations.

Whatever cannot be saved for recovery or recycling should be managed in an appropriate and approved waste disposal facility. Processing, use or contamination of this product may change the waste management options. State and local disposal regulations may differ from federal disposal regulations. Dispose of container and unused contents in accordance with federal, state and local requirements.

14 Transport information· **UN-Number**· **DOT, ADR, ADN, IMDG, IATA**

None

(Contd. on page 7)

Trade name: **SYLOID® C 803**

(Contd. of page 6)

· UN proper shipping name	
· DOT, ADR, ADN, IMDG, IATA	None
· Transport hazard class(es)	
· DOT, ADR, ADN, IMDG, IATA	
· Class	None
· Packing group	
· DOT, ADR, IMDG, IATA	None
· Environmental hazards:	Not applicable.
· Special precautions for user	Not applicable.
· Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
· Transport/Additional information:	Not dangerous according to the above specifications. GRACE recommendation for air transport: Cargo aircraft only.

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture

· SARA

· SARA 302/304

Substance is not listed.

· SARA 313

Substance is not listed.

· TSCA (Toxic Substances Control Act):

Substance is listed.

· Proposition 65

· Chemicals known to cause cancer:

Substance is not listed.

· Chemicals known to cause reproductive toxicity for females:

Substance is not listed.

· Chemicals known to cause reproductive toxicity for males:

Substance is not listed.

· Chemicals known to cause developmental toxicity:

Substance is not listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

Substance is not listed.

· TLV (Threshold Limit Value established by ACGIH)

Substance is not listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

Substance is not listed.

· Canadian DSL

7631-86-9 amorphous silicon dioxide, chemically prepared

(Contd. on page 8)

Trade name: **SYLOID® C 803**

(Contd. of page 7)

· Canadian NDSL		
Substance is not listed.		
· European EINECS		
Substance is listed.		
· Philippines Inventory of Chemicals and Chemical Substances PICCS		
Substance is listed.		
· Inventory of the Existing Chemical Substances manufactured or imported in China IECSC		
Substance is listed.		
· Australian Inventory of Chemical Substances AICS		
Substance is listed.		
· Existing and New Chemical Substance List ENCS		
7631-86-9	amorphous silicon dioxide, chemically prepared	1-548
· Korean Existing Chemical Inventory KECI		
7631-86-9	amorphous silicon dioxide, chemically prepared	KE-31032
· GHS label elements None		
· Hazard pictograms None		
· Signal word None		
· Hazard statements None		

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Department issuing SDS:** GRACE Safety & Health Department
- **Tarif number** 2812200

· **Contact:**
SALES OFFICES

USA:
GRACE
W. R. Grace & Co.-Conn
7500 Grace DR
Columbia, MD 21044
Tel: +1 410-531 4000

Europe:
Grace GmbH & Co. K.G.
In der Hollerhecke 1
Postfach 1445
D-67545 Worms, Germany
Tel: +49 6241 4030

Asia Pacific:
W. R. Grace Pte. Ltd.
501 Orchard Road
07-02 Wheelock Place
Singapore 238880
Tel: +65 6737 5488
Fax: +65 6737 5826

19th Floor K.Wah Center
1010 Huai Hai Zhong Road
Shanghai, 200031 China
T (电话): 86 21 3158 2888



Safety Data Sheet
acc. to OSHA HCS

Printing date 03/18/2015

Version: 3.2

Reviewed on 03/18/2015

Trade name: SYLOID® C 803

(Contd. of page 8)

F (传真): 86 21 3158 2828

Grace Japan K.K.
Kohken New River Bldg 3F
2-21-18, Shinkawa
Chuo-ku, Tokyo 104-0033
JAPAN
Tel: +81 3.3537.6006
Fax: +81 3.3537.6007

- **Other information:** MADE IN USA
- **Date of preparation / last revision** 03/18/2015 / 3.1
- **The first date of preparation** 02/17/2015
- **Number of revision times and the latest revision date** 3.2 / 03/18/2015
- **Abbreviations and acronyms:**

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
ICAO: International Civil Aviation Organisation
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
DOT: US Department of Transportation
IATA: International Air Transport Association
ACGIH: American Conference of Governmental Industrial Hygienists
NFPA: National Fire Protection Association (USA)
HMIS: Hazardous Materials Identification System (USA)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic

- *** Data compared to the previous version altered.**

—USA—