

Printing date 10/12/2023

Version: 9.9

Reviewed on 10/12/2023

1 Identification

- **Product identifier**
- **Trade name:** **SYLOID® 244**
- **Application of the substance / the preparation:**
Intermediate product of varied applicability in industry and trade.
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
GRACE
W. R. Grace & Co.-Conn
7500 Grace Drive
Columbia MD 21044
U. S. A.
- **Information department:**
Health and Safety (9 AM to 5 PM-EST) 1-410-531-4000
MSDS.Davison@grace.com
- **Emergency telephone number:**
Chemtrec North America: +1-800-424-9300
Chemtrec International: +1-703-527-3887
Other Emergencies (24hr): +1-410-531-4000

2 Hazard(s) identification

- **Classification of the substance or mixture**
The substance is not classified, according to the Globally Harmonized System (GHS).
- **Label elements**
- **GHS label elements** None
- **Hazard pictograms** None
- **Signal word** None
- **Hazard statements** None
- **Hazard not otherwise classified**
The product is very adsorbent and may have a drying effect on skin and eyes.
When exceeding the OEL (Occupational Exposure Limit) a mechanical overburdening of the respiratory system is possible.

3 Composition/information on ingredients

- **Chemical characterization:** Substances
- **Additional information:**

· CAS No. and description:		
7631-86-9	amorphous silicon dioxide, chemically prepared	99-100%

- **Additional information:** For the wording of the listed hazard phrases refer to section 16.

4 First-aid measures

- **Description of first aid measures**
- **General information:** Take note of the following instructions
- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:**
Generally the product does not irritate the skin.
Wash with water.

(Contd. on page 2)

USA

Printing date 10/12/2023

Version: 9.9

Reviewed on 10/12/2023

Trade name: **SYLOID® 244**

(Contd. of page 1)

- **After eye contact:**
Flush opened eye with large quantities of running water for at least 30 minutes. If symptoms occur, consult a doctor.
- **After swallowing:** Seek medical attention. Do not induce vomiting.
- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed**
No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:** Use fire fighting measures that suit the environment.
- **For safety reasons unsuitable extinguishing agents:** No further relevant information available.
- **Hazardous combustion products** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** Wear personal protective equipment.
- **Additional information**
Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**
Wear protective clothing.
- **Environmental precautions:** Damp down dust with water spray.
- **Methods and material for containment and cleaning up:**
Vacuuming or wet sweeping may be used to avoid dust dispersal.
- **Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.
No dangerous substances are released.
- **Protective Action Criteria for Chemicals**

· PAC-1:
18 mg/m ³
· PAC-2:
740 mg/m ³
· PAC-3:
4,500 mg/m ³

7 Handling and storage

- **Handling:**
- **Precautions for safe handling**
Prevent formation of dust.
Keep receptacles tightly sealed.
Provide suction extractors if dust is formed.
Use appropriate industrial vacuum cleaners or central vacuum systems for dust removal.
Take precautionary measures against static discharges.

(Contd. on page 3)

Printing date 10/12/2023

Version: 9.9

Reviewed on 10/12/2023

Trade name: **SYLOID® 244**

(Contd. of page 2)

- **Information about protection against explosions and fires:**
Protect against electrostatic charges.
The product is not flammable.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:**
Keep receptacle tightly sealed.
Store in dry conditions.
This product is hygroscopic.

8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see section 7.
- **Control parameters**

- **Components with limit values that require monitoring at the workplace:**

7631-86-9 amorphous silicon dioxide, chemically prepared

IDLH	Short-term value: 3000 mg/m ³ IDLH: Immediately Dangerous to Life or Health
PEL	Long-term value: 80mg/m ³ /%SiO ₂ mg/m ³ OSHA TWA for amorphous silica
REL	Long-term value: 6 mg/m ³ NIOSH TWA
TLV	Long-term value: 10* 5** mg/m ³ OSHA TWA *Total dust **Respirable fraction

- **DNELs**

7631-86-9 amorphous silicon dioxide, chemically prepared

Inhalative	DNEL(acute-local)	4 mg/m ³ (Worker) with reference to the German OEL of 4 mg/m ³ for synthetic amorphous silica
	DNEL(long-local)	4 mg/m ³ (Worker) with reference to the German OEL of 4 mg/m ³ for synthetic amorphous silica

- **Additional Occupational Exposure Limit Values for possible hazards during processing:**

Dust inhalable

PEL	Long-term value: 15 mg/m ³ TWA
REL	Long-term value: 15 mg/m ³ TWA

Dust respirable

PEL	Long-term value: 5 mg/m ³ TWA
REL	Long-term value: 5 mg/m ³ TWA

- **Additional information:** Valid lists at time of creation were used as basis.
- **Exposure controls**
- **Appropriate engineering controls** No further relevant information available.

(Contd. on page 4)

-USA-

Printing date 10/12/2023

Version: 9.9

Reviewed on 10/12/2023

Trade name: **SYLOID® 244**

(Contd. of page 3)

· **Personal protective equipment:**· **General protective and hygienic measures:**

The usual precautionary measures for handling chemicals should be followed.

· **Protection of hands:**

Wear gloves for the protection against mechanical hazards.

Use gloves of stable material



Protective gloves

Check protective gloves prior to each use for their proper condition.

Check the permeability prior to each new use of the glove.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

· **Material of gloves**

Butyl rubber, BR

Nitrile rubber, NBR

Recommended thickness of the material: ≥ 0.11 mm

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· **For the permanent contact in work areas without heightened risk of injury (e.g. Laboratory) gloves made of the following material are suitable:**

Butyl rubber, BR

Nitrile rubber, NBR

· **For the permanent contact gloves made of the following materials are suitable:**

Butyl rubber, BR

Nitrile rubber, NBR

· **Not suitable are gloves made of the following materials:** Strong fabric gloves· **Eye protection:**

Safety glasses

· **Body protection:** Protective work clothing**9 Physical and chemical properties**· **Information on basic physical and chemical properties**· **General Information**· **Appearance:****Form:**

Powder

Color:

White

· **Odor:**

Characteristic

· **Odor threshold:**

Not applicable.

· **pH-value at 20 °C (68 °F):**

3.5-9.0

(Contd. on page 5)

USA

Printing date 10/12/2023

Version: 9.9

Reviewed on 10/12/2023

Trade name: **SYLOID® 244**

(Contd. of page 4)

· Change in condition	
· Melting point/Melting range:	>1700 °C (>3,092 °F)
· Boiling point/Boiling range:	>1700 °C (>3,092 °F)
· Conditions of flammability	
· Flash point:	Not determined.
· Flammability (solid, gaseous):	Product is not flammable.
· Auto igniting:	Not applicable.
· Decomposition temperature:	Not applicable.
· Auto ignition temperature:	Product is not self-igniting.
· Danger of explosion:	Product does not present an explosion hazard.
· Explosion limits:	
Lower:	Not applicable.
Upper:	Not applicable.
· Vapor pressure:	Not applicable.
· Density at 20 °C (68 °F):	2.17 - 2.20 g/cm ³ (18.10865 - 18.359 lbs/gal)
· Bulk density at 20 °C (68 °F):	70 - 600 kg/m ³
· Vapor density	Not applicable.
· Evaporation rate	Not applicable.
· Solubility in / Miscibility with	
Water at 20 °C (68 °F):	≥100 mg/l (OECD 105)
· Coefficient of water/oil distribution:	Not determined.
· Viscosity:	
Dynamic:	Not applicable.
Kinematic:	Not applicable.
· Other information	No further relevant information available.

10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability** No decomposition if used and stored according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**

· LD/LC50 values that are relevant for classification:		
7631-86-9 amorphous silicon dioxide, chemically prepared		
Oral	LD50	>5,000 mg/kg (rat) (OECD 401)
Dermal	LD50	>5,000 mg/kg (rabbit) (no guidance available)
Inhalative	LC0	>140->2,000 mg/m ³ /4h (rat) (OCED 403)
Maximum attainable concentration, mortality does not appear.		

(Contd. on page 6)

USA

Printing date 10/12/2023

Version: 9.9

Reviewed on 10/12/2023

Trade name: **SYLOID® 244**

(Contd. of page 5)

· **Primary irritant effect:**· **on the skin:****7631-86-9 amorphous silicon dioxide, chemically prepared**

Irritation of skin | IS | 0 (rabbit) (OECD 404)

· **on the eye:****7631-86-9 amorphous silicon dioxide, chemically prepared**

Irritation of eyes | IS | 0 (rabbit) (OECD 405)

· **Respiratory sensitization** No further relevant information available.· **Skin sensitization** No further relevant information available.· **Additional toxicological information:**· **Carcinogenic categories**· **IARC (International Agency for Research on Cancer)**

3

· **NTP (National Toxicology Program)**

Substance is not listed.

· **OSHA-Ca (Occupational Safety & Health Administration)**

Substance is not listed.

· **Repeated dose toxicity****7631-86-9 amorphous silicon dioxide, chemically prepared**

Oral | NOAEL (90 d) | 9,000 mg/kg bw/day (rat) (OECD 408)

Inhalative | NOAEL (90d) | 31 mg/m³ (rat) (acc. to OECD 413)· **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**· **Carcinogenicity****7631-86-9 amorphous silicon dioxide, chemically prepared**

Oral | NOAEL (carcinogenicity) | 3,950-5,530 mg/kg bw (mouse)

Literature

1,830 mg/kg bw (rat)

Literature

· **Mutagenicity****7631-86-9 amorphous silicon dioxide, chemically prepared**

AMES Test | >5 mg/plate (in-vitro) (OECD 471)

negative, with and without metabolic activation

ECHA 2012

· **Reproductive toxicity****7631-86-9 amorphous silicon dioxide, chemically prepared**

Oral | NOAEL (maternal toxicity) | 1,350 mg/kg bw/day (rat) (OECD 414)

NOAEL (teratogenicity) | 1,350 mg/kg bw/day (rat) (OECD 414)

· **Specific target organ toxicity (single exposure)** No further relevant information available.· **Specific target organ toxicity (repeated exposure)** No further relevant information available.

USA

(Contd. on page 7)

Printing date 10/12/2023

Version: 9.9

Reviewed on 10/12/2023

Trade name: **SYLOID® 244**

(Contd. of page 6)

12 Ecological information· **Toxicity**· **Aquatic toxicity:**· **Fish toxicity****7631-86-9 amorphous silicon dioxide, chemically prepared**

LC0 (96 h) (static) | 10,000 mg/l (zebra fish) (OECD 203)

· **Water flea toxicity****7631-86-9 amorphous silicon dioxide, chemically prepared**

EC50 (24 h) | >1,000 mg/l (Daphnia magna) (OECD 202)

· **Algae toxicity****7631-86-9 amorphous silicon dioxide, chemically prepared**EC50 (72 h) | >10,000 mg/l (Scenedesmus subspicatus) (OECD 201)
comparable substance· **Persistence and degradability** No further relevant information available.· **Other information:**

Amorphous silica dioxide is chemically and biologically inert.

By the insolubility in water there is a separation at every filtration and sedimentation process.

· **Behavior in environmental systems:**· **Bioaccumulative potential** Does not accumulate in organisms· **Mobility in soil** No further relevant information available.· **Additional ecological information:**· **General notes:** Not hazardous for water.· **Results of PBT and vPvB assessment**· **PBT:** Not determined.· **vPvB:** Not determined.· **Other adverse effects** No further relevant information available.**13 Disposal considerations**· **Precautions for disposal:**· **Recommendation:**

Disposal must be made according to official regulations.

Whatever cannot be saved for recovery or recycling should be managed in an appropriate and approved waste disposal facility. Processing, use or contamination of this product may change the waste management options. State/provincial and local disposal regulations may differ from federal disposal regulations. Dispose of container and unused contents in accordance with federal, state/provincial and local requirements.

14 Transport information· **UN-Number**· **DOT, ADR, ADN, IMDG, IATA**

Not applicable.

· **UN proper shipping name**· **DOT, ADR, ADN, IMDG, IATA**

Not applicable.

(Contd. on page 8)

USA

Printing date 10/12/2023

Version: 9.9

Reviewed on 10/12/2023

Trade name: **SYLOID® 244**

(Contd. of page 7)

· Transport hazard class(es)	
· DOT, ADR, ADN, IMDG, IATA	
· Class	Not applicable.
· Packing group	
· DOT, ADR, IMDG, IATA	Not applicable.
· Environmental hazards:	Not applicable.
· Special precautions for user	Not applicable.
· Segregation groups	-
· Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
· Transport/Additional information:	Not dangerous according to the above specifications. GRACE recommendation for air transport: Cargo aircraft.

15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **SARA**

- **SARA 302/304**

Substance is not listed.

- **SARA 313**

Substance is not listed.

- **SARA 311/312** Not applicable.

- **TSCA (Toxic Substances Control Act):**

ACTIVE

- **Hazardous Air Pollutants**

Substance is not listed.

- **Proposition 65**

- **Chemicals known to cause cancer:**

Substance is not listed.

- **Chemicals known to cause reproductive toxicity for females:**

Substance is not listed.

- **Chemicals known to cause reproductive toxicity for males:**

Substance is not listed.

- **Chemicals known to cause developmental toxicity:**

Substance is not listed.

- **Carcinogenic categories**

- **EPA (Environmental Protection Agency)**

Substance is not listed.

- **TLV (Threshold Limit Value)**

Substance is not listed.

- **NIOSH-Ca (National Institute for Occupational Safety and Health)**

Substance is not listed.

(Contd. on page 9)

Printing date 10/12/2023

Version: 9.9

Reviewed on 10/12/2023

Trade name: **SYLOID® 244**

(Contd. of page 8)

• **Canadian DSL**

7631-86-9 | amorphous silicon dioxide, chemically prepared

• **Canadian NDSL**

Substance is not listed.

• **European EINECS**

Substance is listed.

• **Philippines Inventory of Chemicals and Chemical Substances PICCS**

Substance is listed.

• **Inventory of the Existing Chemical Substances manufactured or imported in China IECSC**

7631-86-9 | amorphous silicon dioxide, chemically prepared

• **Australian Inventory of Industrial Chemicals (AIIC)**

Substance is listed.

• **Japanese Existing and New Chemical Substance List ENCS**

1-548

• **Korean Existing Chemical Inventory KECI**

KE-31032

• **New Zealand Inventory (ERMA) All ingredients are listed.**• **TCSCA (Taiwan)**

EPEP4A01648271

• **Russian Register of Potentially Hazardous Chemical and Biological Substances (RPOHV)**

№ AT-000209 от 18.01.1995 г.

• **New Zealand Inventory of Chemicals (NZIoC)**

Substance is listed.

• **Existing Chemical Directory of Thailand (DIW)**

Substance is listed.

• **TCSI - Taiwan Chemical Substance Inventory**

Substance is listed.

• **Mexican National Inventory of Chemical Substances (INSQ)**

Substance is listed.

• **GHS label elements** None• **Hazard pictograms** None• **Signal word** None• **Hazard statements** None• **Classification system:**• **NFPA ratings (scale 0 - 4)**

Health = 1

Fire = 0

Reactivity = 0

• **HMIS-ratings (scale 0 - 4)**

Health = 1

Fire = 0

Reactivity = 0

USA

(Contd. on page 10)

Printing date 10/12/2023

Version: 9.9

Reviewed on 10/12/2023

Trade name: SYLOID® 244

(Contd. of page 9)

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

• **Department issuing SDS:** GRACE Safety & Health Department

• **Other information:**

The applicable regulations and industrial hygiene standards have to be considered.

• **Contact:**

SALES OFFICES

USA:

GRACE

W. R. Grace & Co.-Conn

7500 Grace DR

Columbia, MD 21044

Tel: +1 410-531 4000

Europe:

Grace GmbH

In der Hollerhecke 1

D-67545 Worms, Germany

Tel: +49 6241 40300

Asia Pacific:

Grace Products (Singapore) Pte. Ltd.,

390 Orchard Road

15-02/03 Palais Renaissance

Singapore 238871

Tel: +65 6331 4188

Fax: +65 6737 5826

Grace Trading (Shanghai) Ltd

19th Floor K.Wah Center

1010 Huai Hai Zhong Road

Shanghai, 200031 China

T (电话): +86 21 3325 8288

F (传真): +86 21 3325 8245

W. R. Grace Japan K.K

Kohken New River Bldg 3F

2-21-18, Shinkawa

Chuo-ku, Tokyo 104-0033

JAPAN

Tel: +81 3.3537.6006

Fax: +81 3.3537.6007

• **Other information:**

• **Date of preparation / last revision** 10/12/2023

• **The first date of preparation** 02/17/2015

• **Number of revision times and the latest revision date** 9.9 / 10/12/2023

• **Abbreviations and acronyms:**

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

DNEL: Derived No-Effect Level (REACH)

LC50: Lethal concentration, 50 percent

(Contd. on page 11)

USA

Printing date 10/12/2023

Version: 9.9

Reviewed on 10/12/2023

Trade name: SYLOID® 244

(Contd. of page 10)

LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
NIOSH: National Institute for Occupational Safety
OSHA: Occupational Safety & Health
TLV: Threshold Limit Value
PEL: Permissible Exposure Limit
REL: Recommended Exposure Limit

- **Others** No further relevant information available.
- *** Data compared to the previous version altered.**

—USA—