

VALVANCE™ Touch 250**5015113**

Version 1.3

Revision Date 02/14/2020

Date of last issue: 02/07/2018

SECTION 1. IDENTIFICATION

Product name : VALVANCE™ Touch 250

Manufacturer or supplier's details

Company name of supplier : DSM Nutritional Products

Address : 45 Waterview Blvd
Parsippany NJ 07054-1298

Telephone : (908) 475-7373

Telefax : (908) 475-7406

Emergency telephone number : 1-800-424-9300 (24 HR CHEMTREC, CA & US); Outside CA & US +1-703-572-3887 (COLLECT CALLS ACCEPTED)

E-mail address of person responsible for the SDS : sds.nutritionalproducts@dsm.com

Recommended use of the chemical and restrictions on use

Recommended use : Ingredient for personal care products

SECTION 2. HAZARDS IDENTIFICATION**GHS classification in accordance with 29 CFR 1910.1200**

Not a hazardous substance or mixture.

GHS label elements

Not a hazardous substance or mixture.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Brief description of the product : Mixture

Hazardous components

Chemical name	CAS-No.	Concentration (% w/w)
silicon dioxide (amorphous)	7631-86-9	>= 90 - <= 100

Actual concentration is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

General advice : No hazards which require special first aid measures.

If inhaled : Move to fresh air.
If symptoms persist, call a physician.In case of skin contact : Take off contaminated clothing and shoes immediately.
Wash off with soap and plenty of water.In case of eye contact : Flush eyes with water as a precaution.
Remove contact lenses.
Protect unharmed eye.

VALVANCE™ Touch 250**5015113**

Version 1.3

Revision Date 02/14/2020

Date of last issue: 02/07/2018

Keep eye wide open while rinsing.

If swallowed : Rinse mouth with water.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and delayed : No specific symptoms known.

Notes to physician : Treat symptomatically.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Water
Foam

Specific hazards during fire-fighting : None known.

Further information : Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.
Avoid dust formation.

Environmental precautions : Try to prevent the material from entering drains or water courses.

Methods and materials for containment and cleaning up : Sweep up and shovel.

SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion : Avoid dust formation.
Provide appropriate exhaust ventilation at places where dust is formed.
Take precautionary measures against static discharges.

Advice on safe handling : For personal protection see section 8.

Conditions for safe storage : Keep container tightly closed and dry.

Materials to avoid : No special restrictions on storage with other products.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**Components with workplace control parameters**

Components	CAS-No.	Value type	Control parameters /	Basis
------------	---------	------------	----------------------	-------

VALVANCE™ Touch 250**5015113**

Version 1.3

Revision Date 02/14/2020

Date of last issue: 02/07/2018

		(Form of exposure)	Permissible concentration	
silicon dioxide (amorphous)	7631-86-9	TWA (Dust)	80 mg/m ³ / %SiO ₂ (Silica)	OSHA Z-3

Personal protective equipment

Respiratory protection : No personal respiratory protective equipment normally required.
In case of high dust concentration use a dust mask applicable to local conditions.

Hand protection
Remarks : Glove material: for example nitrile rubber

Eye protection : Safety glasses

Skin and body protection : Lightweight protective clothing

Hygiene measures : General industrial hygiene practice.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**Information on basic physical and chemical properties**

Appearance : fine powder

Colour : white

Odour : odourless

Odour Threshold : No information available.

pH : 5.0 - 9.0 (10%)
(as a dispersion)

Melting point/range : Not applicable

Boiling point/boiling range : Not applicable

Flash point : Not applicable

Flammability (solid, gas) : Not expected to form explosive dust-air mixtures.

Vapour pressure : Not applicable

Relative vapour density : Not applicable

Density : not determined

Water solubility : insoluble

Solubility in other solvents : Ethanol: insoluble

Partition coefficient: n-octanol/water : Not applicable

Auto-ignition temperature : No data available

Thermal decomposition : Decomposes on heating.
Potential for exothermic hazard

Explosive properties : Not explosive

Oxidizing properties : No data available

Other information

Combustibility index for de- : 2 (23 °C)

VALVANCE™ Touch 250**5015113**

Version 1.3

Revision Date 02/14/2020

Date of last issue: 02/07/2018

posited dust

: 2 (100 °C)

Dust explosion class

: The sample could not be ignited under test conditions (Hartmann tube). (Product sample, Median value of the tested sample 0.014 mm, Loss on drying 0.7 %)

Minimum ignition energy

: > 1,000 mJ (Product sample, Median value of the tested sample 0.014 mm, Loss on drying 0.7 %, EN 13821)
The Minimum ignition energy (MIE) of a dust/air mix depends on the particle size the water content and the temperature of the dust. The finer and the dryer the dust the lower the MIE.
: General remark: The indicated dust explosion characteristics are only valid for this product and are sensitive to the sample's parameters.

Powder volume resistivity

: ca. 1.5E+13 Ohmm (Product sample, Median value of the tested sample 0.014 mm, Loss on drying 0.7 %)
The material can accumulate static charge and can therefore cause electrical ignition.

Minimum ignition temperature of a dust/air mix

: >= 560 °C (Median value of the tested sample 0.014 mm) determined in the BAM oven

Particle size

: 0.006 - 0.015 mm
(average measurement value)**SECTION 10. STABILITY AND REACTIVITY**

Reactivity

: No hazards to be specially mentioned.

Chemical stability

: Stable under recommended storage conditions.

Possibility of hazardous reactions

: Possible incompatibility with materials listed under section 10.5.

Conditions to avoid

: Heat

Incompatible materials

: Strong acids and strong bases
Strong oxidizing agents

Hazardous decomposition products

: No decomposition if used as directed.

SECTION 11. TOXICOLOGICAL INFORMATION

Acute oral toxicity

: Acute toxicity estimate : > 5,000 mg/kg
(Calculation method)

Skin irritation

: No skin irritation (Rabbit, OECD Test Guideline 404)
Information refers to the main component.

Eye irritation

: No eye irritation (Rabbit, OECD Test Guideline 405)
Information refers to the main component.

: Dust contact with the eyes can lead to mechanical irritation.

VALVANCE™ Touch 250**5015113**

Version 1.3

Revision Date 02/14/2020

Date of last issue: 02/07/2018

Sensitisation	: None of the components is classified as a sensitiser.
Genotoxicity in vitro	: No indication for mutagenicity known.
Genotoxicity in vivo	: No indication for human genotoxicity known.
Carcinogenicity	: No indication for carcinogenicity known.
IARC	No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
OSHA	No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.
NTP	No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
Reproductive toxicity	: No indication for adverse effects on fertility known.
Teratogenicity	: No indication for teratogenicity known.
STOT - single exposure (Acute exposure)	: The substance or mixture is not classified as specific target organ toxicant, single exposure.
STOT - repeated exposure	: NOEL (Oral, Rat) : ca. 4000 mg/kg bw/d Sub-chronic toxicity study (90-day) Information refers to the main component.
Aspiration toxicity	: No aspiration toxicity classification

SECTION 12. ECOLOGICAL INFORMATION**Toxicity**

No data is available on the product itself.

Persistence and degradability

Biodegradability : The methods for determining biodegradability are not applicable to inorganic substances.
Information refers to the main component.

Bioaccumulative potential

Bioaccumulation : No data available

Partition coefficient: n- : Not applicable

VALVANCE™ Touch 250**5015113**

Version 1.3

Revision Date 02/14/2020

Date of last issue: 02/07/2018

octanol/water

Mobility in soil

Distribution among environmental compartments : No data available

Results of PBT and vPvB assessment

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Other adverse effects

Regulation 40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances

Remarks This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

Additional ecological information : There is no data available for this product.

SECTION 13. DISPOSAL CONSIDERATIONS**Disposal methods**

Waste from residues : User must determine if any wastes generated exhibit hazardous characteristics as per 40 CFR Part 261 or other national / local legislation.

Offer surplus and non-recyclable solutions to a licensed disposal company.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.

SECTION 14. TRANSPORT INFORMATION**International Regulations****UNRTDG**

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations**49 CFR**

Not regulated as a dangerous good

VALVANCE™ Touch 250**5015113**

Version 1.3

Revision Date 02/14/2020

Date of last issue: 02/07/2018

SECTION 15. REGULATORY INFORMATION**EPCRA - Emergency Planning and Community Right-to-Know Act****CERCLA Reportable Quantity**

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : No SARA Hazards

SARA 313 : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Clean Air Act

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCM Intermediate or Final VOC's (40 CFR 60.489).

Clean Water Act

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

US State Regulations**Massachusetts Right To Know**

silicon dioxide (amorphous)	7631-86-9
-----------------------------	-----------

Pennsylvania Right To Know

silicon dioxide (amorphous)	7631-86-9
Poly[oxy(methylsilylene)]	9004-73-3

Maine Chemicals of High Concern

Product does not contain any listed chemicals

Vermont Chemicals of High Concern

Product does not contain any listed chemicals

Washington Chemicals of High Concern

Product does not contain any listed chemicals

California List of Hazardous Substances

silicon dioxide (amorphous)	7631-86-9
-----------------------------	-----------

TSCA list

No substances are subject to a Significant New Use Rule.


VALVANCE™ Touch 250**5015113**

Version 1.3

Revision Date 02/14/2020

Date of last issue: 02/07/2018

No substances are subject to TSCA 12(b) export notification requirements.

SECTION 16. OTHER INFORMATION**Further information****NFPA 704:****HMIS® IV:**

HEALTH	/	0
FLAMMABILITY		0
PHYSICAL HAZARD		1

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Full text of other abbreviations

AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations;

VALVANCE™ Touch 250**5015113**

Version 1.3

Revision Date 02/14/2020

Date of last issue: 02/07/2018

UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

ACGIH = American Conference of Governmental Industrial Hygienists. CFR = Code of Federal Regulations. EPA = Environmental Protection Agency. NIOSH = National Institute of Occupational Safety and Health. OSHA = Occupational Safety and Health Administration. STEL = Short term exposure limit. TLV = Threshold Limit Value. TLV-C = Ceiling Limit Value. TWA = Time Weighted Average.

Revision Date : 02/14/2020

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN