

Safety Data Sheet

LIQUICHLOR® 12.5% SOLUTION

Version 1.2

Revision Date: 03/26/2024

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : LIQUICHLOR® 12.5% SOLUTION

Recommended use of the chemical and restrictions on use

Recommended use : refer to EPA registered label for specific uses

Manufacturer or supplier's details

Company : Univar Solutions USA
Address : 3075 Highland Pkwy Suite 200
 Downers Grove, IL 60515
 United States of America (USA)

Emergency telephone number:

Transport North America: CHEMTREC (1-800-424-9300)

CHEMTREC INTERNATIONAL Tel # 703-527-3887

Additional Information: : Responsible Party: Product Compliance Department
 E-mail: SDSNA@univarsolutions.com
 SDS Requests: 1-855-429-2661
 Website: www.univarsolutions.com

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Corrosive to metals : Category 1

Skin corrosion : Category 1B

Serious eye damage : Category 1

GHS label elements

Hazard pictograms :



Signal word : Danger

Hazard statements : H290 May be corrosive to metals.
 H314 Causes severe skin burns and eye damage.

Precautionary statements : **Prevention:**
 P234 Keep only in original container.
 P264 Wash skin thoroughly after handling.
 P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.
Response:
 P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
 P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower.
 P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor.

Safety Data Sheet

LIQUICHLOR® 12.5% SOLUTION

Version 1.2

Revision Date: 03/26/2024

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.

P363 Wash contaminated clothing before reuse.

P390 Absorb spillage to prevent material damage.

Storage:

P405 Store locked up.

P406 Store in corrosive resistant container with a resistant inner liner.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous components

CAS-No.	Chemical name	Weight percent
7681-52-9	Sodium hypochlorite	12.5
1310-73-2	Sodium hydroxide	0 - 5

Actual concentration is withheld as a trade secret

Any Concentration shown as a range is due to batch variation.

Synonyms : Bleach,

SECTION 4. FIRST AID MEASURES

- General advice : Show this safety data sheet to the doctor in attendance.
Move out of dangerous area.
Consult a physician.
Show this safety data sheet to the doctor in attendance.
Do not leave the victim unattended.
- If inhaled : Take victim immediately to hospital.
Move to fresh air.
If breathing has stopped, apply artificial respiration.
If unconscious, place in recovery position and seek medical advice.
If symptoms persist, call a physician.
- In case of skin contact : In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes.
Remove contaminated clothing. If irritation develops, get medical attention.
Burns must be treated by a physician.
- In case of eye contact : In case of eye contact
Immediately flush eye(s) with plenty of water.
Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

Safety Data Sheet

LIQUICHLOR® 12.5% SOLUTION

Version 1.2

Revision Date: 03/26/2024

If swallowed	If easy to do, remove contact lens, if worn. If eye irritation persists, consult a specialist. Take victim immediately to hospital. : Take victim immediately to hospital. Do NOT induce vomiting. Rinse mouth with water. If victim is fully conscious, give a cupful of water. If a person vomits when lying on his back, place him in the recovery position.
--------------	---

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	: Carbon dioxide (CO2) Foam Dry powder
Unsuitable extinguishing media	: High volume water jet
Specific hazards during fire-fighting	: Do not allow run-off from fire fighting to enter drains or water courses.
Hazardous combustion products	: No hazardous combustion products are known
Further information	: Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
Special protective equipment for firefighters	: Wear self-contained breathing apparatus for firefighting if necessary.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	: Use personal protective equipment.
Environmental precautions	: Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.
Methods and materials for containment and cleaning up	: Neutralise with acid. Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion	: Normal measures for preventive fire protection.
Advice on safe handling	: Do not breathe vapours/dust.

Safety Data Sheet

LIQUICHLOR® 12.5% SOLUTION

Version 1.2

Revision Date: 03/26/2024

Conditions for safe storage : Avoid contact with skin and eyes.
For personal protection see section 8.
Smoking, eating and drinking should be prohibited in the application area.
To avoid spills during handling keep bottle on a metal tray.
Dispose of rinse water in accordance with local and national regulations.
: Keep container tightly closed in a dry and well-ventilated place.
Containers which are opened must be carefully resealed and kept upright to prevent leakage.
Observe label precautions.
Electrical installations / working materials must comply with the technological safety standards.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

CAS-No.	Components	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
7681-52-9	Sodium hypochlorite	STEL	2 mg/m3	US WEEL
1310-73-2	Sodium hydroxide	C	2 mg/m3	ACGIH
		C	2 mg/m3	NIOSH REL
		TWA	2 mg/m3	OSHA Z-1
		C	2 mg/m3	OSHA P0
		C	2 mg/m3	CAL PEL

Personal protective equipment

Respiratory protection : General and local exhaust ventilation is recommended to maintain vapor exposures below recommended limits. Where concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provided by air purifying respirators against exposure to any hazardous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other circumstance where air purifying respirators may not provide adequate protection.

Hand protection

Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Eye protection : Eye wash bottle with pure water
Tightly fitting safety goggles
Wear face-shield and protective suit for abnormal processing problems.

Skin and body protection : Impervious clothing
Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Hygiene measures : When using do not eat or drink.
When using do not smoke.
Wash hands before breaks and at the end of workday.

Safety Data Sheet

LIQUICHLOR® 12.5% SOLUTION

Version 1.2

Revision Date: 03/26/2024

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: liquid
Colour	: clear yellow
Odour	: Chlorine
Odour Threshold	: No data available
pH	: 11.5 - 13
Freezing Point (Melting point/freezing point)	: -20 - -15 °C (-4 - 5 °F)
Boiling Point ()	: 230 °F (230 °F) Decomposition: Decomposition temperature
Flash point	: Not Flammable
Evaporation rate	: No data available
Flammability (solid, gas)	: No data available
Upper explosion limit	: No data available
Lower explosion limit	: No data available
Vapour pressure	: 12 - 17.5 mmHg @ 20 °C (68 °F)
Relative vapour density	: No data available
Relative density	: 1.17 @ 20 °C (68 °F) Reference substance: (water = 1)
Density	: 1.17 g/cm3
Solubility(ies)	
Water solubility	: completely soluble
Solubility in other solvents	: No data available
Partition coefficient: n-octanol/water	: No data available
Auto-ignition temperature	: No data available
Thermal decomposition	: No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: No dangerous reaction known under conditions of normal use.
Chemical stability	: Stable
Possibility of hazardous reactions	: No hazards to be specially mentioned.
Conditions to avoid	: Keep away from heat, flame, sparks and other ignition sources.
Incompatible materials	: Acids Combustible material Halogenated compounds Metals metal salts Organic materials

Safety Data Sheet**LIQUICHLOR® 12.5% SOLUTION**

Version 1.2

Revision Date: 03/26/2024

organic nitro compounds
Zinc**SECTION 11. TOXICOLOGICAL INFORMATION****Acute toxicity****Product:**

Acute oral toxicity : Acute toxicity estimate: > 5,000 mg/kg

Components:**7681-52-9:**

Acute oral toxicity : LD50 (Rat, male): > 2,000 mg/kg

Skin corrosion/irritation**Components:****7681-52-9:**

Species: Rabbit

Result: Causes burns.

1310-73-2:

Species: Rabbit

Result: Causes severe burns.

Serious eye damage/eye irritation**Components:****7681-52-9:**

Species: Rabbit

Result: Risk of serious damage to eyes.

1310-73-2:

Species: Rabbit

Result: Risk of serious damage to eyes.

Carcinogenicity**IARC**

No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA

No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP

No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Safety Data Sheet**LIQUICHLOR® 12.5% SOLUTION**

Version 1.2

Revision Date: 03/26/2024

STOT - single exposure**Components:****7681-52-9:**

Assessment: The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with respiratory tract irritation.

Further information**Product:**

Remarks: No data available

SECTION 12. ECOLOGICAL INFORMATION**Ecotoxicity****Components:****7681-52-9:**

Toxicity to fish : LC50 (Salmo gairdneri (Rainbow Fish)): 0.06 mg/l
Exposure time: 96 h
Test Type: flow-through test

LC50 (Pimephales promelas (fathead minnow)): 5.9 mg/l
Exposure time: 96 h
Test Type: static test

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.141 mg/l
Exposure time: 48 h
Test Type: flow-through test

EC50 (Ceriodaphnia dubia): 0.035 mg/l
Exposure time: 48 h
Test Type: flow-through test

Toxicity to algae : IC50: 0.023 mg/l
Exposure time: 7 d
Test Type: flow-through test

M-Factor (Acute aquatic toxicity) : 10

Acute aquatic toxicity- Assessment : Very toxic to aquatic life.

Chronic aquatic toxicity- Assessment : Toxic to aquatic life with long lasting effects.

Persistence and degradability

No data available

Bioaccumulative potential

No data available

Safety Data Sheet

LIQUICHLOR® 12.5% SOLUTION

Version 1.2

Revision Date: 03/26/2024

Mobility in soil

No data available

Other adverse effects

Product:

Ozone-Depletion Potential : Regulation: 40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances
Remarks: This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Very toxic to aquatic life.
Harmful to aquatic life with long lasting effects.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Dispose of in accordance with all applicable local, state and federal regulations.
For assistance with your waste management needs - including disposal, recycling and waste stream reduction, contact Univar Solutions ChemCare: 1-800-637-7922

Contaminated packaging : Empty remaining contents.
Dispose of as unused product.
Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION

DOT (Department of Transportation):

UN1791, Hypochlorite solutions, 8, III, Marine Pollutant (SODIUM HYPOCHLORITE)

IATA (International Air Transport Association):

UN1791, Hypochlorite solution, 8, III

IMDG (International Maritime Dangerous Goods):

UN1791, HYPOCHLORITE SOLUTION, 8, III, Marine Pollutant (SODIUM HYPOCHLORITE)

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
------------	---------	-----------------------	--------------------------------

Safety Data Sheet

LIQUICHLOR® 12.5% SOLUTION

Version 1.2

Revision Date: 03/26/2024

Sodium hypochlorite	7681-52-9	100	800
Sodium hydroxide	1310-73-2	1000	20000

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards : Corrosive to metals
Skin corrosion or irritation
Serious eye damage or eye irritation

SARA 302 : This material does not contain any components with a section 302 EHS TPQ.

SARA 313 : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Clean Air Act

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCM I Intermediate or Final VOC's (40 CFR 60.489).

Clean Water Act

The following Hazardous Substances are listed under the U.S. CleanWater Act, Section 311, Table 116.4A:

7681-52-9 Sodium hypochlorite
1310-73-2 Sodium hydroxide

The following Hazardous Chemicals are listed under the U.S. CleanWater Act, Section 311, Table 117.3:

7681-52-9 Sodium hypochlorite
1310-73-2 Sodium hydroxide

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

Massachusetts Right To Know

7681-52-9 Sodium hypochlorite
1310-73-2 Sodium hydroxide

Pennsylvania Right To Know

7732-18-5 Water
7681-52-9 Sodium hypochlorite
1310-73-2 Sodium hydroxide

California Prop 65 : This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

The components of this product are reported in the following inventories:

TSCA : On TSCA Inventory

DSL : All components of this product are on the Canadian DSL

AICS : On the inventory, or in compliance with the inventory

Safety Data Sheet

LIQUICHLOR® 12.5% SOLUTION


Version 1.2

Revision Date: 03/26/2024

NZIoC	: Not in compliance with the inventory
ENCS	: On the inventory, or in compliance with the inventory
KECI	: On the inventory, or in compliance with the inventory
PICCS	: On the inventory, or in compliance with the inventory
IECSC	: On the inventory, or in compliance with the inventory

SECTION 16. OTHER INFORMATION

NFPA:



HMIS III:

HEALTH	3/
FLAMMABILITY	0
PHYSICAL HAZARD	1

0 = not significant, 1 = Slight,
2 = Moderate, 3 = High
4 = Extreme, * = Chronic

The information accumulated is based on the data of which we are aware and is believed to be correct as of the date hereof. Since this information may be applied under conditions beyond our control and with which we may be unfamiliar and since data made become available subsequently to the date hereof, we do not assume any responsibility for the results of its use. Recipients are advised to confirm in advance of need that the information is current, applicable, and suitable to their circumstances. This SDS has been prepared by Univar Solutions Product Compliance Department (1-855-429-2661) SDSNA@univarsolutions.com.

Revision Date : 03/26/2024

Material number:

16215731, 16214071, 16211872, 16212037, 16211065, 16210830, 16210117, 16206617, 16204823, 16179440, 16173035, 16172686, 16173104, 16185315, 16172598, 16146040, 16151002, 16149524, 16158615, 16145640, 16148059, 16144666, 16147989, 16163791, 16180800, 16164756, 16164592, 16164731, 16164730, 16203820, 16203821, 16203184, 16194505, 16158853, 16151253, 16149870, 16148071, 16148060, 16147684, 16145965, 16145895, 16145890, 16145584, 16145144, 16145142, 16145140, 16145138, 16145137, 16145133, 16145130, 16145079, 16159810, 16150495, 16149123, 16147041, 16145471, 16144665, 16145772, 16148183, 16145046, 16143737, 16135287, 16163624, 16148721, 16155765, 16158840, 16145484, 16166710, 16148748, 16148260, 16166763, 16166591, 16145834, 16166014, 16159793, 16162934, 16165524, 16165444, 16165066, 16137823, 16137455, 16137753, 16147687, 16144215, 16150496, 16149504, 16145673, 16149243, 16136536, 16160181, 16160290, 16144046, 16145139, 16150462, 16149046, 16149516,

Safety Data Sheet

LIQUICHLOR® 12.5% SOLUTION

Version 1.2

Revision Date: 03/26/2024

16148083, 16150461, 16135216, 16156005

Key or legend to abbreviations and acronyms used in the safety data sheet			
ACGIH	American Conference of Government Industrial Hygienists	LD50	Lethal Dose 50%
AICS	Australia, Inventory of Chemical Substances	LOAEL	Lowest Observed Adverse Effect Level
DSL	Canada, Domestic Substances List	NFPA	National Fire Protection Agency
NDSL	Canada, Non-Domestic Substances List	NIOSH	National Institute for Occupational Safety & Health
CNS	Central Nervous System	NTP	National Toxicology Program
CAS	Chemical Abstract Service	NZIoC	New Zealand Inventory of Chemicals
EC50	Effective Concentration	NOAEL	No Observable Adverse Effect Level
EC50	Effective Concentration 50%	NOEC	No Observed Effect Concentration
EGEST	EOSCA Generic Exposure Scenario Tool	OSHA	Occupational Safety & Health Administration
EOSCA	European Oilfield Specialty Chemicals Association	PEL	Permissible Exposure Limit
EINECS	European Inventory of Existing Chemical Substances	PICCS	Philippines Inventory of Commercial Chemical Substances
MAK	Germany Maximum Concentration Values	PRNT	Presumed Not Toxic
GHS	Globally Harmonized System	RCRA	Resource Conservation Recovery Act
>=	Greater Than or Equal To	STEL	Short-term Exposure Limit
IC50	Inhibition Concentration 50%	SARA	Superfund Amendments and Reauthorization Act.
IARC	International Agency for Research on Cancer	TLV	Threshold Limit Value
IECSC	Inventory of Existing Chemical Substances in China	TWA	Time Weighted Average
ENCS	Japan, Inventory of Existing and New Chemical Substances	TSCA	Toxic Substance Control Act
KECI	Korea, Existing Chemical Inventory	UVCB	Unknown or Variable Composition, Complex Reaction Products, and Biological Materials
<=	Less Than or Equal To	WHMIS	Workplace Hazardous Materials Information System
LC50	Lethal Concentration 50%		