

MIRAPOL SURF-S PFREE POWER NP

Revision Date 06/29/2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1 Product identifier**

- Trade name MIRAPOL SURF-S PFREE POWER NP

1.2 Relevant identified uses of the substance or mixture and uses advised against**Uses of the Substance / Mixture**

- Formulation
- of
- Detergent

1.3 Details of the supplier of the safety data sheet**Company**

Solvay USA Inc.,
NOVECARE
504 Carnegie Center
Princeton, NJ, 08540, US
Telephone Number: 800-973-7873

1.4 Emergency telephone

FOR EMERGENCIES INVOLVING A SPILL, LEAK, FIRE, EXPOSURE OR ACCIDENT, CONTACT CHEMTREC (24-Hour Number): +1-800-424-9300 within the United States and Canada, or +1-703-527-3887 for international collect calls.

SECTION 2: Hazards identification

Although OSHA has not adopted the environmental portion of the GHS regulations, this document may include information on environmental effects.

2.1 Classification of the substance or mixture**HCS 2012 (29 CFR 1910.1200)**

Combustible dust
Eye irritation, Category 2A

May form combustible dust concentrations in air.
H319: Causes serious eye irritation.

2.2 Label elements**HCS 2012 (29 CFR 1910.1200)****Pictogram****Signal Word**

- Warning

Hazard Statements

- May form combustible dust concentrations in air.
- H319 Causes serious eye irritation.

MIRAPOL SURF-S PFREE POWER NP

Revision Date 06/29/2022

Precautionary StatementsPrevention

- P264 Wash skin thoroughly after handling.
- P280 Wear eye protection/ face protection.

Response

- P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P337 + P313 If eye irritation persists: Get medical advice/ attention.

2.3 Other hazards which do not result in classification

- Divided solid.
- Combustible solid.
- Exposure to dust generated during the handling or use of the product may cause temporary mechanical irritation to the eyes, skin and respiratory tract.
- Finely divided particles may form explosive mixtures in air.
- Electrostatic charges may be generated as a result of flow, stirring etc.
- Electrostatic charges may build up by swirling, pneumatic transport, pouring etc.

SECTION 3: Composition/information on ingredients**3.1 Substance**

- Not applicable, this product is a mixture.

3.2 Mixture

- Chemical nature Mixture based on Sodium carbonate

Hazardous Ingredients and Impurities

Chemical name	Identification number CAS-No.	Concentration [%]
Sodium Carbonate	497-19-8	>= 70 - < 80

The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

SECTION 4: First aid measures**4.1 Description of first-aid measures****General advice**

- First responder needs to protect himself.
- Show this material safety data sheet to the doctor in attendance.
- Place affected apparel in a sealed bag for subsequent decontamination.
- When symptoms persist or in all cases of doubt seek medical advice.

In case of inhalation

- Move to fresh air.
- Keep at rest.
- Consult a physician if necessary.

In case of skin contact

- Take off contaminated clothing and shoes immediately.

PRCO90076217

Version : 1.01 / US (Z8)

www.solvay.com



MIRAPOL SURF-S PFREE POWER NP

Revision Date 06/29/2022

- Wash off immediately with soap and plenty of water.
- Use a mild soap if available.
- If skin irritation occurs, seek medical advice/attention.

In case of eye contact

- Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.
- Immediate medical attention is required.

In case of ingestion

- Do not induce vomiting without medical advice.
- Rinse mouth with water.
- Do not give anything to drink.
- Keep at rest.
- Consult a physician if necessary.

4.2 Most important symptoms and effects, both acute and delayed

- no data available

4.3 Indication of any immediate medical attention and special treatment needed**Notes to physician**

- All treatments should be based on observed signs and symptoms of distress in the patient. Consideration should be given to the possibility that overexposure to materials other than this product may have occurred.

SECTION 5: Firefighting measures**Flash point**

Not applicable, solid for which the melting point is > 100 °C / 212°F

Flammability class: Will burn

Autoignition temperature

No data available

Flammability / Explosive limit

No data available

5.1 Extinguishing media**Suitable extinguishing media**

- Multipurpose powders
- Alcohol Resistant Aqueous Film Forming Foam (AR-AFFF)
- Water mist

Unsuitable extinguishing media

- Do not use a solid water stream as it may scatter and spread fire.
- High pressure inert gas, e.g. carbon dioxide jet.
- (Avoid dispersal of dust in the air)

5.2 Special hazards arising from the substance or mixture**Specific hazards during fire fighting**

- Risk of dust explosion.
- Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.
- The pressure in sealed containers can increase under the influence of heat.

MIRAPOL SURF-S PFREE POWER NP

Revision Date 06/29/2022

- Hazardous decomposition products formed under fire conditions.
- High concentrations of toxic or harmful products may remain in the residual liquid once the fire has been extinguished.

Hazardous combustion products:

- On combustion or on thermal decomposition (pyrolysis), releases:
- Carbon monoxide, carbon dioxide and unburned hydrocarbons (smoke).
- Nitrogen oxides (NOx)
- Halogenated compounds
- Hydrogen chloride

5.3 Advice for firefighters**Special protective equipment for fire-fighters**

- Firefighters should wear NIOSH/MSHA approved self-contained breathing apparatus and full protective clothing.
- Personal protective equipment comprising: suitable protective gloves, safety goggles and protective clothing

Specific fire fighting methods

- Stay upwind.
- Fight fire remotely due to the risk of explosion.
- Do not use a solid water stream as it may scatter and spread fire.
- Cool down the containers / equipment exposed to heat with a water spray. Ensure that there is NO direct contact between the water and the product.
- Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Further information

- Evacuate personnel to safe areas.
- Avoid dust formation.
- Intervention only by capable personnel who are trained and aware of the hazards of the product.
- Never approach containers which have been exposed to fire, without cooling them sufficiently.
- Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
- Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures**6.1 Personal precautions, protective equipment and emergency procedures**

- Avoid inhalation, ingestion and contact with skin and eyes.
- Wear chemical resistant personal protective equipment
- Wear suitable gloves.
- Wear suitable protective clothing.
- Respiratory protection
- Wear as appropriate:
 - Face-shield
 - Tightly fitting safety goggles
- In the case of dust or aerosol formation use respirator with an approved filter.
- In the case of vapor formation use a respirator with an approved filter.

MIRAPOL SURF-S PFREE POWER NP

Revision Date 06/29/2022

- Eliminate all ignition sources if safe to do so.
- Stop leak if safe to do so.
- For further information refer to section 8 "Exposure controls / personal protection."

6.2 Environmental precautions

- Take all necessary measures to avoid accidental discharge of products into drains and waterways due to the rupture of containers or transfer systems.
- Prevent further leakage or spillage if safe to do so.
- Contain the spilled material by diking.
- The product should not be allowed to enter drains, water courses or the soil.
- Spills may be reportable to the National Response Center (800-424-8802) and to state and/or local agencies

6.3 Methods and materials for containment and cleaning up

- No sparking tools should be used.
- Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air).
- Stop leak if safe to do so.
- Dam up with sand or inert earth (do not use combustible materials).
- Shovel or sweep up.
- Keep in suitable, closed containers for disposal.
- Never return spills in original containers for re-use.
- Wash nonrecoverable remainder with large amounts of water.
- Clean contaminated surface thoroughly.
- Recover the cleaning water for subsequent disposal.
- Decontaminate tools, equipment and personal protective equipment in a segregated area.
- Dispose of in accordance with local regulations.

Additional advice

- No conditions to be specially mentioned.

6.4 Reference to other sections

- 7. HANDLING AND STORAGE
- 8. EXPOSURE CONTROLS/PERSONAL PROTECTION
- 13. DISPOSAL CONSIDERATIONS

SECTION 7: Handling and storage**7.1 Precautions for safe handling**

- Handle in accordance with good industrial hygiene and safety practice.
- The product should only be used in areas from which all naked lights and other sources of ignition have been excluded.
- Use explosion-proof electrical/ ventilating/ lighting/ equipment.

MIRAPOL SURF-S PFREE POWER NP

Revision Date 06/29/2022

- Take precautionary measures against static discharges.
- Ground/bond container and receiving equipment.
- To avoid ignition of vapors by static electricity discharge, all metal parts of the equipment must be grounded.
- Ensure all equipment is electrically grounded before beginning transfer operations.
- Use only non-sparking tools.
- Wear personal protective equipment.
- Wear suitable protective clothing.
- Avoid inhalation, ingestion and contact with skin and eyes.
- Routine housekeeping should be instituted to ensure that dusts do not accumulate on surfaces.
- Provide for appropriate exhaust ventilation and dust collection at machinery.
- Ensure that dust-handling systems (such as exhaust ducts, dust collectors, vessels, and processing equipment) are designed in a manner to prevent the escape of dust into the work area (i.e., there is no leakage from the equipment).
- For personal protection see section 8.

Hygiene measures

- Personal hygiene is an important work practice exposure control measure and the following general measures should be taken when working with or handling this materials:
 - 1) Do not store, use, and/or consume foods, beverages, tobacco products, or cosmetics in areas where this material is stored.
 - 2) Wash hands and face carefully before eating, drinking, using tobacco, applying cosmetics, or using the toilet.
 - 3) Wash exposed skin promptly to remove accidental splashes or contact with material.
- The user is responsible for monitoring the working environment in accordance with local laws and regulations.

Dust explosion class

- St1

7.2 Conditions for safe storage, including any incompatibilities**Technical measures/Storage conditions**

- Take appropriate measures to prevent static discharges, which may include thorough electrical interconnecting, grounding of equipment, and/or conveyance under inert gas.
- Take all necessary measures to avoid accidental discharge of products into drains and waterways due to the rupture of containers or transfer systems.
- Keep containers tightly closed in a dry, cool and well-ventilated place.
- Keep away from open flames, hot surfaces and sources of ignition.
- Keep away from incompatible materials to be indicated by the manufacturer
- Keep away from: Hazardous reactions may occur on contact with certain chemicals. (Refer to the list of incompatible materials section 10: "Stability-Reactivity").

Packaging material**Suitable material**

- Coated steels.
- Plastic materials.

Remarks

- Store in original container.

7.3 Specific end use(s)

PRCO90076217

Version : 1.01 / US (Z8)

www.solvay.com



MIRAPOL SURF-S PFREE POWER NP

Revision Date 06/29/2022

- no data available

SECTION 8: Exposure controls/personal protection

Introductory Remarks: These recommendations provide general guidance for handling this product. Because specific work environments and material handling practices vary, safety procedures should be developed for each intended application. Assistance with selection, use and maintenance of worker protection equipment is generally available from equipment manufacturers.

8.1 Control parameters**Components with workplace occupational exposure limits**

Components	Value type	Value	Basis
Sodium Carbonate	TWA	10 mg/m3	Solvay Acceptable Exposure Limit
Particulates not otherwise regulated	PEL	15 mg/m3	Occupational Safety and Health Administration - Table Z-1 Limits for Air Contaminants
	Form of exposure : Total dust		
Particulates not otherwise regulated	PEL	5 mg/m3	Occupational Safety and Health Administration - Table Z-1 Limits for Air Contaminants
	Form of exposure : Respirable fraction		
Particles (insoluble or poorly soluble) not otherwise specified	TWA	10 mg/m3	American Conference of Governmental Industrial Hygienists
	Form of exposure : Inhalable particulate matter		
Particles (insoluble or poorly soluble) not otherwise specified	TWA	3 mg/m3	American Conference of Governmental Industrial Hygienists
	Form of exposure : Respirable particulate matter		

8.2 Exposure controls**Control measures****Engineering measures**

- Where engineering controls are indicated by use conditions or a potential for excessive exposure exists, the following traditional exposure control techniques may be used to effectively minimize employee exposures :
 - Effective exhaust ventilation system
 - Ensure adequate ventilation.
 - Extract at emission point.
 - Ensure that extracted air cannot be returned to the workplace through the ventilation system.
 - Facilities and equipment easily cleanable.
 - Dust must be extracted directly at the point of origin.
 - Ensure that dust-handling systems (such as exhaust ducts, dust collectors, vessels, and processing equipment) are designed in a manner to prevent the escape of dust into the work area (i.e., there is no leakage from the equipment).
- Avoid dust formation.

Individual protection measures

PRCO90076217

Version : 1.01 / US (Z8)

www.solvay.com



MIRAPOL SURF-S PFREE POWER NP

Revision Date 06/29/2022

Respiratory protection

- This should be achieved by a good general extraction and -if practically feasible- by the use of a local exhaust ventilation.
- When respirators are required, select NIOSH/MSHA approved equipment based on actual or potential airborne concentrations and in accordance with the appropriate regulatory standards and/or industrial recommendations.
- Respirator must be worn if exposed to dust.
- Recommended Filter type: Particulates type

Hand protection

- Where there is a risk of contact with hands, use appropriate gloves
- Gloves must be inspected prior to use.
- Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time.
- Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.

Suitable material

- butyl-rubber
- Nitrile rubber
- Neoprene

Eye protection

- Eye and face protection requirements will vary dependent upon work environment conditions and material handling practices. Appropriate ANSI Z87 approved equipment should be selected for the particular use intended for this material.
- Eye contact should be prevented through the use of:
 - Tightly fitting safety goggles
 - Face-shield

Skin and body protection

- Wear fire resistant and antistatic coveralls
- Workers should wear antistatic footwear.
- Full protective suit
- Footwear protecting against chemicals
- Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Hygiene measures

- Personal hygiene is an important work practice exposure control measure and the following general measures should be taken when working with or handling this materials:
 - 1) Do not store, use, and/or consume foods, beverages, tobacco products, or cosmetics in areas where this material is stored.
 - 2) Wash hands and face carefully before eating, drinking, using tobacco, applying cosmetics, or using the toilet.
 - 3) Wash exposed skin promptly to remove accidental splashes or contact with material.
- The user is responsible for monitoring the working environment in accordance with local laws and regulations.

Protective measures

- Emergency equipment immediately accessible, with instructions for use.
- Ensure that eyewash stations and safety showers are close to the workstation location.
- Selection of appropriate personal protective equipment should be based on an evaluation of the performance characteristics of the protective equipment relative to the task(s) to be performed, conditions present, duration of use, and the potential hazards, and/or risks that may occur during use.

MIRAPOL SURF-S PFREE POWER NP

Revision Date 06/29/2022

- The protective equipment must be selected in accordance with current local regulations and in cooperation with the supplier of the protective equipment.

SECTION 9: Physical and chemical properties

Physical and Chemical properties here represent typical properties of this product. Contact the business area using the Product information phone number in Section 1 for its exact specifications.

9.1 Information on basic physical and chemical properties

<u>Physical state</u>	solid (77 °F (25 °C))
<u>Form</u>	Fine powder
<u>Color</u>	white
<u>Odor</u>	none
<u>Odor Threshold</u>	No data available
<u>Melting point/freezing point</u>	<u>Melting point/range:</u> No information available.
<u>Initial boiling point and boiling range</u>	No data available
<u>Flammability (solid, gas)</u>	May form combustible dust concentrations in air.
<u>Flammability (liquids)</u>	No data available
<u>Flammability / Explosive limit</u>	No data available
<u>Flash point</u>	Not applicable, solid for which the melting point is > 100 °C / 212°F Flammability class: Will burn
<u>Autoignition temperature</u>	No data available
<u>Decomposition temperature</u>	No data available
<u>pH</u>	ca. 11.0 (0.01 %) Aqueous solution
<u>Viscosity</u>	No data available
<u>Solubility</u>	<u>Water solubility:</u> soluble <u>Solubility in other solvents:</u> common organic solvents: insoluble
<u>Partition coefficient: n-octanol/water</u>	No data available
<u>Vapor pressure</u>	No data available
<u>Density</u>	<u>Bulk density:</u> 0.20 - 0.25 kg/dm3
<u>Relative density</u>	No data available

MIRAPOL SURF-S PFREE POWER NP

Revision Date 06/29/2022

<u>Relative vapor density</u>	No data available
<u>Particle characteristics</u>	No data available
<u>Evaporation rate (Butylacetate = 1)</u>	No data available

9.2 Other information

<u>Oxidizing properties</u>	Not considered as oxidizing., Structure-activity relationship (SAR)
<u>Dust deflagration index (Kst)</u>	5 m.bar/s
<u>Dust explosion constant</u>	St1
<u>Minimum ignition energy</u>	> 1,000 mJ Method: modified Hartmann tube - MIKE 3 Particle size < 63µm
<u>Minimum ignition temperature</u>	> 1247 °F (> 675 °C)
<u>Minimum ignition temperature—dust layer</u>	572 °F (300 °C)
<u>Minimum ignition concentration</u>	> 1500 g/m3

SECTION 10: Stability and reactivity**10.1 Reactivity**

- Stable at normal ambient temperature and pressure.

10.2 Chemical stability

- Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

- Under certain conditions, small dust-particles from the product may form flammable and explosive mixtures with the air.

10.4 Conditions to avoid

- Avoid dust formation.
- Prevent the build-up of electrostatic charge.
- Keep away from open flames, hot surfaces and sources of ignition.
- Avoid excessive heat for prolonged periods of time.

10.5 Incompatible materials

- Strong oxidizing agents
- In contact with concentrated aqueous solution of strong bases (NaOH, KOH, ...etc.), may over time release:
- Methanol
- On contact with acid, releases:
- Carbon dioxide (CO₂)

10.6 Hazardous decomposition products

PRCO90076217

Version : 1.01 / US (Z8)

www.solvay.com



MIRAPOL SURF-S PFREE POWER NP

Revision Date 06/29/2022

Hazardous decomposition products

- On combustion or on thermal decomposition (pyrolysis), releases:
- Carbon monoxide, carbon dioxide and unburned hydrocarbons (smoke).
- Nitrogen oxides (NOx)
- Halogenated compounds
- Hydrogen chloride

SECTION 11: Toxicological information**11.1 Information on toxicological effects****Acute toxicity****Acute oral toxicity**

Sodium Carbonate

LD50 : 2,800 mg/kg - Rat , male and female

Method: OECD Test Guideline 401

The product has a low acute toxicity

Unpublished reports

Acute inhalation toxicity

No data available

Acute dermal toxicity

Sodium Carbonate

LD50 : > 2,000 mg/kg - Rabbit

Method: according to a standardized method

Not classified as hazardous for acute dermal toxicity according to GHS.

No mortality observed at this concentration.

Unpublished reports

Acute toxicity (other routes of administration)

No data available

Skin corrosion/irritation

Sodium Carbonate

Rabbit

Not classified as irritating to skin

Method: OECD Test Guideline 404

Unpublished reports

Serious eye damage/eye irritation

Sodium Carbonate

Rabbit

Irritating to eyes.

Method: OECD Test Guideline 405

Unpublished reports

Respiratory or skin sensitization

No data available

Mutagenicity**Genotoxicity in vitro**

Sodium Carbonate

By analogy

MIRAPOL SURF-S PFREE POWER NP

Revision Date 06/29/2022

Ames test
with metabolic activation
Product is not considered to be genotoxic
Published data

Strain: Escherichia coli
without metabolic activation

negative
Product is not considered to be genotoxic
Published data

Genotoxicity in vivo

No data available

Carcinogenicity

No data available

This product does not contain any ingredient designated as probable or suspected human carcinogens by:

NTP
IARC
OSHA

Toxicity for reproduction and development**Toxicity to reproduction / fertility**

No data available

Developmental Toxicity/Teratogenicity

Sodium Carbonate

Rat, female, Oral
General Toxicity Maternal NOAEL: ≥ 245 mg/kg bw/day
Teratogenicity NOAEL: ≥ 245 mg/kg bw/day
Method: according to a standardized method
no embryotoxic or teratogenic effects have been observed, Unpublished reports

Rabbit, female, Oral
General Toxicity Maternal NOAEL: ≥ 179 mg/kg bw/day
Teratogenicity NOAEL: ≥ 179 mg/kg bw/day
Method: according to a standardized method
no embryotoxic or teratogenic effects have been observed, Unpublished reports

STOT**STOT-single exposure**

Sodium Carbonate

The substance or mixture is not classified as specific target organ toxicant, single exposure according to GHS criteria.
internal evaluation

STOT-repeated exposure

Sodium Carbonate

The substance or mixture is not classified as specific target organ toxicant, repeated exposure according to GHS criteria.
internal evaluation

Experience with human exposure

No data available

Aspiration toxicity

No data available

SECTION 12: Ecological information**12.1 Toxicity**

PRCO90076217

Version : 1.01 / US (Z8)

www.solvay.com

MIRAPOL SURF-S PFREE POWER NP

Revision Date 06/29/2022

Aquatic Compartment**Acute toxicity to fish**

Sodium Carbonate

LC50 - 96 h : 300 mg/l - Lepomis macrochirus (Bluegill sunfish)
static test
Analytical monitoring: no

Method: according to a standardized method
Not harmful to fish (LC/LL50 > 100 mg/L)
Published data

Acute toxicity to daphnia and other aquatic invertebrates

Sodium Carbonate

EC50 - 48 h : 200 - 227 mg/l - Ceriodaphnia dubia (water flea)
semi-static test
Method: according to a standardized method
Not harmful to aquatic invertebrates. (EC/EL50 > 100 mg/L)
Published data

Toxicity to aquatic plants

No data available

Toxicity to microorganisms

No data available

Chronic toxicity to fish

No data available

Chronic toxicity to daphnia and other aquatic invertebrates

No data available

12.2 Persistence and degradability**Abiotic degradation**

No data available

Physical- and photo-chemical elimination

No data available

Biodegradation**Biodegradability**

Sodium Carbonate

Not applicable, inorganic substance

Degradability assessment

Organic component
All or most of the components are considered to be not rapidly degradable in the environment

Inorganic part:
Not applicable

12.3 Bioaccumulative potential**Partition coefficient: n-octanol/water**

No data available

Bioconcentration factor (BCF)

None of the components are considered to be potentially bioaccumulable

12.4 Mobility in soil**Adsorption potential (Koc)**

Sodium Carbonate

Air
Not applicable

MIRAPOL SURF-S PFREE POWER NP

Revision Date 06/29/2022

Solubility(ies)
Water

Mobility
Water

Soil/sediments
not significant

Known distribution to environmental compartments

No data available

12.5 Results of PBT and vPvB assessment

This mixture contains no substance considered to be persistent, bioaccumulating and toxic (PBT).

This mixture contains no substance considered to be very persistent and very bioaccumulating (vPvB).

12.6 Other adverse effects**Ecotoxicity assessment****Short-term (acute) aquatic hazard**

Sodium Carbonate

Not harmful to aquatic life (LC/LL50, EC/EL50 > 100 mg/L)

Long-term (chronic) aquatic hazard

Sodium Carbonate

Not classified due to data which are conclusive although insufficient for classification.

SECTION 13: Disposal considerations**13.1 Waste treatment methods****Product Disposal*****Prohibition***

- Do not discharge directly into the environment.
- Dispose of in accordance with local regulations.
- Chemical additions, processing or otherwise altering this material may make the waste management information presented in this SDS incomplete, inaccurate or otherwise inappropriate. Please be advised that state and local requirements for waste disposal may be more restrictive or otherwise different from federal laws and regulations. Consult state and local regulations regarding the proper disposal of this material.

Waste Code

- Environmental Protection Agency
- Hazardous Waste – NO

Advice on cleaning and disposal of packaging***Prohibition***

- Do NOT dispose of untreated packaging with industrial waste.
- Do not dispose of with domestic refuse.
- Empty remaining contents.

MIRAPOL SURF-S PFREE POWER NP

Revision Date 06/29/2022

- Clean using steam.
- Monitor the residual vapors.
- Dispose of rinse water in accordance with local and national regulations.
- Containers that cannot be cleaned must be treated as waste.
- Dispose of contents/ container to an approved waste disposal plant.
- Dispose of in accordance with local regulations.
- Where possible recycling is preferred to disposal or incineration.
- The recycled material must be completely dry and free of pollutants.

SECTION 14: Transport information**49 CFR**

not regulated

TDG

not regulated

NOM

not regulated

IMDG

not regulated

IATA

not regulated

Note: The above regulatory prescriptions are those valid on the date of publication of this sheet. Given the possible evolution of transportation regulations for hazardous materials, it would be advisable to check their validity with your sales office.

SECTION 15: Regulatory information**15.1 Notification status**

Inventory Information	Status
United States TSCA Inventory	- All substances listed as active on the TSCA inventory
Canadian Domestic Substances List (DSL)	- Listed on Inventory
Australian Inventory of Industrial Chemicals (AIIC)	- All components are listed on the inventory, regulatory obligations/restrictions apply
Japan. CSCL - Inventory of Existing and New Chemical Substances	- Listed on Inventory
Korea. Korean Existing Chemicals Inventory (KECI)	- Not listed but exempted or registered by Solvay under K-REACH - This exemption is valid only for Solvay. Contact Solvay for further details.
China. Inventory of Existing Chemical Substances in China (IECSC)	- Listed on Inventory

PRCO90076217

Version : 1.01 / US (Z8)

www.solvay.com



MIRAPOL SURF-S PFREE POWER NP

Revision Date 06/29/2022

Philippines Inventory of Chemicals and Chemical Substances (PICCS)	- One or more components not listed on inventory
Taiwan Chemical Substance Inventory (TCSI)	- Listed on Inventory
New Zealand. Inventory of Chemical Substances	- All components are listed on the NZIoC inventory. Additional HSNO obligations may apply. Please refer to Section 15 of SDS for New Zealand.
EU. European Registration, Evaluation, Authorization and Restriction of Chemical (REACH)	- When purchased from a Solvay legal entity based in the EEA ("European Economic Area"), this product is compliant with the registration provisions of the REACH Regulation (EC) No. 1907/2006 as all its components are either excluded, exempt, and/or registered. When purchased from a legal entity outside of the EEA, please contact your local representative for additional information.
Korea. Act on Registration and Evaluation of Chemicals	- When purchased from a Solvay legal entity based in Korea, this product is compliant with "Act on Registration and Evaluation of Chemicals" (AREC or K-REACH, Article 10) as all its components are either excluded, exempt, and/or (pre)registered. When purchased from a legal entity outside of Korea, please contact your local representative for additional information.

15.2 Federal Regulations

US. EPA EPCRA SARA Title III**SARA HAZARD DESIGNATION SECTIONS 311/312 (40 CFR 370)**

Combustible dust	Yes
Serious eye damage or eye irritation	Yes

The categories not mentioned are not relevant for the product.

Section 313 Toxic Chemicals (40 CFR 372.65)

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Section 302 Emergency Planning Extremely Hazardous Substance Threshold Planning Quantity (40 CFR 355)

This material does not contain any components with a section 302 EHS TPQ.

Section 302 Emergency Planning Extremely Hazardous Substance Reportable Quantity (40 CFR 355)

This material does not contain any components with a SARA 302 RQ.

Section 304 Emergency Release Notification Reportable Quantity (40 CFR 355)

This material does not contain any components with a section 304 EHS RQ.

US. EPA CERCLA Hazardous Substances and Reportable Quantities (40 CFR 302.4)

PRCO90076217

Version : 1.01 / US (Z8)

www.solvay.com



MIRAPOL SURF-S PFREE POWER NP

Revision Date 06/29/2022

Components	CAS-No.	Reportable quantity
2-Propenoic acid	79-10-7	5000 lb

15.3 State Regulations**US. California Safe Drinking Water & Toxic Enforcement Act (Proposition 65)**

This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

SECTION 16: Other information**NFPA (National Fire Protection Association) - Classification**

Health	2 moderate
Flammability	1 slight
Instability or Reactivity	0 minimal

HMIS (Hazardous Materials Identification System (Paint & Coating)) - Classification

Health	2 moderate
Flammability	1 slight
Reactivity	0 minimal
PPE	Determined by User; dependent on local conditions

Further information

- Product evaluated under the US GHS format.

Date Prepared: 06/29/2022

Key or legend to abbreviations and acronyms used in the safety data sheet

- PEL: Permissible exposure limit (PEL)
- TWA: Time weighted average
- SAEL: Solvay Acceptable Exposure Limit
- ACGIH: American Conference of Governmental Industrial Hygienists
- OSHA: Occupational Safety and Health Administration
- NTP: National Toxicology Program
- IARC: International Agency for Research on Cancer
- NIOSH: National Institute for Occupational Safety and Health
- ADR: European Agreement on International Carriage of Dangerous Goods by Road.
- ADN: European Agreement on the International Carriage of Dangerous Goods by Inland Waterways.
- RID: European Agreement concerning the International Carriage of Dangerous Goods by Rail.
- IATA: International Air Transport Association.
- ICAO-TI: Technical Specification for Safe Transport of Dangerous Goods by Air.
- IMDG: International Maritime Dangerous Goods.
- TWA: Time weighted average
- ATE: Estimated value of acute toxicity
- EC: European Community number
- CAS: Chemical Abstracts Service.
- LD50: Substance that causes 50% (half) death in the test animals group (Median Fatal Dose).
- LC50: Substance concentration causing 50% (half) death in the test animals group.
- EC50: Effective Concentration of the substance causing the maximum of 50%.
- PBT: Persistent, Bioaccumulative and Toxic substance.
- vPvB: Very Persistent and Very Bioaccumulative.
- SEA: Classification, labeling, packaging regulation
- DNEL: Derived No Effect Level
- PNEC: Predicted No Effect Concentration

MIRAPOL SURF-S PFREE POWER NP

Revision Date 06/29/2022

- STOT: Specific Target Organ Toxicity

Not all acronyms listed above are referenced in this SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information, and belief at the date of its publication. Such information is only given as a guidance to help the user handle, use, process, store, transport, dispose, and release the product in satisfactory safety conditions and is not to be considered as a warranty or quality specification. It should be used in conjunction with technical sheets but do not replace them. Thus, the information only relates to the designated specific product and may not be applicable if such product is used in combination with other materials or in any other manufacturing process, unless otherwise specifically indicated. It does not release the user from ensuring he is in conformity with all regulations linked to its activity.