

SAFETY DATA SHEET

DEQUEST® 2010

Section 1. Identification

Product identifier : DEQUEST® 2010
Product code : 1006587, 1004518, 420911, 1002745, 18648, 18300, 42251, 42248, 42229, 42228, 42215, 17969, 17968, 17967, 17966, 17948
Chemical name : DEQUEST® 2010
Other means of identification : DEQUEST® 2010
Product type : liquid

Relevant identified uses of the substance or mixture and uses advised against

Identified uses

Manufacture of substance
 Formulation and (re)packing of substances and mixtures
 Antiscalant
 Use in cleaning agents
 Laundry and dish-washing products
 Cosmetics.
 Antiscalant
 Metal working fluids
 Use in oil and gas field drilling and production operations
 Coatings and paints, thinners, paint removers
 Coatings
 Bleaching agent for paper pulp.
 Bleaching agent.
 Inhibitors, other
 Use in agrochemicals
 Manufacture of ceramics and glass.

Uses advised against

Reason : The supplier has no experience or data on this use.

Supplier's details : Italmatch UK Ltd.
 Corporation Road,
 Newport,
 South Wales, United Kingdom
 NP19 4XF
 (00)44 (0)1633 75 4200
 Monday - Friday (9.00 - 17.00)

Distributed by:

Univar Solutions USA Inc.
 3075 Highland Pkwy Ste 200
 Downers Grove, IL 60515
 Telephone: 1-855-429-2661
 Emergency phone number:
 CHEMTREC 1-800-424-9300

Emergency telephone number (with hours of operation) : For Chemical Emergency Spill, Leak, Fire, Exposure or Accident Call CHEMTREC Day or Night:

National contact
+1-800-424-9300
International Emergency Telephone number: +1-703-527-3887 (call collect)

Section 2. Hazards identification

- OSHA/HCS status** : This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).
- Classification of the substance or mixture** : CORROSIVE TO METALS - Category 1
SERIOUS EYE DAMAGE - Category 1

GHS label elements

Hazard pictograms

:



Signal word

:

Danger

Hazard statements

:

May be corrosive to metals.
Causes serious eye damage.

Precautionary statements

General

:

Read label before use. Keep out of reach of children. If medical advice is needed, have product container or label at hand.

Prevention

:

Wear eye/face protection. Keep only in original container.

Response

:

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or physician. IF ON SKIN: Wash with plenty of soap and water. Get medical advice/attention. Absorb spillage to prevent material damage.

Storage

:

Store in a corrosion resistant container with a resistant inner liner.

Disposal

:

Not applicable.

Supplemental label elements

:

Not applicable.

Hazards not otherwise classified

:

Exposure to decomposition products may cause a health hazard.

Section 3. Composition/information on ingredients

Version: 2.2

Date of issue/Date of revision: 06/23/2020

Date of previous issue: 01/19/2018

Substance/mixture : Mixture
Chemical name : DEQUEST® 2010
Other means of identification : DEQUEST® 2010

Ingredient name	%	CAS number
Phosphonic acid, P,P'-(1-hydroxyethylidene)bis-	>= 58 - <= 62	2809-21-4
Phosphorous acid	>= 1.8 - 2.5	10294-56-1

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures

- Eye contact** : Get medical attention immediately. Call a poison center or physician. Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Chemical burns must be treated promptly by a physician.
- Inhalation** : Get medical attention immediately. Call a poison center or physician. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
- Skin contact** : Get medical attention immediately. Call a poison center or physician. Wash contaminated skin with soap and water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Chemical burns must be treated promptly by a physician. Wash clothing before reuse. Clean shoes thoroughly before reuse.
- Ingestion** : Get medical attention immediately. Call a poison center or physician. Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Chemical burns must

be treated promptly by a physician. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Most important symptoms/effects, acute and delayed

Potential acute health effects

- | | | |
|---------------------|---|--|
| Eye contact | : | Causes serious eye damage. |
| Inhalation | : | Exposure to decomposition products may cause a health hazard. Serious effects may be delayed following exposure. |
| Skin contact | : | No known significant effects or critical hazards. |
| Ingestion | : | May cause burns to mouth, throat and stomach. |

Over-exposure signs/symptoms

- | | | |
|---------------------|---|--|
| Eye contact | : | Adverse symptoms may include the following:
pain
watering
redness |
| Inhalation | : | No specific data. |
| Skin contact | : | Adverse symptoms may include the following:
pain or irritation
redness |
| Ingestion | : | Adverse symptoms may include the following:
stomach pains |

Indication of immediate medical attention and special treatment needed, if necessary

- | | | |
|-----------------------------------|---|---|
| Notes to physician | : | Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. |
| Specific treatments | : | No specific treatment. |
| Protection of first-aiders | : | No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. |

See toxicological information (Section 11)

Section 5. Fire-fighting measures

Extinguishing media

Version: 2.2

Date of issue/*Date of revision*: 06/23/2020

Date of previous issue: 01/19/2018

Suitable extinguishing media	:	Use dry chemical, CO ₂ , water spray (fog) or foam.
Unsuitable extinguishing media	:	None known.
Specific hazards arising from the chemical	:	In a fire or if heated, a pressure increase will occur and the container may burst.
Hazardous thermal decomposition products	:	Decomposition products may include the following materials: carbon dioxide carbon monoxide phosphorus oxides Phosphine
Special protective actions for fire-fighters	:	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	:	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
Remark	:	Non-flammable.
Remark	:	Not applicable.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Do not breathe vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
For emergency responders	:	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions	:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). May be harmful to the environment if released in large quantities.

Methods and materials for containment and cleaning up

Small spill	:	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Absorb spillage to prevent material damage. Dispose of via a licensed waste disposal contractor.
--------------------	---	---

Large spill

- : Stop leak if without risk. Move containers from spill area. Absorb spillage to prevent material damage. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). The spilled material may be neutralized with sodium carbonate, sodium bicarbonate or sodium hydroxide. Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Section 7. Handling and storage

Precautions for safe handling

Protective measures

- : Put on appropriate personal protective equipment (see Section 8). Do not get in eyes or on skin or clothing. Do not breathe vapor or mist. Do not ingest. If during normal use the material presents a respiratory hazard, use only with adequate ventilation or wear appropriate respirator. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Keep away from alkalis. Empty containers retain product residue and can be hazardous. Do not reuse container. Absorb spillage to prevent material damage.

Advice on general occupational hygiene

- : Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

Conditions for safe storage, including any incompatibilities

- : Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store in a corrosion resistant container with a resistant inner liner. Separate from alkalis. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

Storage temperature

- : Do not store below the following temperature: -10 °C

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

None.

- Appropriate engineering controls** : If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.
- Environmental exposure controls** : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Individual protection measures

- Hygiene measures** : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
- Eye/face protection** : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles and/or face shield. If inhalation hazards exist, a full-face respirator may be required instead.

Skin protection

- Hand protection** : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.
- Body protection** : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
- Other skin protection** : Appropriate footwear and any additional skin protection measures

Version: 2.2

Date of issue/Date of revision: 06/23/2020

Date of previous issue: 01/19/2018

should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

- Respiratory protection** : Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

Section 9. Physical and chemical properties

Appearance

Physical state	: liquid [liquid]
Color	: White to yellowish.
Odor	: Characteristic.
Odor threshold	: Not available.
pH	: < 2.0 [Conc. (% w/w): 10 g/l] @ 25 °C (77 °F)
Melting point	: -25 °C (-13 °F)
Boiling point	: Not available.
Flash point	: Not available.
Fire point	: Not available.
Evaporation rate	: Not available.
Flammability (solid, gas)	: Non-flammable.
Lower and upper explosive (flammable) limits	: Lower: Not available. Upper: Not available.
Vapor pressure	: Not available.
Vapor density	: Not available.
Relative density	: 1.430 - 1.471 @ 20 °C (68 °F)
Solubility	: Miscible in water.
Solubility in water	: Not available.
Partition coefficient: n-octanol/water	: -3.5 @ 20 °C (68 °F)
Auto-ignition temperature	: Not available.
Decomposition temperature	: Not available.
Viscosity	: Dynamic: Not available. Kinematic: 46 mm ² /s @ 20 °C (68 °F) 20.2 mm ² /s @ 40 °C (104 °F) 10.3 mm ² /s @ 60 °C (140 °F) 5.0 mm ² /s @ 90 °C (194 °F)

Flow time (ISO 2431) : Not available.

Section 10. Stability and reactivity

- Reactivity** : No specific test data related to reactivity available for this product or its ingredients.
- Chemical stability** : The product is stable.
- Possibility of hazardous reactions** : Under normal conditions of storage and use, hazardous reactions will not occur.
- Conditions to avoid** : Keep away from heat/sparks/open flames/hot surfaces. - No smoking.
- Incompatible materials** : Reactive or incompatible with the following materials:
alkalis
metals
oxidizing materials
- Hazardous decomposition products** : Under normal conditions of storage and use, hazardous decomposition products should not be produced., May release dangerous gases (PHOSPHINE) under certain conditions.

Section 11. Toxicological information

Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
Phosphonic acid, P,P'-(1-hydroxyethylidene)bis-				
	LD50 Oral	Rat	2,800 mg/kg	-
	LD50 Oral	Rat	2,800 mg/kg	-
	LD50 Oral	Rat	2,400 mg/kg	-
	LD50 Oral	Rat	1,878 mg/kg	-
	LD50 Dermal	Rabbit	> 6,000 mg/kg	-
Phosphorous acid				
	LD50 Oral	Rat - Male/Female	1,580 mg/kg 401 Acute Oral Toxicity	-
	LD50 Oral	Rat	1,895 mg/kg	-
DEQUEST® 2010				
	LD50 Oral	Rat	2,400 mg/kg	-
	LD50 Dermal	Rabbit	7,940 mg/kg	-

Conclusion/Summary : Conclusive but not sufficient for classification.

Version: 2.2

Date of issue/Date of revision: 06/23/2020

Date of previous issue: 01/19/2018

Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
DEQUEST® 2010	Skin - Primary dermal irritation index (PDII)	Rabbit	0	24 hrs	168 hrs
Remarks:	Non-irritant to skin.				
Phosphonic acid, P,P'-(1-hydroxyethylidene)bis-	Skin - Moderate irritant	Rabbit	-	24 hrs	168 hrs
	Eyes - Cornea opacity	Rabbit	90	24 hrs	168 hrs
Phosphorous acid	Skin - Corrosive	Rabbit	6	4 hrs	48 hrs

Conclusion/Summary

Skin : Non-irritating to the skin.
Eyes : Causes serious eye damage.
Respiratory : No known significant effects or critical hazards.

Sensitization**Conclusion/Summary**

Skin : Not sensitizing
Respiratory : No known significant effects or critical hazards.

Mutagenicity

Product/ingredient name	Test	Experiment	Result
Phosphonic acid, P,P'-(1-hydroxyethylidene)bis-	471 Bacterial Reverse Mutation Test	Subject: Bacteria Experiment: In vitro	Negative
Phosphorous acid	471 Bacterial Reverse Mutation Test	Subject: Bacteria Metabolic activation: with and without Experiment: In vitro	Negative

Conclusion/Summary : Not mutagenic in a standard battery of genetic toxicological tests.

Carcinogenicity

Product/ingredient name	Result	Species	Dose	Exposure
Phosphonic acid, P,P'-(1-hydroxyethylidene)bis-	Negative - Oral - NOAEL	Rat	384 mg/kg Repeated dose	104 weeks Repeated dose 7 days per week Repeated dose

Conclusion/Summary : Conclusive but not sufficient for classification.

Reproductive toxicity

Version: 2.2

Date of issue/Date of revision: 06/23/2020

Date of previous issue: 01/19/2018

Conclusion/Summary : Conclusive but not sufficient for classification.

Teratogenicity

Conclusion/Summary : Conclusive but not sufficient for classification.

Specific target organ toxicity (single exposure)

Not available.

Specific target organ toxicity (repeated exposure)

Not available.

Aspiration hazard

Not available.

Information on the likely routes of exposure : Not available.

Potential acute health effects

Eye contact : Causes serious eye damage.
Inhalation : Exposure to decomposition products may cause a health hazard.
Serious effects may be delayed following exposure.
Skin contact : No known significant effects or critical hazards.
Ingestion : May cause burns to mouth, throat and stomach.

Symptoms related to the physical, chemical and toxicological characteristics

Eye contact : Adverse symptoms may include the following:
pain
watering
redness
Inhalation : No specific data.
Skin contact : Adverse symptoms may include the following:
pain or irritation
redness
Ingestion : Adverse symptoms may include the following:
stomach pains

Delayed and immediate effects and also chronic effects from short and long term exposure

Short term exposure

Potential immediate effects : Not applicable.
Potential delayed effects : Conclusive but not sufficient for classification.

Long term exposure

Potential immediate effects : Not applicable.

Potential delayed effects : No known significant effects or critical hazards.

Potential chronic health effects

Product/ingredient name	Result	Species	Dose	Exposure
Phosphonic acid, P,P'-(1-hydroxyethylidene)bis-	NOAEL Oral	Rat	30 mg/kg Repeated dose	28 days 7 days per week
	NOAEL Oral	Dog - Male	1,746 mg/kg Repeated dose 409 Repeated Dose 90-Day Oral Toxicity Study in Non-Rodents	90 days 7 days per week
	NOAEL Oral	Rat - Female	1,724 mg/kg Repeated dose 408 Repeated Dose 90-Day Oral Toxicity Study in Rodents	90 days 7 days per week
	NOAEL Oral	Dog - Female	1,620 mg/kg 409 Repeated Dose 90-Day Oral Toxicity Study in Non-Rodents	90 days 7 days per week
	NOAEL Oral	Rat - Male	1,583 mg/kg Repeated dose 408 Repeated Dose 90-Day Oral Toxicity Study in Rodents	90 days 7 days per week

Conclusion/Summary : Conclusive but not sufficient for classification.

General : No known significant effects or critical hazards.
Carcinogenicity : No known significant effects or critical hazards.
Mutagenicity : No known significant effects or critical hazards.
Teratogenicity : No known significant effects or critical hazards.
Developmental effects : No known significant effects or critical hazards.
Fertility effects : No known significant effects or critical hazards.

Numerical measures of toxicity

Version: 2.2

Date of issue/Date of revision: 06/23/2020

Date of previous issue: 01/19/2018

Acute toxicity estimates

Not available.

Other information : Not applicable.**Section 12. Ecological information****Toxicity**

Product/ingredient name	Result	Species	Exposure
Phosphonic acid, P,P'-(1-hydroxyethylidene)bis-			
	Acute LC50 195 mg/l Fresh water 204 Fish, Prolonged Toxicity Test: 14-Day Study	Rainbow trout,donaldson trout	96 h
	Acute LC50 2,180 mg/l Marine water 203 Fish, Acute Toxicity Test	Sheepshead minnow	96 h
	Acute LC50 868 mg/l Fresh water 203 Fish, Acute Toxicity Test	Bluegill	96 h
	Acute LC50 368 mg/l Fresh water 203 Fish, Acute Toxicity Test	Rainbow trout,donaldson trout	96 h
	Acute EC50 527 mg/l Fresh water 202 Daphnia sp. Acute Immobilization Test and Reproduction Test	Water flea	48 h
	Chronic LC50 180 mg/l Fresh water 204 Fish, Prolonged Toxicity Test: 14-Day Study	Rainbow trout,donaldson trout	14 d
	Chronic No observable effect concentration 6.75 mg/l Fresh water 211 Daphnia Magna Reproduction Test	Water flea	28 d
Phosphorous acid			
	Acute EC50 > 1,000 mg/l Fresh water 202 Daphnia sp. Acute Immobilization Test and Reproduction Test	Water flea	48 h
	Acute EC50 > 100 mg/l Fresh water 201 Alga, Growth Inhibition Test	Algae.	72 h
DEQUEST® 2010			

	Acute LC50 368 mg/l Fresh water	Rainbow trout,donaldson trout	96 h
	Acute LC50 868 mg/l Fresh water	Bluegill	96 h
	Acute EC50 527 mg/l Fresh water	Water flea	48 h
Remarks - Acute - Aquatic invertebrates.:	Conclusive but not sufficient for classification.		

Conclusion/Summary : Conclusive but not sufficient for classification.

Persistence and degradability

Product/ingredient name	Test	Result	Dose	Inoculum
Phosphonic acid, P,P'-(1-hydroxyethylidene)bis-	301D Ready Biodegradability - Closed Bottle Test	22.88 % - 5 d	120 mg/l	Activated sludge
	302A Inherent Biodegradability: Modified SCAS Test	10.2 % - 1 d	-	Activated sludge
	302A Inherent Biodegradability: Modified SCAS Test	7.0 % - 3 d	-	Activated sludge
	302B Inherent Biodegradability: Zahn-Wellens/EMPA Test	23 - 33 % - 30 d	500 mg/l	Activated sludge
DEQUEST® 2010	302B Inherent Biodegradability: Zahn-Wellens/EMPA Test	33 % - 28 d	-	-
	301E Ready Biodegradability - Modified OECD Screening Test	2 % - 70 d	-	-

Conclusion/Summary : Not readily biodegradable.

Product/ingredient name	Aquatic half-life	Photolysis	Biodegradability
Phosphonic acid, P,P'-(1-hydroxyethylidene)bis-			
	-	17 d (7 %)	

Conclusion/Summary : Conclusive but not sufficient for classification.

Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
Phosphonic acid, P,P'-(1-hydroxyethylidene)bis-	-3.5	< 2	low
DEQUEST® 2010	-3.5	-	

Mobility in soil

Soil/water partition coefficient (KOC) : Not available.

Other adverse effects : No known significant effects or critical hazards.

Section 13. Disposal considerations

Disposal methods : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Section 14. Transport information

	DOT Classification	TDG Classification	Mexico Classification	ADR/RID	IMDG	IATA
UN number	3265	3265	3265	3265	3265	3265

UN proper shipping name	CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (phosphonic acid)	CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (phosphonic acid)	CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (phosphonic acid)	CORROSIV E LIQUID, ACIDIC, ORGANIC, N.O.S. (phosphonic acid)	CORROSIV E LIQUID, ACIDIC, ORGANIC, N.O.S. (phosphonic acid)	CORROSIV E LIQUID, ACIDIC, ORGANIC, N.O.S. (phosphonic acid)
Transport hazard class(es)	8 	8 	8 	8 	8 	8 
Packing group	III	III	III	III	III	III
Environmental hazards	No.	No.	No.	No.	No.	No.

Additional information

ADR/RID : **Special provisions:** -
Tunnel code: E

IMDG : **Emergency schedules (EmS):** F-A / S-B

Special precautions for user : Transport within user's premises; always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Transport in bulk according to Annex II of MARPOL and the IBC Code

Proper shipping name : Not applicable

Section 15. Regulatory information

U.S. Federal regulations : TSCA 8(a) CDR Exempt/Partial exemption: Not determined

Clean Air Act Section 112(b) : Not listed

Hazardous Air Pollutants (HAPs)

Clean Air Act Section 602 Class I Substances : Not listed

Clean Air Act Section 602 Class II Substances : Not listed

DEA List I Chemicals (Precursor Chemicals) : Not listed

DEA List II Chemicals (Essential Chemicals) : Not listed

Version: 2.2

Date of issue/Date of revision: 06/23/2020

Date of previous issue: 01/19/2018

SARA 302/304**Composition/information on ingredients**

SARA 304 RQ : Not listed

SARA 311/312

Classification : CORROSIVE TO METALS - Category 1
SERIOUS EYE DAMAGE - Category 1

Composition/information on ingredients

Name	%	Classification
------	---	----------------

State regulations

Massachusetts : None of the components are listed.

New York : None of the components are listed.

New Jersey : None of the components are listed.

Pennsylvania : None of the components are listed.

California Prop. 65

This product does not require a Safe Harbor warning under California Prop. 65.

International regulations**Chemical Weapon Convention List Schedules I, II & III Chemicals****Chemical Weapons Convention List Schedule I Chemicals**

None of the components are listed.

Chemical Weapons Convention List Schedule II Chemicals

None of the components are listed.

Chemical Weapons Convention List Schedule III Chemicals

None of the components are listed.

Montreal Protocol (Annexes A, B, C, E)

None of the components are listed.

Version: 2.2

Date of issue/Date of revision: 06/23/2020

Date of previous issue: 01/19/2018

Stockholm Convention on Persistent Organic Pollutants**Annex A - Elimination - Production**

None of the components are listed.

Annex A - Elimination - Use

None of the components are listed.

Annex B - Restriction - Production

None of the components are listed.

Annex B - Restriction - Use

None of the components are listed.

Annex C - Unintentional - Production

None of the components are listed.

Rotterdam Convention on Prior Informed Consent (PIC)

None of the components are listed.

UNECE Aarhus Protocol on POPs and Heavy Metals**Heavy metals - Annex 1**

None of the components are listed.

POPs - Annex 1 - Production

None of the components are listed.

POPs - Annex 1 - Use

None of the components are listed.

POPs - Annex 2

None of the components are listed.

POPs - Annex 3

None of the components are listed.

Inventory list

Australia	:	All components are listed or exempted.
Canada	:	All components are listed or exempted.
China	:	All components are listed or exempted.
Europe	:	All components are listed or exempted.
Japan	:	Japan inventory (ENCS): All components are listed or exempted. Japan inventory (ISHL): All components are listed or exempted.
Malaysia	:	Not determined.
New Zealand	:	All components are listed or exempted.

Version: 2.2


Date of issue/Date of revision: 06/23/2020

Date of previous issue: 01/19/2018

Philippines	:	All components are listed or exempted.
Republic of Korea	:	All components are listed or exempted.
Taiwan	:	All components are listed or exempted.
Turkey	:	All components are listed or exempted.
United States	:	All components are listed or exempted.

Section 16. Other information

National Fire Protection Association (U.S.A.)



Reprinted with permission from NFPA 704-2001, Identification of the Hazards of Materials for Emergency Response Copyright ©1997, National Fire Protection Association, Quincy, MA 02269. This reprinted material is not the complete and official position of the National Fire Protection Association, on the referenced subject which is represented only by the standard in its entirety.

Copyright ©2001, National Fire Protection Association, Quincy, MA 02269. This warning system is intended to be interpreted and applied only by properly trained individuals to identify fire, health and reactivity hazards of chemicals. The user is referred to certain limited number of chemicals with recommended classifications in NFPA 49 and NFPA 325, which would be used as a guideline only. Whether the chemicals are classified by NFPA or not, anyone using the 704 systems to classify chemicals does so at their own risk.

Procedure used to derive the classification

Classification	Justification
CORROSIVE TO METALS - Category 1	On basis of test data
SERIOUS EYE DAMAGE - Category 1	On basis of test data

History

Date of printing	:	03/05/2013
Date of issue/Date of revision	:	06/23/2020
Date of previous issue	:	01/19/2018
Version	:	2.2
Prepared by	:	POLLAD
Key to abbreviations	:	ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor GHS = Globally Harmonized System of Classification and Labelling of Chemicals

Version: 2.2

Date of issue/Date of revision: 06/23/2020

Date of previous issue: 01/19/2018

IATA = International Air Transport Association
IBC = Intermediate Bulk Container
IMDG = International Maritime Dangerous Goods
LogPow = logarithm of the octanol/water partition coefficient
MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)
UN = United Nations
: Not available.

References

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.