

Safety Data Sheet

CAFLON DTPA

Version 1.8

Revision Date: 02/03/2025

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : CAFLON DTPA

Recommended use of the chemical and restrictions on use

Recommended use : Chelating agent

Restrictions on use : None known.

Manufacturer or supplier's details

Company : Univar Solutions USA
Address : 3075 Highland Pkwy Suite 200
 Downers Grove, IL 60515
 United States of America (USA)

Emergency telephone number:

Transport North America: CHEMTREC (1-800-424-9300)

CHEMTREC INTERNATIONAL Tel # 703-527-3887

Additional Information : Responsible Party: Product Compliance Department
 E-mail: SDSNA@univarsolutions.com
 SDS Requests: 1-855-429-2661
 Website: www.univarsolutions.com

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Corrosive to metals : Category 1

Acute toxicity (Inhalation) : Category 4

Skin irritation : Category 2

Eye irritation : Category 2A

Reproductive toxicity : Category 2

Specific target organ toxicity
 - repeated exposure : Category 2 (Respiratory Tract)

GHS label elements

Hazard pictograms :



Signal word : Warning

Hazard statements : H290 May be corrosive to metals.
 H315 Causes skin irritation.
 H319 Causes serious eye irritation.
 H332 Harmful if inhaled.
 H361 Suspected of damaging fertility or the unborn child.
 H373 May cause damage to organs through prolonged or repeated exposure.

Safety Data Sheet
CAFLON DTPA

Version 1.8

Revision Date: 02/03/2025

Precautionary statements : **Prevention:**
P201 Obtain special instructions before use.
P202 Do not handle until all safety precautions have been read and understood.
P234 Keep only in original container.
P260 Do not breathe mist or vapours.
P264 Wash skin thoroughly after handling.
P271 Use only outdoors or in a well-ventilated area.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.
Response:
P302 + P352 IF ON SKIN: Wash with plenty of soap and water.
P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308 + P313 IF exposed or concerned: Get medical advice/ attention.
P332 + P313 If skin irritation occurs: Get medical advice/ attention.
P337 + P313 If eye irritation persists: Get medical advice/ attention.
P362 Take off contaminated clothing and wash before reuse.
P390 Absorb spillage to prevent material damage.
Storage:
P405 Store locked up.
P406 Store in corrosive resistant container with a resistant inner liner.
Disposal:
P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous components

CAS-No.	Chemical name	Weight percent
140-01-2	Pentasodium diethylenetriaminepentaacetate	30 - 50
1310-73-2	Sodium hydroxide	1 - 2
5064-31-3	Glycine, N,N-bis(carboxymethyl)-, sodium salt (1:3)	1 - 5

Actual concentration is withheld as a trade secret

Any Concentration shown as a range is due to batch variation.

SECTION 4. FIRST AID MEASURES

Safety Data Sheet

CAFLON DTPA

Version 1.8

Revision Date: 02/03/2025

General advice	: Move out of dangerous area. Show this safety data sheet to the doctor in attendance. Do not leave the victim unattended.
If inhaled	: Consult a physician after significant exposure. If unconscious, place in recovery position and seek medical advice.
In case of skin contact	: If skin irritation persists, call a physician. If on skin, rinse well with water. If on clothes, remove clothes.
In case of eye contact	: Immediately flush eye(s) with plenty of water. Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.
If swallowed	: Clean mouth with water and drink afterwards plenty of water. Do not induce vomiting without medical advice. Keep respiratory tract clear. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician. Take victim immediately to hospital.
Most important symptoms and effects, both acute and delayed	: Causes skin irritation. Causes serious eye irritation. Harmful if inhaled. Suspected of damaging fertility or the unborn child. May cause damage to organs through prolonged or repeated exposure.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	: Carbon dioxide (CO ₂) Dry chemical Foam Water mist
Unsuitable extinguishing media	: High volume water jet
Specific hazards during fire-fighting	: Do not allow run-off from fire fighting to enter drains or water courses.
Hazardous combustion products	: Carbon oxides Nitrogen oxides (NO _x)
Specific extinguishing methods	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Further information	: Standard procedure for chemical fires.
Special protective equipment for firefighters	: Wear self-contained breathing apparatus for firefighting if necessary. Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency measures	: Use personal protective equipment. Ensure adequate ventilation.
---	--

Safety Data Sheet

CAFLON DTPA

Version 1.8

Revision Date: 02/03/2025

gency procedures

Environmental precautions : Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities.

Methods and materials for containment and cleaning up : Neutralise with acid.
Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).
Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion : Normal measures for preventive fire protection.

Advice on safe handling : Avoid formation of aerosol.
Do not breathe vapours/dust.
Avoid exposure - obtain special instructions before use.
Avoid contact with skin and eyes.
For personal protection see section 8.
Smoking, eating and drinking should be prohibited in the application area.
Provide sufficient air exchange and/or exhaust in work rooms.
Dispose of rinse water in accordance with local and national regulations.

Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.
Observe label precautions.
Electrical installations / working materials must comply with the technological safety standards.

Recommended storage temperature : -17.8 - 48.9 °C

Storage period : 24 Months

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

CAS-No.	Components	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
1310-73-2	Sodium hydroxide	C	2 mg/m ³	ACGIH
		C	2 mg/m ³	NIOSH REL
		TWA	2 mg/m ³	OSHA Z-1
		C	2 mg/m ³	OSHA P0
		C	2 mg/m ³	CAL PEL

Personal protective equipment

Hand protection

Remarks : The suitability for a specific workplace should be discussed

Safety Data Sheet

CAFLON DTPA

Version 1.8

Revision Date: 02/03/2025

Eye protection	:	with the producers of the protective gloves. Eye wash bottle with pure water Tightly fitting safety goggles Wear face-shield and protective suit for abnormal processing problems.
Skin and body protection	:	Impervious clothing Choose body protection according to the amount and concentration of the dangerous substance at the work place.
Hygiene measures	:	When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	liquid
Colour	:	Clear, colorless, yellow
Odour	:	mild
Odour Threshold	:	No data available
pH	:	11.0 - 11.8 @ 1 % @ 20 - 25 °C (68 - 77 °F)
Freezing Point (Freezing Point)	:	-28 °C (-18 °F)
Boiling Point (Boiling point/boiling range)	:	106 °C (223 °F) (1013 hPa)
Flash point	:	Not applicable
Evaporation rate	:	Estimated < 0.8
Flammability (solid, gas)	:	No data available
Upper explosion limit	:	No data available
Lower explosion limit	:	No data available
Vapour pressure	:	No data available
Relative vapour density	:	1 @ 20 - 25 °C (68 - 77 °F) (Air = 1.0)
Relative density	:	1.30 @ 25 °C (77 °F) Reference substance: (water = 1)
Density	:	No data available
Solubility(ies)	:	No data available
Water solubility	:	completely miscible
Solubility in other solvents	:	No data available
Partition coefficient: n-octanol/water	:	No data available
Auto-ignition temperature	:	No data available
Thermal decomposition	:	No data available
Viscosity	:	No data available
Viscosity, kinematic	:	33 mm ² /s @ 20 °C (68 °F)

Safety Data Sheet
CAFLON DTPA

Version 1.8

Revision Date: 02/03/2025

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Corrosive to metals
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: No hazards to be specially mentioned.
Conditions to avoid	: elevated temperatures
Incompatible materials	: Aluminium Copper Copper alloys Nickel Zinc
Hazardous decomposition products	: carbon dioxide and carbon monoxide nitrogen oxides

SECTION 11. TOXICOLOGICAL INFORMATION**Acute toxicity**

Harmful if inhaled.

Product:

Acute oral toxicity : Acute toxicity estimate: > 5,000 mg/kg

Components:**140-01-2:**

Acute inhalation toxicity : Assessment: The component/mixture is moderately toxic after short term inhalation.

5064-31-3:Acute oral toxicity : LD50 (Rat, male and female): 1,600 mg/kg
Assessment: The component/mixture is toxic after single ingestion.**Skin corrosion/irritation**

Causes skin irritation.

Components:**1310-73-2:**

Species: Rabbit

Result: Causes severe burns.

Serious eye damage/eye irritation

Causes serious eye irritation.

Components:**1310-73-2:**

Species: Rabbit

Result: Risk of serious damage to eyes.

Safety Data Sheet

CAFLON DTPA

Version 1.8

Revision Date: 02/03/2025

5064-31-3:

Species: Rabbit

Result: Irritating to eyes.

Respiratory or skin sensitisation

Skin sensitisation: Not classified due to lack of data.

Respiratory sensitisation: Not classified due to lack of data.

Germ cell mutagenicity

Not classified due to lack of data.

Components:

140-01-2:

Germ cell mutagenicity - Assessment : Tests on bacterial or mammalian cell cultures did not show mutagenic effects.

Carcinogenicity

Based on available data, the classification criteria are not met.

Product:

Carcinogenicity - Assessment : Not classifiable as a human carcinogen.

Components:

140-01-2:

Carcinogenicity - Assessment : No evidence of carcinogenicity in animal studies.

5064-31-3:

Species: Rat, (male and female)

Application Route: Oral

Exposure time: 104 wks

Dose: 0, 9.2, 92, 921 mg/kg/d

LOAEL: 92 mg/kg body weight

Result: evidence of carcinogenic activity

Remarks: Category 2

Carcinogenicity - Assessment : Suspected human carcinogens

ment

IARC

Group 2B: Possibly carcinogenic to humans

5064-31-3

Glycine, N,N-
bis(carboxymethyl)-, sodium salt
(1:3)

OSHA

No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP

No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Safety Data Sheet
CAFLON DTPA

Version 1.8

Revision Date: 02/03/2025

Reproductive toxicity

Suspected of damaging fertility or the unborn child.

Components:**140-01-2:**

Effects on foetal development : Test Type: Fertility/early embryonic development
Species: Rat
Strain: wistar
Application Route: Oral
Duration of Single Treatment: 15 d
Teratogenicity: No observed adverse effect level: 100 mg/kg bw
Symptoms: Skeletal malformations

Reproductive toxicity - Assessment : Some evidence of adverse effects on sexual function and fertility, based on animal experiments.

Teratogenicity - Assessment : Some evidence of adverse effects on development, based on animal experiments.

STOT - single exposure

Not classified due to lack of data.

STOT - repeated exposure

May cause damage to organs (Respiratory Tract) through prolonged or repeated exposure.

Components:**140-01-2:**

Target Organs: Respiratory Tract
Assessment: The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 2.

Aspiration toxicity

Not classified due to lack of data.

SECTION 12. ECOLOGICAL INFORMATION**Ecotoxicity****Components:****1310-73-2:**

Toxicity to fish : LC50 (Gambusia affinis (Mosquito fish)): 125 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Ceriodaphnia dubia): 40.38 mg/l
Exposure time: 48 h
Test Type: Immobilization

5064-31-3:

Toxicity to algae : EC50 (Desmodesmus subspicatus (green algae)): > 91.5 mg/l

Safety Data Sheet
CAFLON DTPA

Version 1.8

Revision Date: 02/03/2025

End point: Biomass
Exposure time: 72 h
Test Type: static test

Persistence and degradability

No data available

Bioaccumulative potential

No data available

Mobility in soil

No data available

Other adverse effects**Product:**

Ozone-Depletion Potential : Regulation: 40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances

Remarks: This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

SECTION 13. DISPOSAL CONSIDERATIONS**Disposal methods**

Waste from residues : Dispose of in accordance with all applicable local, state and federal regulations.
For assistance with your waste management needs - including disposal, recycling and waste stream reduction, contact Univar Solutions ChemCare: 1-800-637-7922

Contaminated packaging : Empty remaining contents.
Dispose of as unused product.
Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION**DOT (Department of Transportation):**

UN3267, CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S., (SODIUM HYDROXIDE, PENTASODIUM DIETHYLENETRIAMINEPENTAACETATE), 8, III

IATA (International Air Transport Association):

UN3267, CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S., (SODIUM HYDROXIDE, PENTASODIUM DIETHYLENETRIAMINEPENTAACETATE) , 8, III

IMDG (International Maritime Dangerous Goods):

UN3267, CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S., (SODIUM HYDROXIDE, PENTASODIUM DIETHYLENETRIAMINEPENTAACETATE), 8, III

Safety Data Sheet

CAFLON DTPA

Version 1.8

Revision Date: 02/03/2025

SECTION 15. REGULATORY INFORMATION

WHMIS Classification : D2A: Very Toxic Material Causing Other Toxic Effects
D2B: Toxic Material Causing Other Toxic Effects
E: Corrosive Material

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
Sodium hydroxide	1310-73-2	1000	66671

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards : Corrosive to metals
Acute toxicity (any route of exposure)
Reproductive toxicity
Specific target organ toxicity (single or repeated exposure)
Skin corrosion or irritation
Serious eye damage or eye irritation

SARA 302 : This material does not contain any components with a section 302 EHS TPQ.

SARA 313 : The following components are subject to reporting levels established by SARA Title III, Section 313:

5064-31-3 Glycine, N,N-bis(carboxymethyl)-, sodium salt (1:3)

Clean Air Act

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCM I Intermediate or Final VOC's (40 CFR 60.489).

Clean Water Act

The following Hazardous Substances are listed under the U.S. CleanWater Act, Section 311, Table 116.4A:

1310-73-2 Sodium hydroxide

The following Hazardous Chemicals are listed under the U.S. CleanWater Act, Section 311, Table 117.3:

1310-73-2 Sodium hydroxide

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

Massachusetts Right To Know

1310-73-2 Sodium hydroxide

5064-31-3 Glycine, N,N-bis(carboxymethyl)-, sodium salt (1:3)

Pennsylvania Right To Know

Safety Data Sheet

CAFLON DTPA

Version 1.8

Revision Date: 02/03/2025

7732-18-5	Water
140-01-2	Pentasodium diethylenetriaminepentaacetate
2836-32-0	Acetic acid, 2-hydroxy-, sodium salt (1:1)
1310-73-2	Sodium hydroxide


California Prop 65 : This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

The components of this product are reported in the following inventories:

TSCA	: All substances listed as active on the TSCA inventory
AIIC	: On the inventory, or in compliance with the inventory
DSL	: All components of this product are on the Canadian DSL
ENCS	: On the inventory, or in compliance with the inventory
KECI	: On the inventory, or in compliance with the inventory
NZIoC	: Not in compliance with the inventory
PICCS	: On the inventory, or in compliance with the inventory
IECSC	: On the inventory, or in compliance with the inventory

SECTION 16. OTHER INFORMATION

NFPA:



HMIS III:

HEALTH	2*
FLAMMABILITY	0
PHYSICAL HAZARD	0

0 = not significant, 1 = Slight,
2 = Moderate, 3 = High
4 = Extreme, * = Chronic

The information accumulated is based on the data of which we are aware and is believed to be correct as of the date hereof. Since this information may be applied under conditions beyond our control and with which we may be unfamiliar and since data made become available subsequently to the date hereof, we do not assume any responsibility for the results of its use. Recipients are advised to confirm in advance of need that the information is current, applicable, and suitable to their circumstances. This SDS has been prepared by Univar Solutions Product Compliance Department (1-855-429-2661)

Safety Data Sheet

CAFLON DTPA

Version 1.8

Revision Date: 02/03/2025

SDSNA@univarsolutions.com.

Revision Date : 02/03/2025

Legacy SDS: : R0000895; 100000017336; 100000067660; 100000039759

Material number:

16209058, 16000606, 16110038, 16000605, 16045071, 16140868, 16145896, 16151909, 16140605, 16141913, 16144633, 16144394, 16143794, 16141452, 761103, 694016, 56121, 71771, 87020, 167661, 86582, 16144644, 16140995

Key or legend to abbreviations and acronyms used in the safety data sheet			
ACGIH	American Conference of Government Industrial Hygienists	LD50	Lethal Dose 50%
AICS	Australia, Inventory of Chemical Substances	LOAEL	Lowest Observed Adverse Effect Level
DSL	Canada, Domestic Substances List	NFPA	National Fire Protection Agency
NDSL	Canada, Non-Domestic Substances List	NIOSH	National Institute for Occupational Safety & Health
CNS	Central Nervous System	NTP	National Toxicology Program
CAS	Chemical Abstract Service	NZIoC	New Zealand Inventory of Chemicals
EC50	Effective Concentration	NOAEL	No Observable Adverse Effect Level
EC50	Effective Concentration 50%	NOEC	No Observed Effect Concentration
EGEST	EOSCA Generic Exposure Scenario Tool	OSHA	Occupational Safety & Health Administration
EOSCA	European Oilfield Specialty Chemicals Association	PEL	Permissible Exposure Limit
EINECS	European Inventory of Existing Chemical Substances	PICCS	Philippines Inventory of Commercial Chemical Substances
MAK	Germany Maximum Concentration Values	PRNT	Presumed Not Toxic
GHS	Globally Harmonized System	RCRA	Resource Conservation Recovery Act
>=	Greater Than or Equal To	STEL	Short-term Exposure Limit
IC50	Inhibition Concentration 50%	SARA	Superfund Amendments and Reauthorization Act.
IARC	International Agency for Research on Cancer	TLV	Threshold Limit Value
IECSC	Inventory of Existing Chemical Substances in China	TWA	Time Weighted Average
ENCS	Japan, Inventory of Existing and New Chemical Substances	TSCA	Toxic Substance Control Act
KECI	Korea, Existing Chemical Inventory	UVCB	Unknown or Variable Composition, Complex Reaction Products, and Biological Materials
<=	Less Than or Equal To	WHMIS	Workplace Hazardous Materials Information System
LC50	Lethal Concentration 50%		