



SAFETY DATA SHEET

SDS NUMBER: EUSA-150
CURRENT ISSUE DATE: January, 2022
Page 1 of 7

SODIUM SULFITE

1. PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: Sodium Sulfite

OTHER/GENERIC NAMES: Sodium Sulfite

PRODUCT USE AND RESTRICTIONS ON USE: Paper manufacture, food additive, water treatment, waste treatment, other industrial processes.

SUPPLIER: Esseco USA LLC
4 Gatehall Drive
Parsippany, NJ 07054

FOR MORE INFORMATION CALL: 973-267-3330
(Monday-Friday, 9:00am-4:30pm)

FOR EMERGENCY IN USA, CALL CHEMTREC: 800-424-9300
(24 Hours/Day, 7 Days/Week)

2. HAZARDS IDENTIFICATION

GHS Classification

Not Classified as Hazardous

Label Elements:

None Required

3. COMPOSITION/INFORMATION ON INGREDIENTS

<u>INGREDIENT NAME</u>	<u>CAS NUMBER</u>	<u>WEIGHT %</u>
Sodium sulfite	7757-83-7	≥97

Trace impurities and additional material names not listed above may appear in Section 15 of this SDS. These materials may be listed for local "Right-To-Know" compliance and for other reasons. The exact concentrations are a trade secret.

4. FIRST AID MEASURES

SKIN: Immediately wash skin with plenty of soap and water. Remove contaminated clothing and launder before reuse. Get medical attention if irritation persists.

EYES: Flush eyes with water for several minutes. Remove contact lenses if present if you can do so easily and continue flushing. Get medical attention if irritation occurs and persists.

INHALATION: Remove to fresh air. Get immediate medical attention if signs of suffocation, irritation or other symptoms develop.



SAFETY DATA SHEET

SDS NUMBER: EUSA-150
CURRENT ISSUE DATE: January, 2022
Page 2 of 7

SODIUM SULFITE

INGESTION:	Rinse mouth with water and give 1 glass of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms develop.
MOST IMPORTANT SYMPTOMS/EFFECTS, ACUTE AND DELAYED:	May irritate the skin. May cause irritation to the eyes. Harmful if swallowed or inhaled. May cause severe and possibly fatal allergic reactions if inhaled or swallowed by some asthmatics and other 'sulfite-sensitive' individuals. Reacts with acids to form toxic and irritating sulfur dioxide gas.
INDICATION OF IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT, IF NEEDED:	Immediate medical attention is required for allergic respiratory reaction. Treat symptomatically. Note potential for anaphylactic shock with allergic individuals.

5. FIRE FIGHTING MEASURES

SUITABLE (AND UNSUITABLE) EXTINGUISHING MEDIA:

Material is not flammable. Use extinguishing media appropriate for material in surrounding fire.

SPECIFIC HAZARDS ARISING FROM THE CHEMICAL:

Releases toxic and irritating sulfur dioxide at fire temperatures.

SPECIAL PROTECTIVE EQUIPMENT AND PRECAUTIONS FOR FIRE-FIGHTING:

Wear NIOSH-approved self-contained breathing apparatus. Use water-spray to keep containers cool, and to knock down vapors or gases.

6. ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT, AND EMERGENCY PROCEDURES: Provide ventilation to clear sulfur dioxide fumes which may be generated by contact with water. Wear appropriate personal protective equipment.

ENVIRONMENTAL PRECAUTIONS: Spills and releases may have to be reported to Federal and/or local authorities. See Section 15 regarding reporting requirements.

METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING UP: Promptly sweep up material with minimum dusting and shovel into an empty container with a cover. Rinse spill area with plenty of water.

7. HANDLING AND STORAGE

PRECAUTIONS FOR SAFE HANDLING: (See section 8 for recommended personal protective equipment.) Avoid contact with skin, eyes and clothing. Do not breathe dust. Do not eat or drink in the work area. Use normal personal hygiene and housekeeping. Keep away from acids and oxidizing agents.

CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES:

Store in a cool, dry, well-ventilated area away from acids and oxidizing agents.



SAFETY DATA SHEET

SDS NUMBER: EUSA-150
CURRENT ISSUE DATE: January, 2022
Page 3 of 7

SODIUM SULFITE

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

EXPOSURE GUIDELINES

INGREDIENT NAME	ACGIH TLV	OSHA PEL	OTHER LIMIT
Sodium sulfite	None	None	None

OTHER EXPOSURE LIMITS FOR POTENTIAL DECOMPOSITION PRODUCTS:

Sulfur dioxide: OSHA TWA = 5 ppm
ACGIH STEL = 0.25 ppm

APPROPRIATE ENGINEERING CONTROLS:

Local exhaust if dusty conditions exist or if there is a release of sulfur dioxide gas. Do not use in unventilated spaces, e.g., the holds of fishing boats, walk-in coolers or confined spaces.

INDIVIDUAL PROTECTION MEASURES, SUCH AS PERSONAL PROTECTIVE EQUIPMENT

SKIN PROTECTION: For handling dry material, wear rubber gloves and full work clothing, including long-sleeved shirt and trousers. When handling solutions and there is prolonged or repeated contact, wear impervious gloves, clothing and boots.

EYE PROTECTION: Wear chemical safety goggles.

RESPIRATORY PROTECTION: Where required, use a NIOSH-approved respirator for dust, mist and/or sulfur dioxide gas, as conditions indicate. Some exposures may require a NIOSH-approved self-contained breathing apparatus or supplied-air respirator. Equipment selection depends on contaminant type and concentration. Select in accordance with 29 CFR 1910.134 and good industrial hygiene practice.

ADDITIONAL RECOMMENDATIONS: Eyewash and safety shower are recommended.

9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE:	White to pale yellow crystals or powder.		
PHYSICAL STATE:	Solid.		
ODOR:	Odorless.		
ODOR THRESHOLD:	Not determined.		
MOLECULAR WEIGHT:	126.04		
CHEMICAL FORMULA:	Na ₂ SO ₃		
RELATIVE DENSITY (water = 1.0):	2.63		
SOLUBILITY IN WATER (weight %):	17% at 10°C (50°F); 28% at 33.3°C (91.94°F)		
pH:	5% solution - 9.8		
INITIAL BOILING POINT/RANGE:	Not applicable.		
MELTING/FREEZING POINT:	Decomposes at 900°C (1652°F)		
VAPOR PRESSURE:	Not applicable.		
VAPOR DENSITY (air = 1.0):	Not applicable.		
EVAPORATION RATE:	Not applicable.	COMPARED TO:	Not applicable.
% VOLATILES:	Not applicable.		



SAFETY DATA SHEET

SDS NUMBER: EUSA-150
CURRENT ISSUE DATE: January, 2022
Page 4 of 7

SODIUM SULFITE

PARTITION COEFFICIENT (N-OCTANOL/WATER):	Not determined.
VISCOSITY:	Not applicable.
FLASH POINT:	Not flammable.
FLASH POINT METHOD:	Not applicable.
AUTOIGNITION TEMPERATURE:	Not applicable.
UPPER FLAME LIMIT (volume % in air):	Not applicable.
LOWER FLAME LIMIT (volume % in air):	Not applicable.
DECOMPOSITION TEMPERATURE:	Not determined.
FLAMMABILITY (SOLID, GAS)	Not flammable.
OSHA FLAMMABILITY CLASS:	Not applicable.

10. STABILITY AND REACTIVITY

REACTIVITY:

Not normally reactive

CHEMICAL STABILITY:

Normally stable.

POSSIBILITY OF HAZARDOUS REACTIONS:

Reacts with acids to form toxic and irritating sulfur dioxide gas.

CONDITIONS TO AVOID:

Avoid elevated temperatures. Temperatures above 900°C (1652°F) cause the rapid evolution of toxic and corrosive sulfur dioxide gas and hazardous residue.

INCOMPATIBILITIES:

Oxidizers: may cause strong exothermic reactions.

Acids: releases sulfur dioxide gas.

HAZARDOUS DECOMPOSITION PRODUCTS:

Sulfur dioxide and sodium sulfide residue. Sodium sulfide is flammable, a dangerous fire risk, a strong irritant to skin and tissue, and is incompatible with acids.

11. TOXICOLOGICAL INFORMATION

POTENTIAL HEALTH HAZARDS

ACUTE EFFECTS OF EXPOSURE:

SKIN:	Repeated or prolonged contact with dust may cause slight irritation. Human clinical tests did not show any skin irritation. Contact with solutions will cause skin irritation.
EYES:	Dust or mist may slightly irritate the eyes. Human clinical ocular exposure studies reported no adverse effects. Solutions will irritate or burn.
INHALATION:	Inhalation of dust or mist can irritate the respiratory tract. May cause severe or deadly allergic reactions in some asthmatics and sulfite sensitive individuals. Possible signs and symptoms of allergic reactions include bronchoconstriction, sweating, flushing, hives, rapid heart rate, decreased blood pressure, and anaphylaxis. Contact with acids releases sulfur dioxide gas which may be harmful or deadly if inhaled.



SAFETY DATA SHEET

SDS NUMBER: EUSA-150
CURRENT ISSUE DATE: January, 2022
Page 5 of 7

SODIUM SULFITE

INGESTION: May irritate the gastrointestinal tract. May cause severe or deadly allergic reactions in some asthmatics and sulfite sensitive individuals. Large doses may cause violent colic and diarrhea, circulatory disturbances, central nervous system depression, and even death.

CHRONIC EFFECTS: None known.

Ingredients found on one of the three OSHA designated carcinogen lists are listed below.

<u>INGREDIENT NAME</u>	<u>NTP STATUS</u>	<u>IARC STATUS</u>	<u>OSHA LIST</u>
No ingredients listed in this section.	----	----	----

NUMERICAL MEASURES OF TOXICITY:

Immediate (Acute) Effects:

Sodium sulfite -LD₅₀ (oral, rat) = 2610-6400 mg/kg; LC₅₀ (inhalation, rat) >5.5 mg/L/4 hr.; LC₅₀ (inhalation, rat) >22 mg/L/1 hr.

Delayed (Subchronic and Chronic) Effects:

Sodium sulfite has been demonstrated to be mutagenic in microbial systems; however, it is not mutagenic in studies involving insects and is not considered to present a mutagenic threat to multi-cell organisms.

Other Data:

None

12. ECOLOGICAL INFORMATION

ECOTOXICITY:

The following ecotoxicity data is available for Sodium sulfite:

Daphnia magna LC50 48 hrs	440 mg/L
Western Mosquitofish 96hrs LC50	460 mg/L
Biological Oxygen Demand (BOD)	0.12 lb/lb, instantaneous

PERSISTENCE AND DEGRADABILITY:

No data available

BIOACCUMULATIVE POTENTIAL:

No data available

MOBILITY IN SOIL:

No data available

OTHER ADVERSE EFFECTS:

No data available.

13. DISPOSAL CONSIDERATIONS

RCRA

Is the unused product a RCRA hazardous waste if discarded? No

If yes, the RCRA ID number is: Not applicable.



SAFETY DATA SHEET

SDS NUMBER: EUSA-150
CURRENT ISSUE DATE: January, 2022
Page 6 of 7

SODIUM SULFITE

OTHER DISPOSAL CONSIDERATIONS:

Dispose of in accordance with applicable Federal, State and Local regulations.

The information offered in section 13 is for the product as shipped. Use and/or alterations to the product such as mixing with other materials may significantly change the characteristics of the material and alter the RCRA classification and the proper disposal method.

14. TRANSPORT INFORMATION

US DOT HAZARD CLASS: Not regulated.
US DOT ID NUMBER: Not applicable.
PROPER SHIPPING NAME: Not applicable.

For additional information on shipping regulations affecting this material, contact the information number found in Section 1.

15. REGULATORY INFORMATION

TOXIC SUBSTANCES CONTROL ACT (TSCA)

TSCA INVENTORY STATUS: All components are listed on TSCA Inventory of Chemical Substances.
OTHER TSCA ISSUES: None.

SARA TITLE III/CERCLA

"Reportable Quantities" (RQs) and/or "Threshold Planning Quantities" (TPQs) exist for the following ingredients.

INGREDIENT NAME

No ingredients listed in this section.

SARA/CERCLA RQ (lb)

SARA EHS TPQ (lb)

Spills or releases resulting in the loss of any ingredient at or above its RQ requires immediate notification to the National Response Center [(800) 424-8802] and to your Local Emergency Planning Committee. Many states have more stringent regulations. Report all spills in accordance with local, state and federal regulations.

SECTION 311 HAZARD CLASS: See OSHA Hazard Classification in Section 2.

SARA 313 TOXIC CHEMICALS:

The following ingredients are SARA 313 "Toxic Chemicals" and may be subject to annual reporting requirements. CAS numbers and weight percents are found in Section 2.

INGREDIENT NAME

No ingredients listed in this section.

COMMENT

STATE RIGHT-TO-KNOW

In addition to the ingredients found in Section 2, the following are listed for state right-to-know purposes.

INGREDIENT NAME

No ingredients listed in this section.

WEIGHT %

COMMENT



SAFETY DATA SHEET

SDS NUMBER: EUSA-150
CURRENT ISSUE DATE: January, 2022
Page 7 of 7

SODIUM SULFITE

CALIFORNIA PROPOSITION 65

This product does not contain any ingredients known to the State of California to cause cancer and/or reproductive harm.

ADDITIONAL REGULATORY INFORMATION:

None

FOREIGN CHEMICAL CONTROL INVENTORY STATUS:

Listed on Canadian DSL, Australian AICS, Philippines PICCS, Chinese IECSC, Japanese MITI, Korean KECL, and EU EINECS.

16. OTHER INFORMATION

CURRENT ISSUE DATE: January, 2022

PREVIOUS ISSUE DATE: April, 2017

CHANGES TO SDS FROM PREVIOUS ISSUE DATE ARE DUE TO THE FOLLOWING:

Comprehensive Review.

OTHER INFORMATION: This product is not for drug use. Only Food Grade material is for use as a food additive.

Information regarding human clinical studies of Sodium Sulfite can be found at:
[https://pubchem.ncbi.nlm.nih.gov/source/hsdb/5043#section=Human-Toxicity-Excerpts-\(Complete\)](https://pubchem.ncbi.nlm.nih.gov/source/hsdb/5043#section=Human-Toxicity-Excerpts-(Complete))

The information in this Safety Data Sheet is believed to be accurate and reliable as of the date issued. Esseco USA makes no warranties, expressed or implied, including, but not limited to, any implied warranty of merchantability or fitness for a particular purpose or course of performance or usage of trade. Accordingly, Esseco USA will not be responsible for damages resulting from use of or reliance upon this information. The user is responsible for determining whether the Esseco USA product is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application on an Esseco USA product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the Esseco USA product to determine whether it is fit for a particular purpose and suitable for user's method of use or application.