



SAFETY DATA SHEET
Sodium Carbonate, Anhydrous

SDS # : 497-19-8
Revision date: 2020-12-22
Format: NA
Version 5.09

1. PRODUCT AND COMPANY IDENTIFICATION

Product Identifier

Product Name Soda Ash

Other means of identification

Product Code(s) 497-19-8

Synonyms Sodium carbonate, anhydrous; Carbonic acid, disodium salt; Disodium carbonate

Chemical Family Alkali salt

Recommended use of the chemical and restrictions on use

Recommended Use: Glass manufacture, Personal care, Detergent, Water treatment chemical, Chemical processing

Restrictions on Use: See section 16 for more information

Manufacturer Address

Genesis Alkali Wyoming, LP
1735 Market Street
Philadelphia, PA 19103
Tel: +1 877-362-2248 or +1 215-845-4500
www.alkali.genesisenergy.com

Emergency telephone number

1 307 / 872 2452 (Plant - Green River, WY)
1 303/ 389-1409 (Medical - U.S. - Call Collect)

For leak, fire, spill or accident emergencies, call:
1 800 / 424 9300 (CHEMTREC - U.S.A.)
1 703 / 527 3887 (CHEMTREC - Collect - All Other Countries)

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Serious eye damage/eye irritation

Category 2A

GHS Label elements, including precautionary statements**EMERGENCY OVERVIEW****Warning****Hazard Statements**

H319 - Causes serious eye irritation

**Precautionary Statements - Prevention**

P264 - Wash face, hands and any exposed skin thoroughly after handling

P280 - Wear protective gloves/protective clothing/eye protection/face protection

Precautionary Statements - Response

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P337 + P313 - If eye irritation persists: Get medical advice/ attention

Hazards not otherwise classified (HNOC)

No hazards not otherwise classified were identified.

Other Information

May be harmful if swallowed.

Prolonged or repeated contact may dry skin and cause irritation

3. COMPOSITION/INFORMATION ON INGREDIENTS**Chemical Family**

Alkali salt.

FormulaNa₂CO₃

Chemical name	CAS-No	Weight %
Sodium carbonate	497-19-8	100

Synonyms are provided in Section 1.

4. FIRST AID MEASURES**Eye Contact**

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If symptoms persist, call a physician.

Skin Contact

Wash off with warm water and soap. Get medical attention if irritation develops and persists. Remove and wash contaminated clothing before re-use.

Inhalation

Remove person to fresh air. If signs/symptoms continue, get medical attention.

Ingestion

Never give anything by mouth to an unconscious person. Get medical attention if symptoms occur.

Most important symptoms and effects, both acute and delayed Causes serious eye damage / eye irritation.

Indication of immediate medical attention and special treatment needed, if necessary Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media Use extinguishing agent suitable for type of surrounding fire.

Specific Hazards Arising from the Chemical Non-combustible, substance itself does not burn but may decompose upon heating to produce corrosive and/or toxic fumes

Hazardous Combustion Products Fumes of sodium oxide. Carbon oxides (COx).

Explosion data

Sensitivity to Mechanical Impact Not sensitive.
Sensitivity to Static Discharge Not sensitive.

Protective equipment and precautions for firefighters As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions Avoid dust formation. Sweep up to prevent slipping hazard.

Other For further clean-up instructions, call Emergency Hotline number listed in Section 1 "Product and Company Identification" above.

Environmental Precautions Do not flush into surface water or sanitary sewer system.

Methods for Containment Prevent large quantities of this product from contacting vegetation or waterways. Cover with plastic sheet to prevent spreading. Pick up and transfer to properly labeled containers. Keep in suitable and closed containers for disposal.

Methods for cleaning up Pick up and transfer to properly labeled containers. Keep in suitable and closed containers for disposal. Dispose of waste as indicated in Section 13.

7. HANDLING AND STORAGE

Handling Use air conveying/mechanical systems for bulk transfer to storage. Provide appropriate exhaust ventilation at places where dust is formed. In case of insufficient ventilation, wear suitable respiratory equipment if release of airborne dust is expected. Make sure the locations of the eye washers and safety showers are close to the workstation locations.

Storage Store in original container. Keep in properly labeled containers. Keep container tightly closed.

Incompatible products Aluminum. Powdered aluminum. Acids

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Ingredient	Agency	Workplace Exposure Limits
Carbonic acid sodium salt (1:2)	OSHA PEL (TWA) (mg/m ³)	10 mg/m ³ Total dust; 5 mg/m ³ Respirable fraction
Carbonic acid sodium salt (1:2)	MSHA	10 mg/m ³ Total dust

8.2 Exposure

Appropriate engineering controls

Engineering measures Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction.

Individual protection measures, such as personal protective equipment

Eye/Face Protection



Wear safety glasses or protective glasses with side shields. If splash potential exists, wear full face shield or chemical goggles.

Skin and Body Protection



Wear suitable protective clothing. Protective shoes or boots.

Hand Protection



Wear protective gloves. If handling solutions, impervious gloves recommended (e.g. Nitrile or Neoprene)

Respiratory Protection



In case of inadequate ventilation wear respiratory protection.

Hygiene measures

Handle in accordance with good industrial hygiene and safety practice. Make sure the locations of the eye washers and safety showers are close to the workstation locations.

General information

These recommendations apply to the product as supplied

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Appearance	Granules
Physical State	Solid
Color	White
Odor	odorless
Odor threshold	Not applicable
pH	11.4 (1% solution in water)
Melting point/freezing point	851 °C
Boiling Point/Range	No information available
Flash point	Not applicable
Evaporation Rate	No information available
Flammability (solid, gas)	Non-combustible, substance itself does not burn but may decompose upon heating to produce corrosive and/or toxic fumes
Flammability Limit in Air	
Upper flammability limit:	No information available
Lower flammability limit:	No information available
Vapor pressure	No information available
Vapor density	No information available
Density	No information available
Specific gravity	2.52
Water solubility	212.5 g/L @ 20 °C
Solubility in other solvents	No information available
Partition coefficient	No information available
Autoignition temperature	No information available
Decomposition temperature	400 °C

Sodium Carbonate, Anhydrous

SDS #: 497-19-8
Revision date: 2020-12-22
Version 5.09

Viscosity, kinematic	No information available
Viscosity, dynamic	No information available
Explosive properties	Not explosive
Oxidizing properties	Non-oxidizing
Molecular weight	105.99
Bulk density	0.86 - 1.12 g/cm ³ (Dense grades) 0.70 - 0.90 g/cm ³ (Light Grades)
K _{st}	0 bar m/s

10. STABILITY AND REACTIVITY

Reactivity	None under normal use conditions.
Chemical Stability	Stable. Decomposes by reaction with strong acid.
Possibility of Hazardous Reactions	None under normal processing.
Hazardous polymerization	Hazardous polymerization does not occur.
Conditions to avoid	Exposure to air or moisture over prolonged periods.
Incompatible materials	Aluminum. Powdered aluminum. Acids.
Hazardous Decomposition Products	Sodium oxides. Carbon oxides (CO _x).

11. TOXICOLOGICAL INFORMATION

Product Information

LD50 Oral	2,800 mg/kg (rat)
LD50 Dermal	> 2,000 mg/kg (rabbit)
LC50 Inhalation	
Eye Contact	Irritating to eyes.
Skin Contact	Non-irritating
Sensitization	Patch test on human volunteers did not demonstrate sensitization properties.

Information on toxicological effects

Symptoms	No information available.
----------	---------------------------

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Chronic toxicity	No known effect.
Mutagenicity	No information available
Carcinogenicity	Not recognized as carcinogenic by Research Agencies (IARC, NTP, OSHA, ACGIH).
Reproductive toxicity	No information available.
STOT - single exposure	No information available.
STOT - repeated exposure	No information available.
Aspiration hazard	No information available.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Sodium carbonate (497-19-8)				
Active Ingredient(s)	Duration	Species	Value	Units
Sodium Carbonate	96 h LC50	Bluegill sunfish	300	mg/L
Sodium Carbonate	48 h EC50	<i>Ceriodaphnia</i>	200-227	mg/L

Sodium Carbonate, Anhydrous

SDS #: 497-19-8
Revision date: 2020-12-22
Version 5.09

Persistence and degradability	Biodegradability does not pertain to inorganic substances.
Bioaccumulation	Does not bio-accumulate.
Mobility	Dissociates into ions.
Other Adverse Effects	None known.

13. DISPOSAL CONSIDERATIONS

Waste disposal methods	This material, as supplied, is not a hazardous waste according to Federal regulations (40 CFR 261). Dispose of in accordance with local regulations.
Contaminated Packaging	Dispose of in accordance with local regulations.

14. TRANSPORT INFORMATION

DOT	NOT REGULATED
TDG	NOT REGULATED
ICAO/IATA	NOT REGULATED
IMDG/IMO	NOT REGULATED

15. REGULATORY INFORMATION

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories

Acute health hazard	Yes
Chronic health hazard	No
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

Clean Water Act

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

US State Regulations

California Proposition 65



WARNING: This product can expose you to chemicals including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

U.S. State Right-to-Know Regulations

This product is not listed on state right-to-know regulations

International Inventories

Sodium Carbonate, Anhydrous

SDS #: 497-19-8
Revision date: 2020-12-22
Version 5.09

Component	TSCA (United States)	DSL (Canada)	EINECS/ELI NCS (Europe)	ENCS (Japan)	China (IECSC)	KECL (Korea)	PICCS (Philippines)	AICS (Australia)
Sodium carbonate 497-19-8 (100)	X	X	X	X	X	X	X	X

Mexico - Grade

Moderate risk, Grade 2

16. OTHER INFORMATION

NFPA	Health Hazards 2	Flammability 0	Instability 0	Special Hazards -
HMIS	Health Hazards 2	Flammability 0	Physical hazard 0	Personal Protection X

NFPA/HMIS Ratings Legend Severe = 4; Serious = 3; Moderate = 2; Slight = 1; Minimal = 0

Product Certifications

This product is certified to NSF/ANSI Standard 60 for use in drinking water treatment at the specified maximum use limit. The MUL (maximum use level) for sodium carbonate, anhydrous is 150 mg/L under NSF/ANSI Standard 60.



Halal: IFANCA

Revision date: 2020-12-22
Revision note: Updated Section 2.

Disclaimer

Genesis Alkali, LLC believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. NO WARRANTY OF FITNESS FOR ANY PARTICULAR PURPOSE, WARRANTY OF MERCHANTABILITY OR ANY OTHER WARRANTY, EXPRESSED OR IMPLIED, IS MADE CONCERNING THE INFORMATION PROVIDED HEREIN. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. Further, since the conditions and methods of use are beyond the control of Genesis Alkali, LLC; Genesis Alkali, LLC expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

Prepared By:

Genesis Alkali, LLC

Genesis Alkali Logo - Trademark of Genesis Alkali, LLC

© 2017 Genesis Alkali, LLC. All Rights Reserved.

End of Safety Data Sheet