

Safety Data Sheet

AROMATIC 200 ND FLUID

Version 1.3

Revision Date: 11/12/2023

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : AROMATIC 200 ND FLUID

Recommended use of the chemical and restrictions on use

Recommended use : SOLVENT

Supplier or Repackaging Details

Company : Univar Solutions USA
Address : 3075 Highland Pkwy Suite 200
 Downers Grove, IL 60515
 United States of America (USA)

Manufactured By : ExxonMobile

Emergency telephone number:

Transport North America: CHEMTREC (1-800-424-9300)

CHEMTREC INTERNATIONAL Tel # 703-527-3887

Additional Information: : Responsible Party: Product Compliance Department
 E-mail: SDSNA@univarsolutions.com
 SDS Requests: 1-855-429-2661
 Website: www.univarsolutions.com

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Carcinogenicity : Category 2

Aspiration hazard : Category 1

GHS label elements

Hazard pictograms :



Signal word : Danger

Hazard statements : H304 May be fatal if swallowed and enters airways.
 H351 Suspected of causing cancer.

Precautionary statements : **Prevention:**
 P201 Obtain special instructions before use.
 P202 Do not handle until all safety precautions have been read and understood.
 P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.
Response:
 P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.
 P308 + P313 IF exposed or concerned: Get medical advice/ attention.
 P331 Do NOT induce vomiting.
Storage:
 P405 Store locked up.

Safety Data Sheet
AROMATIC 200 ND FLUID

Version 1.3

Revision Date: 11/12/2023

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous components

CAS-No.	Chemical name	Weight percent
64742-94-5	Solvent naphtha (petroleum), heavy arom.	90 - 100
91-57-6	Naphthalene, 2-methyl-	30 - 50
90-12-0	Naphthalene, 1-methyl-	20 - 30
91-20-3	Naphthalene	0.1 - 1

Actual concentration is withheld as a trade secret

Any Concentration shown as a range is due to batch variation.

SECTION 4. FIRST AID MEASURES

- General advice : Move out of dangerous area.
Show this safety data sheet to the doctor in attendance.
Symptoms of poisoning may appear several hours later.
Do not leave the victim unattended.
- If inhaled : If unconscious, place in recovery position and seek medical advice.
If symptoms persist, call a physician.
- In case of eye contact : Flush eyes with water as a precaution.
Remove contact lenses.
Protect unharmed eye.
Keep eye wide open while rinsing.
If eye irritation persists, consult a specialist.
- If swallowed : Keep respiratory tract clear.
Do NOT induce vomiting.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician.
Take victim immediately to hospital.

SECTION 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Foam
Dry chemical
Carbon dioxide (CO₂)
Fog
- Unsuitable extinguishing media : High volume water jet
- Specific hazards during fire- : Do not allow run-off from fire fighting to enter drains or water

Safety Data Sheet

AROMATIC 200 ND FLUID

Version 1.3

Revision Date: 11/12/2023

fighting	courses.
Hazardous combustion products	: A complex mixture of airborne solid and liquid particulates and gases (smoke). Unidentified organic and inorganic compounds. Hydrogen sulfide sulfur oxides Sulphuric acid
Further information	: Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
Special protective equipment for firefighters	: Wear self-contained breathing apparatus for firefighting if necessary.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	: Use personal protective equipment. Ensure adequate ventilation.
Environmental precautions	: Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.
Methods and materials for containment and cleaning up	: Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion	: Normal measures for preventive fire protection.
Advice on safe handling	: Do not breathe vapours/dust. Avoid exposure - obtain special instructions before use. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Dispose of rinse water in accordance with local and national regulations.
Conditions for safe storage	: Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Observe label precautions. Electrical installations / working materials must comply with the technological safety standards.

Safety Data Sheet

AROMATIC 200 ND FLUID

Version 1.3

Revision Date: 11/12/2023

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

CAS-No.	Components	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
64742-94-5	Solvent naphtha (petroleum), heavy arom.	TWA	500 ppm 2,000 mg/m ³	OSHA Z-1
		TWA	200 mg/m ³ (total hydrocarbon vapor)	ACGIH
		TWA	400 ppm 1,600 mg/m ³	OSHA P0
91-57-6	Naphthalene, 2-methyl-	TWA	0.5 ppm	ACGIH
90-12-0	Naphthalene, 1-methyl-	TWA	0.5 ppm	ACGIH
91-20-3	Naphthalene	TWA	10 ppm	ACGIH
		TWA	10 ppm 50 mg/m ³	NIOSH REL
		ST	15 ppm 75 mg/m ³	NIOSH REL
		TWA	10 ppm 50 mg/m ³	OSHA Z-1
		TWA	10 ppm 50 mg/m ³	OSHA P0
		STEL	15 ppm 75 mg/m ³	OSHA P0
		PEL	0.1 ppm 0.5 mg/m ³	CAL PEL

Personal protective equipment

Respiratory protection : General and local exhaust ventilation is recommended to maintain vapor exposures below recommended limits. Where concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provided by air purifying respirators against exposure to any hazardous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other circumstance where air purifying respirators may not provide adequate protection. In the case of vapour formation use a respirator with an approved filter.

Hand protection

Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Eye protection : Eye wash bottle with pure water
Tightly fitting safety goggles

Skin and body protection : Impervious clothing
Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Hygiene measures : When using do not eat or drink.

Safety Data Sheet
AROMATIC 200 ND FLUID

Version 1.3

Revision Date: 11/12/2023

When using do not smoke.
Wash hands before breaks and at the end of workday.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: liquid
Colour	: clear, Pale Yellow
Odour	: aromatic
Odour Threshold	: No data available
pH	: No data available
Freezing Point (Pour point)	: -36 °C (-33 °F)
Boiling Point (Boiling point/boiling range)	: 246 - 302 °C (475 - 576 °F)
Flash point	: 116 °C (241 °F)
Evaporation rate	: < 0.01 (Butyl Acetate = 1)
Flammability (solid, gas)	: No data available
Upper explosion limit	: 6.0 %(V)
Lower explosion limit	: 0.8 %(V)
Vapour pressure	: < 0.001 kPa @ 20 °C (68 °F)
Relative vapour density	: 5.8
Relative density	: 0.98 @ 15.6 °C (60.1 °F) Reference substance: (water = 1)
Density	: 980 kg/m ³ @ 15.6 °C (60.1 °F)
Solubility(ies)	
Water solubility	: negligible
Solubility in other solvents	: No data available
Partition coefficient: n-octanol/water	: log Pow: > 4
Auto-ignition temperature	: No data available
Thermal decomposition	: No data available
Viscosity	
Viscosity, kinematic	: 2.7 mm ² /s @ 40 °C (104 °F) 4.4 mm ² /s @ 20 °C (68 °F)

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: No dangerous reaction known under conditions of normal use.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reac-	: No decomposition if stored and applied as directed.

Safety Data Sheet
AROMATIC 200 ND FLUID

Version 1.3

Revision Date: 11/12/2023

tions

Conditions to avoid : Keep away from heat, flame, sparks and other ignition sources.

Incompatible materials : Oxidizing agents

SECTION 11. TOXICOLOGICAL INFORMATION**Acute toxicity****Components:****64742-94-5:**Acute oral toxicity : LD50 (Rat, male and female): > 5,000 mg/kg
Assessment: The substance or mixture has no acute oral toxicityAcute inhalation toxicity : LC50 (Rat, male and female): > 5.28 mg/l
Exposure time: 4 h
Test atmosphere: gas
Assessment: The substance or mixture has no acute inhalation toxicityAcute dermal toxicity : LD50 (Rabbit, male and female): > 2,000 mg/kg
Assessment: The substance or mixture has no acute dermal toxicity**91-20-3:**Acute oral toxicity : LD50 (Mouse, male and female): 533 mg/kg
Assessment: The component/mixture is moderately toxic after single ingestion.**Germ cell mutagenicity****Components:****91-20-3:**Germ cell mutagenicity - : In vivo tests did not show mutagenic effects
Assessment**Carcinogenicity****Components:****91-20-3:**Species: Mouse, (male and female)
Application Route: inhalation (vapour)
Exposure time: 104 wks
Activity duration: 6 h
Dose: 0, 10, 30 ppm
Frequency of Treatment: 5 days/week
LOAEL: 10 ppm

Result: Clear evidence of carcinogenic activity in females

Symptoms: increased incidences of alveolar/bronchiolar neoplasms

Safety Data Sheet

AROMATIC 200 ND FLUID

Version 1.3

Revision Date: 11/12/2023

Carcinogenicity - Assessment	: Suspected human carcinogens
IARC	Group 2B: Possibly carcinogenic to humans
	91-20-3 Naphthalene
OSHA	No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.
NTP	Reasonably anticipated to be a human carcinogen
	91-20-3 Naphthalene

Reproductive toxicity

Components:

91-20-3:

Reproductive toxicity - Assessment : Fertility classification not possible from current data.

Teratogenicity - Assessment : Did not show teratogenic effects in animal experiments.

STOT - single exposure

Product:

Assessment: The substance or mixture is not classified as specific target organ toxicant, single exposure.

Aspiration toxicity

Components:

64742-94-5:

May be fatal if swallowed and enters airways.

Further information

Product:

Remarks: Solvents may degrease the skin.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

64742-94-5:

Toxicity to fish : LL50 (Oncorhynchus mykiss (rainbow trout)): 2 - 5 mg/l
Exposure time: 96 h
Test Type: semi-static test

Toxicity to daphnia and other : EL50 (Daphnia magna (Water flea)): 1.4 mg/l

Safety Data Sheet

AROMATIC 200 ND FLUID

Version 1.3

Revision Date: 11/12/2023

aquatic invertebrates	Exposure time: 48 h Test Type: static test
Toxicity to algae	: NOEL (Raphidocelis subcapitata (freshwater green alga)): 1 mg/l Exposure time: 48 h Test Type: static test EL50 (Raphidocelis subcapitata (freshwater green alga)): 1 - 3 mg/l Exposure time: 72 h Test Type: static test
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEL (Daphnia magna (Water flea)): 0.48 mg/l Exposure time: 21 d
Acute aquatic toxicity- Assessment	: Toxic to aquatic life.
Chronic aquatic toxicity- Assessment	: Toxic to aquatic life with long lasting effects.
91-57-6:	
Toxicity to fish	: LC50 (Oncorhynchus mykiss (rainbow trout)): 1.46 mg/l Exposure time: 96 h Test substance: 2-methylnaphthalene
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 1.42 mg/l Exposure time: 48 h Test Type: Immobilization Test substance: 2-methylnaphthalene
Toxicity to algae	: EC50 (Pseudokirchneriella subcapitata (green algae)): 2.3 mg/l Exposure time: 72 h Test substance: 2-methylnaphthalene
Acute aquatic toxicity- Assessment	: Toxic to aquatic life.
91-20-3:	
Toxicity to fish	: LC50 (Salmo gairdneri (Rainbow Fish)): 0.11 mg/l Exposure time: 96 h Test Type: flow-through test
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 2.16 mg/l Exposure time: 48 h Test Type: static test
Toxicity to algae	: EC50 (Chlorella vulgaris (Fresh water algae)): 33 mg/l End point: Growth rate Exposure time: 24 h Test Type: static test
M-Factor (Acute aquatic toxicity)	: 1
Toxicity to fish (Chronic toxicity)	: Chronic Toxicity Value (Pimephales promelas (fathead minnow)): 0.45 - 0.85 mg/l

Safety Data Sheet

AROMATIC 200 ND FLUID

Version 1.3

Revision Date: 11/12/2023

Exposure time: 30 d

- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.59 mg/l
Exposure time: 125 d
- Acute aquatic toxicity- Assessment : Very toxic to aquatic life.
- Chronic aquatic toxicity- Assessment : Very toxic to aquatic life with long lasting effects.

Persistence and degradability

Components:

91-57-6:

- Biodegradability : Inoculum: activated sludge
Result: Readily biodegradable.
Biodegradation: 61.9 %
Exposure time: 28 d

Bioaccumulative potential

Components:

91-57-6:

- Bioaccumulation : Species: Oncorhynchus mykiss (rainbow trout)
Bioconcentration factor (BCF): 23,500
Exposure time: 28 d

Mobility in soil

No data available

Other adverse effects

Product:

- Ozone-Depletion Potential : Regulation: 40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances
Remarks: This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).
- Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Toxic to aquatic life with long lasting effects.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

- Waste from residues : Dispose of in accordance with all applicable local, state and federal regulations.
For assistance with your waste management needs - including disposal, recycling and waste stream reduction, contact Uni-

Safety Data Sheet

AROMATIC 200 ND FLUID

Version 1.3

Revision Date: 11/12/2023

var Solutions ChemCare: 1-800-637-7922

The product should not be allowed to enter drains, water courses or the soil.
Do not contaminate ponds, waterways or ditches with chemical or used container.
Send to a licensed waste management company.
Empty remaining contents.
Dispose of as unused product.
Do not re-use empty containers.

Contaminated packaging

:

SECTION 14. TRANSPORT INFORMATION

DOT (Department of Transportation):

UN3082, Environmentally hazardous substances, liquid, n.o.s., (1-METHYLNAPHTHALENE, 2-METHYLNAPHTHALENE), 9, III, Marine Pollutant (2-METHYLNAPHTHALENE)

IATA (International Air Transport Association):

UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., (1-METHYLNAPHTHALENE, 2-METHYLNAPHTHALENE), 9, III

IMDG (International Maritime Dangerous Goods):

UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., (1-METHYLNAPHTHALENE, 2-METHYLNAPHTHALENE), 9, III, Marine Pollutant (2-METHYLNAPHTHALENE), Flash Point:116 °C(241 °F)

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
Naphthalene	91-20-3	100	11112

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards

: Carcinogenicity
Aspiration hazard

SARA 302

: This material does not contain any components with a section 302 EHS TPQ.

SARA 313

: The following components are subject to reporting levels established by SARA Title III, Section 313:

91-20-3 Naphthalene

Clean Air Act

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

Safety Data Sheet

AROMATIC 200 ND FLUID

Version 1.3

Revision Date: 11/12/2023

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCM I Intermediate or Final VOC's (40 CFR 60.489).

Clean Water Act

The following Hazardous Substances are listed under the U.S. CleanWater Act, Section 311, Table 116.4A:

91-20-3 Naphthalene

The following Hazardous Chemicals are listed under the U.S. CleanWater Act, Section 311, Table 117.3:

91-20-3 Naphthalene

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

Massachusetts Right To Know

90-12-0 Naphthalene, 1-methyl-

Pennsylvania Right To Know

64742-94-5 Solvent naphtha (petroleum), heavy arom.

91-57-6 Naphthalene, 2-methyl-

90-12-0 Naphthalene, 1-methyl-

91-20-3 Naphthalene

California Prop 65

 **WARNING:** This product can expose you to chemicals including Naphthalene, which is/are known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

The components of this product are reported in the following inventories:

TSCA : On TSCA Inventory

DSL : All components of this product are on the Canadian DSL

AICS : On the inventory, or in compliance with the inventory

NZIoC : not determined

ENCS : On the inventory, or in compliance with the inventory

KECI : On the inventory, or in compliance with the inventory

PICCS : On the inventory, or in compliance with the inventory

IECSC : On the inventory, or in compliance with the inventory

Safety Data Sheet


AROMATIC 200 ND FLUID

Version 1.3

Revision Date: 11/12/2023

SECTION 16. OTHER INFORMATION

NFPA:



HMIS III:

HEALTH	1/
FLAMMABILITY	1
PHYSICAL HAZARD	0

0 = not significant, 1 = Slight,
2 = Moderate, 3 = High
4 = Extreme, * = Chronic

The information accumulated is based on the data of which we are aware and is believed to be correct as of the date hereof. Since this information may be applied under conditions beyond our control and with which we may be unfamiliar and since data made become available subsequently to the date hereof, we do not assume any responsibility for the results of its use. Recipients are advised to confirm in advance of need that the information is current, applicable, and suitable to their circumstances. This SDS has been prepared by Univar Solutions Product Compliance Department (1-855-429-2661) SDSNA@univarsolutions.com.

Revision Date : 11/12/2023

Material number:

16134181, 16182972, 16157831, 16157396, 16154885, 16156246

Key or legend to abbreviations and acronyms used in the safety data sheet			
ACGIH	American Conference of Government Industrial Hygienists	LD50	Lethal Dose 50%
AICS	Australia, Inventory of Chemical Substances	LOAEL	Lowest Observed Adverse Effect Level
DSL	Canada, Domestic Substances List	NFPA	National Fire Protection Agency
NDSL	Canada, Non-Domestic Substances List	NIOSH	National Institute for Occupational Safety & Health
CNS	Central Nervous System	NTP	National Toxicology Program
CAS	Chemical Abstract Service	NZIoC	New Zealand Inventory of Chemicals
EC50	Effective Concentration	NOAEL	No Observable Adverse Effect Level
EC50	Effective Concentration 50%	NOEC	No Observed Effect Concentration
EGEST	EOSCA Generic Exposure Scenario Tool	OSHA	Occupational Safety & Health Administration
EOSCA	European Oilfield Specialty Chemicals Association	PEL	Permissible Exposure Limit
EINECS	European Inventory of Existing Chemical Substances	PICCS	Philippines Inventory of Commercial Chemical Substances

Safety Data Sheet

AROMATIC 200 ND FLUID

Version 1.3

Revision Date: 11/12/2023

MAK	Germany Maximum Concentration Values	PRNT	Presumed Not Toxic
GHS	Globally Harmonized System	RCRA	Resource Conservation Recovery Act
>=	Greater Than or Equal To	STEL	Short-term Exposure Limit
IC50	Inhibition Concentration 50%	SARA	Superfund Amendments and Reauthorization Act.
IARC	International Agency for Research on Cancer	TLV	Threshold Limit Value
IECSC	Inventory of Existing Chemical Substances in China	TWA	Time Weighted Average
ENCS	Japan, Inventory of Existing and New Chemical Substances	TSCA	Toxic Substance Control Act
KECI	Korea, Existing Chemical Inventory	UVCB	Unknown or Variable Composition, Complex Reaction Products, and Biological Materials
<=	Less Than or Equal To	WHMIS	Workplace Hazardous Materials Information System
LC50	Lethal Concentration 50%		