

Triethylamine

Version	Revision Date:	SDS Number:	Date of last issue: 12/07/2022
1.7	02/27/2023	150000103691	Date of first issue: 09/06/2016
PRD		SDSUS / Z8 / 0001	

SECTION 1. IDENTIFICATION

Product name : Triethylamine

Product code : 51166-00, P5116610, P5116614, P5116612, N5116610, N5116611, P5116601, E5116601, P5116618

Manufacturer or supplier's details

Company name of supplier : Eastman Chemical Company

Address : 200 South Wilcox Drive
Kingsport TN 37660-5280

Telephone : (423) 229-2000

Emergency telephone : CHEMTREC: +1-800-424-9300, +1-703-527-3887 CCN7321

Recommended use of the chemical and restrictions on use

Recommended use : Chemical intermediate

Restrictions on use : None known.

SECTION 2. HAZARDS IDENTIFICATION**GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)**

Flammable liquids : Category 2

Acute toxicity (Oral) : Category 4

Acute toxicity (Inhalation) : Category 3

Acute toxicity (Dermal) : Category 3

Skin corrosion : Category 1A

Serious eye damage : Category 1

Specific target organ toxicity : Category 3 (Respiratory system)
- single exposure

GHS label elements

Triethylamine

Version
1.7
PRD

Revision Date:
02/27/2023

SDS Number:
150000103691
SDSUS / Z8 / 0001

Date of last issue: 12/07/2022
Date of first issue: 09/06/2016

Hazard pictograms

:



Signal Word

:

Danger

Hazard Statements

:

H225 Highly flammable liquid and vapor.
H302 Harmful if swallowed.
H311 + H331 Toxic in contact with skin or if inhaled.
H314 Causes severe skin burns and eye damage.
H335 May cause respiratory irritation.

Precautionary Statements

:

Prevention:

P210 Keep away from heat/ sparks/ open flames/ hot surfaces.
No smoking.
P233 Keep container tightly closed.
P240 Ground/bond container and receiving equipment.
P241 Use explosion-proof electrical/ ventilating/ lighting/ equipment.
P242 Use only non-sparking tools.
P243 Take precautionary measures against static discharge.
P261 Avoid breathing mist or vapors.
P264 Wash skin thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P271 Use only outdoors or in a well-ventilated area.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:

P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Rinse mouth.
P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower.
P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor.
P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.
P362 Take off contaminated clothing and wash before reuse.
P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

Storage:

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.
P403 + P235 Store in a well-ventilated place. Keep cool.
P405 Store locked up.

Disposal:

Triethylamine

Version	Revision Date:	SDS Number:	Date of last issue: 12/07/2022
1.7	02/27/2023	150000103691	Date of first issue: 09/06/2016
PRD		SDSUS / Z8 / 0001	

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Substance

Components

Chemical name	CAS-No.	Concentration (% w/w)
triethylamine	121-44-8	>= 90 - <= 100

Eastman is committed to the safety, health and environment of our employees, our customers, and the communities we operate within. As part of this commitment, Eastman's Safety Data Sheets (SDS) are prepared in accordance with all applicable national and local regulations. The compositions of our documents reflect these requirements which include, but are not limited to, requirements under the Globally Harmonized System of Classification and Labeling (GHS). These compositions commonly involve the use of ranges versus specific analytical values. If you require a composition that is more specific, please refer to the Certificate of Analysis, sales specification, or contact your Customer Service Representative.

SECTION 4. FIRST AID MEASURES

General advice	: Show this material safety data sheet to the doctor in attendance. Call a physician immediately.
If inhaled	: Move to fresh air. If symptoms persist, call a physician.
In case of skin contact	: Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Wash off immediately with plenty of water for at least 15 minutes. Wash contaminated clothing before re-use.
In case of eye contact	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
If swallowed	: Clean mouth with water and drink afterwards plenty of water. Do not induce vomiting without medical advice. Never give anything by mouth to an unconscious person.
Most important symptoms and effects, both acute and delayed	: Harmful if swallowed. Toxic in contact with skin or if inhaled. Causes serious eye damage.

Triethylamine

Version	Revision Date:	SDS Number:	Date of last issue: 12/07/2022
1.7	02/27/2023	150000103691	Date of first issue: 09/06/2016
PRD		SDSUS / Z8 / 0001	

May cause respiratory irritation.
Causes severe burns.

Notes to physician : Treat symptomatically.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Water spray
Carbon dioxide (CO₂)
Dry chemical
Foam

Unsuitable extinguishing media : Water spray jet

Specific hazards during fire fighting : Vapors may form explosive mixtures with air.

Hazardous combustion products : Carbon monoxide
Nitrogen oxides (NO_x)
Ammonia

No hazardous combustion products are known

Further information : Prevent fire extinguishing water from contaminating surface water or the ground water system.
Do not allow run-off from fire fighting to enter drains or water courses.

Special protective equipment for fire-fighters : Wear an approved positive pressure self-contained breathing apparatus in addition to standard fire fighting gear.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.

Environmental precautions : Avoid release to the environment.

Methods and materials for containment and cleaning up : Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local / national regulations (see section 13).

SECTION 7. HANDLING AND STORAGE

Advice on safe handling : Do not taste or swallow.
Do not get in eyes or mouth or on skin.
Do not breathe vapors or spray mist.
Use only with adequate ventilation.
Wash thoroughly after handling.

Triethylamine

Version
1.7
PRD

Revision Date:
02/27/2023

SDS Number:
150000103691
SDSUS / Z8 / 0001

Date of last issue: 12/07/2022
Date of first issue: 09/06/2016

Conditions for safe storage : Keep container tightly closed and in a well-ventilated place.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**Ingredients with workplace control parameters**

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
triethylamine	121-44-8	TWA	0.5 ppm	ACGIH
		STEL	1 ppm	ACGIH
		TWA	25 ppm 100 mg/m3	OSHA Z-1
		STEL	15 ppm 60 mg/m3	OSHA P0
		TWA	10 ppm 40 mg/m3	OSHA P0

Engineering measures : Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Personal protective equipment

Respiratory protection : Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.

Hand protection

Remarks : Rubber gloves Neoprene gloves The exact break through time can be obtained from the protective glove producer and this has to be observed.

Eye protection : Safety glasses with side-shields
Face-shield

Skin and body protection : Wear suitable protective clothing.

Protective measures : Ensure that eye flushing systems and safety showers are located close to the working place.

Hygiene measures : Handle in accordance with good industrial hygiene and safety practice.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Triethylamine

Version	Revision Date:	SDS Number:	Date of last issue: 12/07/2022
1.7	02/27/2023	150000103691	Date of first issue: 09/06/2016
PRD		SDSUS / Z8 / 0001	

Color	:	colorless
Odor	:	amine-like
Odor Threshold	:	not determined
pH	:	12.5
Melting point/range	:	-175 °F / -115 °C (1,013 hPa)
Boiling point/boiling range	:	194 °F / 90 °C (1,013 hPa)
Flash point	:	12 °F / -11 °C Method: Abel closed cup method, closed cup
Evaporation rate	:	not determined
Self-ignition	:	419 °F / 215 °C Method: ASTM E659 GESTIS database
Upper explosion limit / Upper flammability limit	:	8.0 %(V)
Lower explosion limit / Lower flammability limit	:	1.2 %(V)
Vapor pressure	:	72 hPa (68 °F / 20 °C)
Relative vapor density	:	3.48 (Air = 1.0)
Relative density	:	No data available
Density	:	0.73 g/cm3 (68 °F / 20 °C)
Solubility(ies) Water solubility	:	112 g/l soluble (68 °F / 20 °C)
Partition coefficient: n-octanol/water	:	log Pow: 1.45
Autoignition temperature	:	419 °F / 215 °C
Decomposition temperature	:	not determined
Viscosity		

Triethylamine

Version	Revision Date:	SDS Number:	Date of last issue: 12/07/2022
1.7	02/27/2023	150000103691	Date of first issue: 09/06/2016
PRD		SDSUS / Z8 / 0001	

Viscosity, dynamic	:	0.363 mPa.s (77 °F / 25 °C)
Viscosity, kinematic	:	not determined
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	101.19 g/mol

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	None reasonably foreseeable.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	Hazardous decomposition products formed under fire conditions.
Conditions to avoid	:	Heat, flames and sparks.
Incompatible materials	:	Oxidizing agents Strong acids and strong bases
Hazardous decomposition products	:	Carbon monoxide Carbon dioxide (CO ₂) Ammonia Nitrogen oxides (NO _x)

SECTION 11. TOXICOLOGICAL INFORMATION**Acute toxicity**

Harmful if swallowed.

Toxic in contact with skin or if inhaled.

Product:

Acute oral toxicity	:	Remarks: No data available
Acute inhalation toxicity	:	Remarks: No data available
Acute dermal toxicity	:	Remarks: No data available

Components:**triethylamine:**

Acute oral toxicity	:	LD50 Oral (Rat): 730 mg/kg
Acute inhalation toxicity	:	LC50 (Rat): 7.22 mg/l Exposure time: 4 h Test atmosphere: vapor

Triethylamine

Version	Revision Date:	SDS Number:	Date of last issue: 12/07/2022
1.7	02/27/2023	150000103691	Date of first issue: 09/06/2016
PRD		SDSUS / Z8 / 0001	

Acute dermal toxicity : LD50 Dermal (Rabbit): 580 mg/kg

Skin corrosion/irritation

Causes severe burns.

Product:

Remarks : No data available

Components:**triethylamine:**

Species	:	Rabbit
Exposure time	:	1 min
Result	:	Corrosive

Serious eye damage/eye irritation

Causes serious eye damage.

Product:

Remarks : No data available

Components:**triethylamine:**

Species	:	Rabbit
Result	:	Corrosive

Respiratory or skin sensitization**Skin sensitization**

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

Product:

Remarks : No data available

Germ cell mutagenicity

Not classified based on available information.

Components:**triethylamine:**

Germ cell mutagenicity - Assessment	:	Did not show mutagenic effects in animal experiments.
-------------------------------------	---	---

Carcinogenicity

Not classified based on available information.

Triethylamine

Version	Revision Date:	SDS Number:	Date of last issue: 12/07/2022
1.7	02/27/2023	150000103691	Date of first issue: 09/06/2016
PRD		SDSUS / Z8 / 0001	

Components:**triethylamine:**

Carcinogenicity - Assessment : No evidence of carcinogenicity in animal studies.

IARC No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

Not classified based on available information.

Components:**triethylamine:**

Reproductive toxicity - Assessment : Did not show teratogenic effects in animal experiments.

STOT-single exposure

May cause respiratory irritation.

Components:**triethylamine:**

Routes of exposure	:	Inhalation
Target Organs	:	Respiratory Tract
Assessment	:	May cause respiratory irritation.

STOT-repeated exposure

Not classified based on available information.

Repeated dose toxicity**Components:****triethylamine:**

Species	:	Rat
	:	1020 mg/m ³
Application Route	:	Inhalation
Exposure time	:	196 d
Target Organs	:	Eyes, Skin, Cardio-vascular system, Kidney, Liver, Respiratory system

Aspiration toxicity

Not classified based on available information.

Triethylamine

Version	Revision Date:	SDS Number:	Date of last issue: 12/07/2022
1.7	02/27/2023	150000103691	Date of first issue: 09/06/2016
PRD		SDSUS / Z8 / 0001	

Product:

No data available

Experience with human exposure**Product:**

Inhalation	:	Remarks: Toxic if inhaled. May cause respiratory irritation.
Skin contact	:	Remarks: Causes severe skin burns. Toxic in contact with skin.
Eye contact	:	Remarks: Causes serious eye damage.
Ingestion	:	Remarks: Harmful if swallowed.

Further information**Product:**

Remarks : None known.

SECTION 12. ECOLOGICAL INFORMATION**Ecotoxicity****Components:****triethylamine:**

Toxicity to fish	:	LC50 (<i>Oryzias latipes</i> (Japanese medaka)): 24 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	LC50 (<i>Ceriodaphnia</i> (water flea)): 17 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	EC50 (<i>Desmodesmus subspicatus</i> (green algae)): 24.8 mg/l Exposure time: 96 h
Toxicity to fish (Chronic toxicity)	:	NOEC (<i>Oncorhynchus mykiss</i> (rainbow trout)): 3.2 mg/l Exposure time: 60 d
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC (<i>Daphnia magna</i> (Water flea)): 11 mg/l Exposure time: 21 d
Toxicity to microorganisms	:	EC50 (<i>Pseudomonas putida</i>): 95 mg/l Exposure time: 17 h

Triethylamine

Version	Revision Date:	SDS Number:	Date of last issue: 12/07/2022
1.7	02/27/2023	150000103691	Date of first issue: 09/06/2016
PRD		SDSUS / Z8 / 0001	

Persistence and degradability**Components:****triethylamine:**

Biodegradability : Remarks: Readily biodegradable, according to appropriate OECD test.

Bioaccumulative potential**Components:****triethylamine:**

Bioaccumulation : Bioconcentration factor (BCF): 0.5

Partition coefficient: n-octanol/water : log Pow: 1.45
pH: 13

Mobility in soil**Components:****triethylamine:**

Distribution among environmental compartments : Koc: 107.2

Other adverse effects**Components:****triethylamine:**

Results of PBT and vPvB assessment : Not fulfilling vPvB (very persistent, very bioaccumulative) criteria.

SECTION 13. DISPOSAL CONSIDERATIONS**Disposal methods**

Waste from residues : Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.

SECTION 14. TRANSPORT INFORMATION**International Regulations****IATA-DGR**

UN/ID No. : UN 1296
Proper shipping name : Triethylamine
Class : 3

Triethylamine

Version	Revision Date:	SDS Number:	Date of last issue: 12/07/2022
1.7	02/27/2023	150000103691	Date of first issue: 09/06/2016
PRD		SDSUS / Z8 / 0001	

Subsidiary risk : 8
 Packing group : II
 Labels : Flammable Liquids, Corrosive
 Packing instruction (cargo aircraft) : 363
 Packing instruction (passenger aircraft) : 352

IMDG-Code

UN number : UN 1296
 Proper shipping name : TRIETHYLAMINE

Class : 3
 Subsidiary risk : 8
 Packing group : II
 Labels : 3 (8)
 EmS Code : F-E, S-C
 Marine pollutant : no

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation**49 CFR**

UN/ID/NA number : UN 1296
 Proper shipping name : Triethylamine

Class : 3
 Subsidiary risk : 8
 Packing group : II
 Labels : FLAMMABLE LIQUID, CORROSIVE
 ERG Code : 132
 Marine pollutant : no

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION**CERCLA Reportable Quantity**

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
triethylamine	121-44-8	5000	5000

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : No SARA Hazards

Triethylamine

Version
1.7
PRD

Revision Date:
02/27/2023

SDS Number:
150000103691
SDSUS / Z8 / 0001

Date of last issue: 12/07/2022
Date of first issue: 09/06/2016

SARA 313 : The following components are subject to reporting levels established by SARA Title III, Section 313:

triethylamine 121-44-8

California Prop. 65

This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

The ingredients of this product are reported in the following inventories:

TCSI : On the inventory, or in compliance with the inventory

TSCA : All substances listed as active on the TSCA inventory

AIIC : On the inventory, or in compliance with the inventory

DSL : All components of this product are on the Canadian DSL

ENCS : On the inventory, or in compliance with the inventory

ISHL : On the inventory, or in compliance with the inventory

KECI : On the inventory, or in compliance with the inventory

PICCS : On the inventory, or in compliance with the inventory

IECSC : On the inventory, or in compliance with the inventory

NZIoC : On the inventory, or in compliance with the inventory

TECI : On the inventory, or in compliance with the inventory

TSCA list

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.


SECTION 16. OTHER INFORMATION

Further information

Triethylamine

Version
1.7
PRDRevision Date:
02/27/2023SDS Number:
150000103691
SDSUS / Z8 / 0001Date of last issue: 12/07/2022
Date of first issue: 09/06/2016

NFPA 704:



HMIS® IV:

HEALTH	/	3
FLAMMABILITY		3
PHYSICAL HAZARD		0

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Full text of other abbreviations

ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
OSHA P0	:	USA. Table Z-1-A Limits for Air Contaminants (1989 vacated values)
OSHA Z-1	:	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
ACGIH / TWA	:	8-hour, time-weighted average
ACGIH / STEL	:	Short-term exposure limit
OSHA P0 / TWA	:	8-hour time weighted average
OSHA P0 / STEL	:	Short-term exposure limit
OSHA Z-1 / TWA	:	8-hour time weighted average

AIIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of

Triethylamine

Version	Revision Date:	SDS Number:	Date of last issue: 12/07/2022
1.7	02/27/2023	150000103691	Date of first issue: 09/06/2016
PRD		SDSUS / Z8 / 0001	

Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Revision Date : 02/27/2023

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / Z8