

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1 Product identifier**

- Trade name MIRAPOL SURF N

1.2 Relevant identified uses of the substance or mixture and uses advised against**Uses of the Substance/Mixture**

- Manufacture of detergents.
- Use in the production of dish washing machine tablets

1.3 Details of the supplier of the safety data sheet**Company**

Syensqo (Zhangjiagang) Specialty Chemicals Co., Ltd.
68 Fengnan Road, Fenghuang Town, Zhangjiagang, Jiangsu Province, China, 215613
TEL: 0512 55606190 (Domestic) +86 512 55606196 (Overseas)
FAX: 0512 55606248 (Domestic) +86 512 55606247 (Overseas)

E-mail address

For questions about SDS content: manager.sds@syensqo.com
For all other topics use: www.syensqo.com/en/form/documentation

1.4 Emergency telephone number

+44(0)1235 239 671 [CareChem 24]

Distributed by:

Univar Solutions USA

3075 Highland Pkwy Ste 200
Downers Grove, IL 60515
Telephone: 1-855-429-2661
Emergency Phone Number:
CHEMTREC 1-800-424-9300

SECTION 2: Hazards identification**2.1 Classification of the substance or mixture****GHS Classification (UN)**

Short-term (acute) aquatic hazard, Category 1
Long-term (chronic) aquatic hazard, Category 1

H400: Very toxic to aquatic life.
H410: Very toxic to aquatic life with long lasting effects.

2.2 Label elements**GHS label elements (UN)****Pictogram****Signal word**

- Warning

Hazard statements

- H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements**General**

- None

Prevention

- P273 Avoid release to the environment.

Response

- P391 Collect spillage.

Storage

- None

Disposal

- P501

Dispose of contents/ container to an approved waste disposal plant.

2.3 Other hazards which do not result in classification

- Divided solid.
- Combustible solid.
- Exposure to dust generated during the handling or use of the product may cause temporary mechanical irritation to the eyes, skin and respiratory tract.
- Finely divided particles may form explosive mixtures in air.
- Electrostatic charges may be generated as a result of flow, stirring, etc.
- Electrostatic charges may build up by swirling, pneumatic transport, pouring, etc.

SECTION 3: Composition/information on ingredients**3.1 Substance**

- Chemical nature Cationic hydrosoluble polymer

Information on Components and Impurities

Chemical name	CAS-No.	GHS Classification	Concentration [%]
Cationic Hydrosoluble Polymer	*****	Short-term (acute) aquatic hazard, Category 1 ; H400 Long-term (chronic) aquatic hazard, Category 1 ; H410	>= 90 - < 95

For the full text of the H-Statements mentioned in this Section, see Section 16.

3.2 Mixture

- Not applicable, this product is a substance.

SECTION 4: First aid measures**4.1 Description of first aid measures****General advice**

- First aider needs to protect himself.
- Show this safety data sheet to the doctor in attendance.
- Place affected clothing in a sealed bag for subsequent decontamination.
- When symptoms persist or in all cases of doubt seek medical advice.

In case of inhalation

- Move to fresh air.
- Keep at rest.
- Consult a physician if necessary.

In case of skin contact

- Take off contaminated clothing and shoes immediately.
- Wash off immediately with soap and plenty of water.
- Use a mild soap if available.
- If skin irritation occurs, seek medical advice/attention.

In case of eye contact

- Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.
- If eye irritation persists, consult a physician

In case of ingestion

- Do not induce vomiting without medical advice.
- Rinse mouth with water.
- Do not give anything to drink.
- Keep at rest.
- Consult a physician if necessary.

4.2 Most important symptoms and effects, both acute and delayed

- no data available

4.3 Indication of any immediate medical attention and special treatment needed

- no data available

SECTION 5: Firefighting measures**5.1 Extinguishing media****Suitable extinguishing media**

- Extinguishing media - small fires
- Multi-purpose powders
- Extinguishing media - large fires
- Alcohol Resistant Aqueous Film Forming Foam (AR-AFFF)

Unsuitable extinguishing media

- High pressure inert gas, e.g. carbon dioxide jet.
- (Avoid dispersal of dust in the air)
- Water may be ineffective.

5.2 Special hazards arising from the substance or mixture**Specific hazards during firefighting**

- Risk of dust explosion.
- Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.
- The pressure in sealed containers can increase under the influence of heat.
- Hazardous decomposition products formed under fire conditions.
- High concentrations of toxic or harmful products may remain in the residual liquid once the fire has been extinguished.

Hazardous combustion products:

- Carbon monoxide, carbon dioxide and unburned hydrocarbons (smoke).
- Nitrogen oxides (NO_x)
- Chlorinated compounds

5.3 Advice for firefighters**Special protective equipment for firefighters**

- Wear full protective clothing and self-contained breathing apparatus.
- Personal protective equipment comprising: suitable protective gloves, safety goggles and protective clothing.

Specific fire fighting methods

- Stay upwind.
- Fight fire remotely due to the risk of explosion.
- Do not use a solid water stream as it may scatter and spread fire.
- Cool down the containers/equipment exposed to heat with a water spray. Ensure that there is NO direct contact between the water and the product.
- Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Further information

- Evacuate personnel to safe areas.
- Avoid dust formation.
- Intervention only by capable personnel who are trained and aware of the hazards of the product.
- Never approach containers which have been exposed to fire, without cooling them sufficiently.
- Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
- Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures**6.1 Personal precautions, protective equipment and emergency procedures**

- Avoid inhalation, ingestion and contact with skin and eyes.
- Wear chemical resistant personal protective equipment.
- Wear suitable gloves.
- Wear suitable protective clothing.
- Respiratory protection
- Wear as appropriate:
 - Face-shield
 - Tightly fitting safety goggles.
- In the case of dust or aerosol formation use respirator with an approved filter.
- In the case of vapour formation use a respirator with an approved filter.
- Eliminate all ignition sources if safe to do so.
- Stop leak if safe to do so.
- If spillage occurs on the public highway, indicate the danger and notify the authorities (police, fire brigade).
- For further information refer to section 8 "Exposure controls/personal protection".

6.2 Environmental precautions

- Take all necessary measures to avoid accidental discharge of products into drains and waterways due to the rupture of containers or transfer systems.
- Prevent further leakage or spillage if safe to do so.
- Contain the spilled material by bunding.
- The product should not be allowed to enter drains, water courses or the soil.
- Local authorities should be advised if significant spillages cannot be contained.
- If the product contaminates rivers and lakes or drains inform respective authorities.
- If the spill area is porous, the contaminated material must be collected for subsequent treatment or disposal.

6.3 Methods and materials for containment and cleaning up

- No sparking tools should be used.
- Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air).
- Stop leak if safe to do so.
- Dam up with sand or inert earth (do not use combustible materials).
- Shovel or sweep up.
- Keep in suitable, closed containers for disposal.
- Never return spills in original containers for re-use.
- Wash with plenty of water and detergent.
- Clean contaminated surface thoroughly.
- Recover the cleaning water for subsequent disposal.
- Decontaminate tools, equipment and personal protective equipment in a segregated area.
- Dispose of as hazardous waste in compliance with local and national regulations.

Additional advice

- No conditions to be specially mentioned.

6.4 Reference to other sections

- 7. HANDLING AND STORAGE
- 8. EXPOSURE CONTROLS/PERSONAL PROTECTION
- 13. DISPOSAL CONSIDERATIONS

SECTION 7: Handling and storage**7.1 Precautions for safe handling**

- Handle in accordance with good industrial hygiene and safety practice.
- The product should only be used in areas from which all naked lights and other sources of ignition have been excluded.
- Use explosion-proof electrical/ ventilating/ lighting equipment.
- Take precautionary measures against static discharges.
- Ground/bond container and receiving equipment.
- To avoid ignition of vapours by static electricity discharge, all metal parts of the equipment must be grounded.
- Ensure all equipment is electrically grounded before beginning transfer operations.
- Use only non-sparking tools.
- Wear personal protective equipment.
- Wear suitable protective clothing.
- Avoid inhalation, ingestion and contact with skin and eyes.
- Routine housekeeping should be instituted to ensure that dusts do not accumulate on surfaces.
- Provide for appropriate exhaust ventilation and dust collection at machinery.
- Ensure that dust-handling systems (such as exhaust ducts, dust collectors, vessels, and processing equipment) are designed in a manner to prevent the escape of dust into the work area (i.e., there is no leakage from the equipment).
- For personal protection, see section 8.

Hygiene measures

- Handle in accordance with good industrial hygiene and safety practice.
 - Use clean, well-maintained personal protection equipment.
 - Regular cleaning of equipment, work area and clothing.
 - When using do not eat, drink or smoke.
 - Smoking, eating and drinking should be prohibited in the application area.
 - Wash hands before breaks and immediately after handling the product.
 - Contaminated work clothing should not be allowed out of the workplace.
- The user is responsible for monitoring the working environment in accordance with local laws and regulations.

7.2 Conditions for safe storage, including any incompatibilities**Technical measures/Storage conditions**

- Take appropriate measures to prevent static discharges, which may include thorough electrical interconnecting, grounding of equipment, and/or conveyance under inert gas.
- Take all necessary measures to avoid accidental discharge of products into drains and waterways due to the rupture of containers or transfer systems.
- Keep in a bunded area.
- The floor of the storage area should be impermeable and designed to form a water-tight basin.
- Keep containers tightly closed in a dry, cool and well-ventilated place.
- Keep away from open flames, hot surfaces and sources of ignition.
- Keep away from incompatible materials to be indicated by the manufacturer.
- Keep away from: Hazardous reactions may occur on contact with certain chemicals. (Refer to the list of incompatible materials section 10: Stability-Reactivity).

Packaging material**Suitable material**

- Plastic materials.
- Coated steels.
- Stainless steel

7.3 Specific end use(s)

- no data available

SECTION 8: Exposure controls/personal protection**8.1 Control parameters**

- We are not aware of any national exposure limit.

8.2 Exposure controls

Control measures

Engineering measures

- Effective exhaust ventilation system.
- Ensure adequate ventilation.
- Extract at emission point.
- Ensure that extracted air cannot be returned to the workplace through the ventilation system.
- Facilities and equipment easily cleanable.
- Dust must be extracted directly at the point of origin.
- Ensure that dust-handling systems (such as exhaust ducts, dust collectors, vessels, and processing equipment) are designed in a manner to prevent the escape of dust into the work area (i.e., there is no leakage from the equipment).
- Avoid dust formation.

Individual protection measures

Respiratory protection

- This should be achieved by a good general extraction and -if practically feasible- by the use of a local exhaust ventilation.
- Respirator must be worn if exposed to dust.
- Recommended Filter type: Particulates type

Hand protection

- Where there is a risk of contact with hands, use appropriate gloves.
- Gloves must be inspected prior to use.
- Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time.
- Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.
- Use only personal protective equipment that conforms to international/ national standards (KOSHA, etc.).

Suitable material

- Nitrile rubber
- Neoprene
- butyl-rubber
- PVC

Eye protection

- Tightly fitting safety goggles.
- Face-shield

Skin and body protection

- Wear fire resistant and antistatic coveralls
- Workers should wear antistatic footwear.
- Full protective suit
- Footwear protecting against chemicals.
- Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Hygiene measures

- Handle in accordance with good industrial hygiene and safety practice.
- Use clean, well-maintained personal protection equipment.
- Regular cleaning of equipment, work area and clothing.
- When using do not eat, drink or smoke.
- Smoking, eating and drinking should be prohibited in the application area.

- Wash hands before breaks and immediately after handling the product.
- Contaminated work clothing should not be allowed out of the workplace.
- The user is responsible for monitoring the working environment in accordance with local laws and regulations.

Protective measures

- Emergency equipment immediately accessible, with instructions for use.
- Ensure that eyewash stations and safety showers are close to the workstation location.
- Selection of appropriate personal protective equipment should be based on an evaluation of the performance characteristics of the protective equipment relative to the task(s) to be performed, conditions present, duration of use, and the potential hazards and/or risks that may occur during use.
- The protective equipment must be selected in accordance with current local regulations and in cooperation with the supplier of the protective equipment.

Environmental exposure controls

- Take all necessary measures to avoid accidental discharge of products into drains and waterways due to the rupture of containers or transfer systems.
- Prevent further leakage or spillage if safe to do so.
- Contain the spilled material by bunding.
- The product should not be allowed to enter drains, water courses or the soil.
- Local authorities should be advised if significant spillages cannot be contained.
- If the product contaminates rivers and lakes or drains inform respective authorities.
- If the spill area is porous, the contaminated material must be collected for subsequent treatment or disposal.

SECTION 9: Physical and chemical properties**9.1 Information on basic physical and chemical properties**

<u>Physical state</u>	solid (20 °C)
<u>Form</u>	Fine powder
<u>Colour</u>	white to pale yellow.
<u>Odour</u>	slight, characteristic
<u>Odour Threshold</u>	No data available
<u>Melting point/freezing point</u>	No data available
<u>Initial boiling point and boiling range</u>	No data available
<u>Flammability (solid, gas)</u>	May form combustible dust concentrations in air
<u>Flammability (liquids)</u>	No data available
<u>Flammability/Explosive limit</u>	No data available
<u>Flash point</u>	Not applicable solid for which the melting point is > 100 °C
<u>Auto-ignition temperature</u>	No data available
<u>Decomposition temperature</u>	No data available
<u>pH</u>	9.0 - 11.0 (1 %) Aqueous solution
<u>Viscosity</u>	No data available

SolubilityWater solubility:
dispersibleSolubility in other solvents:
non-polar solvents: insoluble**Partition coefficient: n-octanol/water**

No data available

Vapour pressure

No data available

Densityca. 1.3 g/cm³ (25 °C)**Relative density**

No data available

Relative vapor density

No data available

Particle characteristics

No data available

Evaporation rate (Butylacetate = 1)

No data available

9.2 Other information**Oxidizing properties**

Not considered as oxidizing, Structure-activity relationship (SAR)

SECTION 10: Stability and reactivity**10.1 Reactivity**

- Stable at normal ambient temperature and pressure.

10.2 Chemical stability

- Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

- Under certain conditions, small dust-particles from the product may form flammable and explosive mixtures with the air.

10.4 Conditions to avoid

- Avoid dust formation.
- Prevent the build-up of electrostatic charge.
- Keep away from open flames, hot surfaces and sources of ignition.
- Avoid excessive heat for prolonged periods of time.

10.5 Incompatible materials

- Strong oxidizing agents.
- hot strong concentrated acids.
- Strong bases
- Strong oxidizing agents

10.6 Hazardous decomposition products

- Carbon monoxide, carbon dioxide and unburned hydrocarbons (smoke).
- Nitrogen oxides (NO_x)
- Chlorinated compounds

SECTION 11: Toxicological information**11.1 Information on toxicological effects**

Acute toxicity**Acute oral toxicity**

Cationic Hydrosoluble Polymer

Rat

Not classified as hazardous for acute oral toxicity according to GHS.

Expert judgement

Unpublished reports

Unpublished internal reports

Acute inhalation toxicity

Cationic Hydrosoluble Polymer

No data available

Acute dermal toxicity

Cationic Hydrosoluble Polymer

No data available

Acute toxicity (other routes of administration)

Cationic Hydrosoluble Polymer

No data available

Skin corrosion/irritation

Cationic Hydrosoluble Polymer

Rabbit

Not classified as irritating to skin.

Expert judgement

Unpublished internal reports

Serious eye damage/eye irritation

Cationic Hydrosoluble Polymer

Rabbit

slight irritation

Expert judgement

Product dust may be irritating to eyes, skin and respiratory system.

Unpublished internal reports

Respiratory or skin sensitisation

Cationic Hydrosoluble Polymer

Buehler Test - Guinea pig

Expert judgement

The product is not considered to be sensitizing by skin contact.

Unpublished internal reports

Guar gum has been associated with cases of respiratory allergies in some susceptible individuals, as reported in the literature, or may exacerbate an existing allergic condition. However, no cases of respiratory sensitisation have been observed with the manufacture or use of the derivatised guar.

Mutagenicity**Genotoxicity in vitro**

Cationic Hydrosoluble Polymer

Ames test

with and without metabolic activation

Expert judgement

Product is not considered to be genotoxic.

Unpublished internal reports

Genotoxicity in vivo

Cationic Hydrosoluble Polymer

No data available

Carcinogenicity

Cationic Hydrosoluble Polymer

No data available

Toxicity for reproduction and development**Toxicity to reproduction/Fertility**

Cationic Hydrosoluble Polymer

No data available

Developmental Toxicity/Teratogenicity

Cationic Hydrosoluble Polymer

No data available

STOT**STOT - single exposure**

Cationic Hydrosoluble Polymer

Exposure routes: Ingestion

The substance or mixture is not classified as specific target organ toxicant, single exposure.

Internal evaluation.

STOT - repeated exposure

Cationic Hydrosoluble Polymer

No data available

Experience with human exposure

No data available

Aspiration toxicity

No data available

SECTION 12: Ecological information**12.1 Toxicity****Aquatic Compartment****Acute toxicity to fish**

Cationic Hydrosoluble Polymer

No data available

Acute toxicity to daphnia and other aquatic invertebrates

Cationic Hydrosoluble Polymer

static test

Immobilization

EC50 - 48 h : > 100 mg/l - Daphnia magna (Water flea)

Method: according to a standardised method

Freshwater species

Unpublished internal reports

Not harmful to aquatic invertebrates. (EC/EL50 > 100 mg/L)

Toxicity to aquatic plants

Cationic Hydrosoluble Polymer

ErC50 - 72 h : 0.97 mg/l - Algae

End point: Growth rate

Method: OECD Test Guideline 201

Very toxic to algae.

Unpublished internal reports

Toxicity to microorganisms

No data available

Chronic toxicity to fish

Cationic Hydrosoluble Polymer

No data available

Chronic toxicity to daphnia and other aquatic invertebrates

Cationic Hydrosoluble Polymer

No data available

M-Factor

Cationic Hydrosoluble Polymer

Acute aquatic toxicity = 1

Chronic aquatic toxicity = 1

(according to the Globally Harmonized System (GHS))

12.2 Persistence and degradability

Abiotic degradation

No data available

Physical- and photo-chemical elimination

No data available

Biodegradation**Biodegradability**

Cationic Hydrosoluble Polymer

Ready biodegradability study:

aerobic

Method: OECD Test Guideline 310

55 % - 28 Days

The substance does not fulfill the criteria for ready biodegradability and ultimate aerobic biodegradability

Inorganic carbon (IC)

Inoculum: activated sludge

Expert judgement

Unpublished internal reports

Inherent biodegradability study

Method: OECD Test Guideline 302 B

85 % - 28 d

The substance fulfills the criteria for inherent ultimate biodegradability

Dissolved organic carbon (DOC)

Inoculum: activated sludge

Expert judgement

Unpublished internal reports

Degradability assessment

Cationic Hydrosoluble Polymer

The product is not considered to be rapidly degradable in the environment

12.3 Bioaccumulative potential**Partition coefficient: n-octanol/water**

No data available

Bioconcentration factor (BCF)

Cationic Hydrosoluble Polymer

Not potentially bioaccumulable

Expert judgement

12.4 Mobility in soil**Adsorption potential (Koc)**

No data available

Known distribution to environmental compartments

No data available

12.5 Results of PBT and vPvB assessment

Cationic Hydrosoluble Polymer

Substance is not persistent, bioaccumulative, and toxic (PBT).

Substance is not very persistent and very bioaccumulative (vPvB).

12.6 Other adverse effects**Ecotoxicity assessment****Short-term (acute) aquatic hazard**

Cationic Hydrosoluble Polymer

Very toxic to algae.

Long-term (chronic) aquatic hazard

Cationic Hydrosoluble Polymer

Very toxic to aquatic life with long lasting effects.

SECTION 13: Disposal considerations**13.1 Waste treatment methods****Product Disposal*****Prohibition***

- Do not discharge directly into the environment.
- Do not dispose of with domestic refuse.
- Dispose of as hazardous waste in compliance with local and national regulations.

Advice on cleaning and disposal of packaging***Prohibition***

- Do NOT dispose of untreated packaging with industrial waste.
- Do not dispose of with domestic refuse.
- Empty remaining contents.
- Clean using steam.
- Clean with the help of detergent. Avoid using any solvent.
- Monitor the residual vapours.
- Dispose of rinse water in accordance with local and national regulations.
- Containers that cannot be cleaned must be treated as waste.
- Dispose of contents/ container to an approved waste disposal plant.
- Dispose of in accordance with local regulations.
- In accordance with IMDG regulations, containers or tankers, which have not been cleaned or deodorized and which previously contained a hazardous product, must either be labelled or have hazard signs.
- In accordance with RID/ADR regulations containers or tankers, which have not been cleaned or deodorized and which previously contained a hazardous product, must either be labelled or have hazard signs.
- Where possible recycling is preferred to disposal or incineration.
- The recycled material must be completely dry and free of pollutants.

SECTION 14: Transport information**IMDG**

14.1 UN number	UN 3077
14.2 Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Cationic Hydrosoluble Polymer)
IMDG Code segregation group	Not Relevant
14.3 Transport hazard class	9
Label(s):	9
14.4 Packing group	III
14.5 Environmental hazards	YES
Marine pollutant	
14.6 Special precautions for user	
EmS	F-A , S-F
For personal protection, see section 8.	
14.7 Transport in bulk vessels according to IMO instruments	
No data available	

IATA

14.1 UN number	UN 3077
14.2 Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Cationic Hydrosoluble Polymer)
14.3 Transport hazard class	9
Label(s):	9
14.4 Packing group	III
14.5 Environmental hazards	YES
14.6 Special precautions for user	
Packing instruction (cargo aircraft)	956
Max net qty/pkg	400.00 kg
Packing instruction (passenger aircraft)	956
Max net qty/pkg	400.00 kg

For personal protection, see section 8.

Note: The above regulatory prescriptions are those valid on the date of publication of this sheet. Given the possible evolution of transport regulations for hazardous materials, it would be advisable to check their validity with your sales office.

SECTION 15: Regulatory information**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture****Local regulations**

No data available

Notification status

Inventory Information	Status
United States TSCA Inventory	- All substances listed as active on the TSCA inventory
Canadian Domestic Substances List (DSL)	- Listed on Inventory
Australian Inventory of Industrial Chemicals (AIIC)	- Listed on Inventory
Japan. CSCL - Inventory of Existing and New Chemical Substances	- One or more components not listed on inventory
Korea. Korean Existing Chemicals Inventory (KECI)	- Listed on Inventory
China. Inventory of Existing Chemical Substances in China (IECSC)	- Listed on Inventory
Philippines Inventory of Chemicals and Chemical Substances (PICCS)	- Listed on Inventory
Taiwan Chemical Substance Inventory (TCSI)	- Listed on Inventory
New Zealand. Inventory of Chemical Substances	- All components are listed on the NZIoC inventory. Additional HSNO obligations may apply. Please refer to Section 15 of SDS for New Zealand.
EU. European Registration, Evaluation, Authorization and Restriction of Chemical (REACH)	- When purchased from a Syensqo legal entity based in the EEA ("European Economic Area"), this product is compliant with the registration provisions of the REACH Regulation (EC) No. 1907/2006 as all its components are either excluded, exempt, and/or registered. When purchased from a legal entity outside of the EEA, please contact your local representative for additional information.
Korea. Act on Registration and Evaluation of Chemicals	- When purchased from a Syensqo legal entity based in Korea, this product is compliant with "Act on Registration and Evaluation of Chemicals" (AREC or K-REACH, Article 10) as all its components are either excluded, exempt, and/or (pre)registered. When purchased from a legal entity outside of Korea, please contact your local representative for additional information.

SECTION 16: Other information**Full text of H-Statements**

- H400: Very toxic to aquatic life.
- H410: Very toxic to aquatic life with long lasting effects.

Key or legend to abbreviations and acronyms used in the safety data sheet

- ADR: European Agreement on International Carriage of Dangerous Goods by Road.
- ADN: European Agreement on the International Carriage of Dangerous Goods by Inland Waterways.
- RID: European Agreement concerning the International Carriage of Dangerous Goods by Rail.
- IATA: International Air Transport Association.

- ICAO-TI: Technical Instructions for Safe Transport of Dangerous Goods by Air.
- IMDG: International Maritime Dangerous Goods.
- TWA: Time weighted average
- ATE: Estimated value of acute toxicity
- EC: European Community number
- CAS: Chemical Abstracts Service.
- LD50: Substance that causes 50% (half) death in the test animals group (Median Fatal Dose).
- LC50: Substance concentration causing 50% (half) death in the test animals group.
- EC50: Effective Concentration of the substance causing the maximum of 50%.
- PBT: Persistent, Bioaccumulative and Toxic substance.
- vPvB: Very Persistent and Very Bioaccumulative.
- GHS/CLP/SEA: Classification, labeling, packaging regulation
- DNEL: Derived No Effect Level
- PNEC: Predicted No Effect Concentration
- STOT: Specific Target Organ Toxicity

Not all acronyms listed above are referenced in this SDS.

Further information

- Distribute new edition to clients

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. Such information is only given as a guidance to help the user handle, use, process, store, transport, dispose and release the product in satisfactory safety conditions and is not to be considered as a warranty or quality specification. It should be used in conjunction with technical sheets but do not replace them. Thus, the information only relates to the designated specific product and may not be applicable if such product is used in combination with other materials or in any other manufacturing process, unless otherwise specifically indicated. It does not release the user from ensuring he is in conformity with all regulations linked to its activity.