

Safety Data Sheet

Lauryl Methacrylate 1214 F (LMA 1214 F)

Revision date : 2025/01/14
Version: 5.1

Page: 1/13
(30534155/SDS_GEN_US/EN)

1. Identification

Product identifier used on the label

Lauryl Methacrylate 1214 F (LMA 1214 F)

Recommended use of the chemical and restriction on use

Recommended use*: Monomer for manufacturing of polymers

Recommended use*: for industrial use only

Unsuitable for use: Not intended for sale to or use by the general public.

* The "Recommended use" identified for this product is provided solely to comply with a Federal requirement and is not part of the seller's published specification. The terms of this Safety Data Sheet (SDS) do not create or infer any warranty, express or implied, including by incorporation into or reference in the seller's sales agreement.

Details of the supplier of the safety data sheet

Company:

BASF SE
67056 Ludwigshafen
GERMANY

Contact address:

BASF CORPORATION
100 Park Avenue
Florham Park, NJ 07932
USA
Telephone: +1 973 245-6000

Emergency telephone number

24 Hour Emergency Response Information

CHEMTREC: 1-800-424-9300

BASF HOTLINE: 1-800-832-HELP (4357)

Other means of identification

Chemical family: acrylates

2. Hazards Identification

According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

Classification of the product

Aquatic Acute 3
Aquatic Chronic 3

Hazardous to the aquatic environment - acute
Hazardous to the aquatic environment - chronic

Safety Data Sheet

Lauryl Methacrylate 1214 F (LMA 1214 F)

Revision date: 2025/01/14

Version: 5.1

Page: 2/13

(30534155/SDS_GEN_US/EN)

Label elements

Hazard Statement:

H402

Harmful to aquatic life.

H412

Harmful to aquatic life with long lasting effects.

Precautionary Statements (Prevention):

P273

Avoid release to the environment.

Precautionary Statements (Disposal):

P501

Dispose of contents/container in accordance with local regulations.

Hazards not otherwise classified

No applicable information available.

3. Composition / Information on Ingredients

According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

dodecan-1-ol

CAS Number: 112-53-8

Content (W/W): ≥ 0.0 - $< 1.8\%$

Synonym: 1-Dodecanol

2-Propenoic acid, 2-methyl-, decyl ester

CAS Number: 3179-47-3

Content (W/W): ≥ 0.0 - $\leq 1.0\%$

Synonym: No data available.

tetradecanol

CAS Number: 112-72-1

Content (W/W): ≥ 0.0 - $< 0.7\%$

Synonym: 1-Tetradecanol; Myristyl alcohol

4. First-Aid Measures

Description of first aid measures

General advice:

First aid personnel should pay attention to their own safety. If the patient is likely to become unconscious, place and transport in stable sideways position (recovery position). Immediately remove contaminated clothing.

If inhaled:

Keep patient calm, remove to fresh air.

If on skin:

Wash thoroughly with soap and water

If in eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

Safety Data Sheet

Lauryl Methacrylate 1214 F (LMA 1214 F)

Revision date: 2025/01/14

Version: 5.1

Page: 3/13

(30534155/SDS_GEN_US/EN)

If swallowed:

Rinse mouth and then drink 200-300 ml of water.

Most important symptoms and effects, both acute and delayed

Symptoms: No applicable information available.

Hazards: No applicable information available.

Indication of any immediate medical attention and special treatment needed

Note to physician

Treatment: Symptomatic treatment (decontamination, vital functions).

5. Fire-Fighting Measures

Extinguishing media

Suitable extinguishing media:

dry powder, water spray, carbon dioxide, foam

Unsuitable extinguishing media for safety reasons:

water jet

Additional information:

Use extinguishing measures to suit surroundings.

Special hazards arising from the substance or mixture

Hazards during fire-fighting:

Self-polymerization if overheated in a container. Cool endangered containers with water-spray.

The product is combustible. See SDS section 7 - Handling and storage.

Advice for fire-fighters

Protective equipment for fire-fighting:

Firefighters should be equipped with self-contained breathing apparatus and turn-out gear. Special protective equipment for firefighters

Further information:

Extend fire extinguishing measures to the surroundings. Fight fire from maximum distance. Vapours are heavier than air and may accumulate in low areas and travel a considerable distance up to the source of ignition.

Safety Data Sheet

Lauryl Methacrylate 1214 F (LMA 1214 F)

Revision date: 2025/01/14

Version: 5.1

Page: 4/13

(30534155/SDS_GEN_US/EN)

In case of a fire in the vicinity a restabilization system should be used if the temperature in the bulk storage-tank reaches 45°C. Evacuate area of all unnecessary personnel. In case of a fire in the vicinity evacuate all personnel in a greater area if the temperature in the bulk storage-tank reaches 60°C.

Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

6. Accidental release measures

Further accidental release measures:

High risk of slipping due to leakage/spillage of product.

Release of substance/product can cause fire or explosion. Shut off or stop source of leak. Shut off or stop released substance/product under safe conditions.

Pack in tightly closed containers for disposal.

Personal precautions, protective equipment and emergency procedures

Handle in accordance with good industrial hygiene and safety practice.

Avoid all sources of ignition: heat, sparks, open flame. Use antistatic tools.

Environmental precautions

Substance/product is RCRA hazardous due to its properties.

Methods and material for containment and cleaning up

For large amounts: Pump off product.

Spills should be contained, solidified, and placed in suitable containers for disposal. Dispose of absorbed material in accordance with regulations. Ensure adequate ventilation. Suppress gases/vapours/mists with water spray jet. Clean contaminated floors and objects thoroughly with water and detergents, observing environmental regulations. Cleaning operations should be carried out only while wearing breathing apparatus. Pick up with suitable appliance and dispose of.

7. Handling and Storage

Precautions for safe handling

The substance/ product may be handled only by appropriately trained personnel. Facility parts must be checked for polymer residues and cleaned on regular basis in order to avoid hazardous reactions.

Ensure thorough ventilation of stores and work areas. Encapsulation or exhaust ventilation required. Vent waste air to atmosphere only through suitable separators. Check the condition of seals and connector screw threads.

The temperatures which must be avoided are to be considered. Protect against heat. Protect contents from the effects of light. Do not open warm or swollen product containers. Remove persons to safety and alert fire brigade.

Ensure adequate inhibitor and dissolved oxygen level.

Avoid inhalation of dusts/mists/vapours. Avoid aerosol formation. Avoid all direct contact with the substance/product.

Protection against fire and explosion:

Safety Data Sheet

Lauryl Methacrylate 1214 F (LMA 1214 F)

Revision date: 2025/01/14

Version: 5.1

Page: 5/13

(30534155/SDS_GEN_US/EN)

Avoid all sources of ignition: heat, sparks, open flame. Ground all transfer equipment properly to prevent electrostatic discharge. It is recommended that all conductive parts of the machinery are grounded.

Heated containers should be cooled to prevent polymerization. If exposed to fire, keep containers cool by spraying with water. Emergency cooling must be provided for the eventuality of a fire in the vicinity.

Conditions for safe storage, including any incompatibilities

No applicable information available.

Further information on storage conditions: Prior to storage ensure that the transfer equipment used and the intended storage containers do not contain other substances/products. Before transfer to stock the identity of the product must be proved to be without doubt. The entrance to storage rooms is to be granted only to appropriately trained personnel.

The stabilizer is only effective in the presence of oxygen. Maintain contact with atmosphere containing 5 - 21% oxygen. Never use tanks with inert-gas installation for storage.

Risk of polymerization. Protect against heat. Avoid UV-light and other radiation with high energy. Protect against contamination.

In case of bulk storage, the storage-tanks should at least be equipped with two high temperature alert devices.

Even if the product is stored and handled as prescribed/indicated it should be used up within the indicated duration of storage.

Storage stability:

Storage temperature: -6 - 35 °C

Storage duration: 12 Months

The stated storage temperature should be noted.

Avoid prolonged storage.

This product should be processed as soon as possible.

Ensure adequate inhibitor and dissolved oxygen level.

Do not store with less than 10 % headspace above liquid.

Storage stability is based upon ambient temperatures and conditions described.

It is recommended to keep a safe distance of +2 degrees above the crystallization range.

The product is stabilized, the shelf life should be noted.

8. Exposure Controls/Personal Protection

No substance specific occupational exposure limits known.

Advice on system design:

Provide local exhaust ventilation to maintain recommended P.E.L.

Personal protective equipment

Respiratory protection:

Wear a NIOSH-certified (or equivalent) organic vapour/particulate respirator as needed. At concentrations < 250 ppm, use a chemical cartridge respirator. At concentrations > 250 ppm, use an air-supplied or self-contained breathing apparatus.

Hand protection:

Chemical resistant protective gloves, nitrile rubber (NBR) - 0.4 mm coating thickness, Supplementary note: The specifications are based on tests, literature data and information of glove manufacturers or are derived from similar substances by analogy. Due to many conditions (e.g. temperature) it must be considered, that the practical usage of a chemical-protective glove in practice may be much

Safety Data Sheet

Lauryl Methacrylate 1214 F (LMA 1214 F)

Revision date: 2025/01/14

Version: 5.1

Page: 6/13

(30534155/SDS_GEN_US/EN)

shorter than the permeation time determined through testing., Manufacturer's directions for use should be observed because of great diversity of types.

Eye protection:

Tightly fitting safety goggles (chemical goggles).

Body protection:

light protective clothing

General safety and hygiene measures:

Avoid inhalation of vapour. Avoid contact with the skin, eyes and clothing.

9. Physical and Chemical Properties

Form:	liquid	
Odour:	fruity	
Odour threshold:	not determined	
Colour:	colourless to slightly yellow	
pH value:	of very low solubility, not applicable	
Melting point:	-22 °C (1,013 hPa)	(OECD Guideline 102)
Freezing point:	No applicable information available.	
Boiling range:	307 - 367 °C (1,013.25 hPa)	(measured)
	The statements are based on the properties of the individual components., Literature data.	
Boiling point:	No applicable information available.	
Sublimation point:	No applicable information available.	
Flash point:	160 °C	(ISO 2719, closed cup)
Flammability:	hardly combustible	(derived from flash point)
Lower explosion limit:	For liquids not relevant for classification and labelling. The lower explosion point may be 5 - 15 °C below the flash point.	
Upper explosion limit:	For liquids not relevant for classification and labelling.	
Autoignition:	239 °C	(DIN EN ISO/IEC 80079-20-1)
SADT:	Not a substance/mixture liable to self-decomposition according to GHS.	
Vapour pressure:	0.0006 hPa (20 °C)	(measured)
	Literature data., The product has not been tested. The statement has been derived from the properties of the individual components.	
Density:	0.868 g/cm3 (20 °C)	
	Literature data.	
Relative density:	0.868 (20 °C)	

Safety Data Sheet

Lauryl Methacrylate 1214 F (LMA 1214 F)

Revision date: 2025/01/14

Version: 5.1

Page: 7/13

(30534155/SDS_GEN_US/EN)

Vapour density:	> 1 (20 °C) Heavier than air.	(estimated)
Partitioning coefficient n-octanol/water (log Pow):	8.64 (25 °C) The statements are based on the properties of the individual components.	(calculated)
Self-ignition temperature:	Based on its structural properties the product is not classified as self-igniting.	
Thermal decomposition:	No decomposition if stored and handled as prescribed/indicated.	
Viscosity, dynamic:	No applicable information available.	
Viscosity, kinematic:	3.56 - 11.7 mm ² /s (20 °C) The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.	(measured)
Particle size:	The substance / product is marketed or used in a non solid or granular form.	
Solubility in water:	< 1 µg/l (25 °C) The product has not been tested. The statement has been derived from the properties of the individual components.	
Solubility (quantitative):	No applicable information available.	
Solubility (qualitative):	No applicable information available.	
Evaporation rate:	Value can be approximated from Henry's Law Constant or vapor pressure.	

10. Stability and Reactivity

Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Corrosion to metals:

No corrosive effect on metal.

Oxidizing properties:

Based on its structural properties the product is not classified as oxidizing.

Formation of flammable gases:

Remarks:

Forms no flammable gases in the presence of water.

Chemical stability

The product is stable if stored and handled as prescribed/indicated.

Possibility of hazardous reactions

Ignitable air mixtures can form when the product is heated above the flash point and/or when sprayed or atomized.

Polymerization coupled with heat formation.

Safety Data Sheet

Lauryl Methacrylate 1214 F (LMA 1214 F)

Revision date: 2025/01/14

Version: 5.1

Page: 8/13

(30534155/SDS_GEN_US/EN)

Risk of spontaneous polymerization by oxygen depletion of the liquid phase. Risk of spontaneous polymerization when heated or in the presence of UV radiation. Risk of spontaneous and violent self-polymerization if inhibitor is lost or product is exposed to excessive heat.

Reacts with nitric acid. Risk of spontaneous polymerization in the presence of starters for radical chain reactions (e.g. peroxides). Risk of spontaneous polymerization in the presence of oxidizing agents.

Hazardous reactions in presence of mentioned substances to avoid.

The product is stabilized against spontaneous polymerization prior to despatch. The product is stable if stored and handled as prescribed/indicated.

Conditions to avoid

Avoid heat. Avoid oxygen content above the product of less than 5 %. Avoid UV-light and other radiation with high energy. Avoid direct sunlight. Avoid prolonged storage. Avoid inhibitor loss. Avoid excessive temperatures.

Do not blanket with nitrogen.

Incompatible materials

radical formers, free radical initiators, peroxides, oxidizing agents, reducing agents, strong bases, strong acids

Inert gas

Hazardous decomposition products

Decomposition products:

Hazardous decomposition products: No hazardous decomposition products if stored and handled as prescribed/indicated.

Thermal decomposition:

No decomposition if stored and handled as prescribed/indicated.

11. Toxicological information

Primary routes of exposure

Routes of entry for solids and liquids are ingestion and inhalation, but may include eye or skin contact. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquefied gases.

Primary routes of entry

Skin

Eyes

Inhalation.

Ingestion.

Acute Toxicity/Effects

Acute toxicity

Assessment of acute toxicity: Virtually nontoxic after a single ingestion. Of low toxicity after short-term skin contact. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Oral

Type of value: LD50

Species: rat (male/female)

Safety Data Sheet

Lauryl Methacrylate 1214 F (LMA 1214 F)

Revision date: 2025/01/14

Version: 5.1

Page: 9/13

(30534155/SDS_GEN_US/EN)

Value: > 5,000 mg/kg (OECD Guideline 401)

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Inhalation

Study not necessary due to exposure considerations.

Dermal

Type of value: LD50

Species: rabbit

Value: > 3,000 mg/kg (other)

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Assessment other acute effects

Assessment of STOT single:

Based on the available information there is no specific target organ toxicity to be expected after a single exposure. The European Union (EU) has classified the substance as "causing irritation of the respiratory tract"

Irritation / corrosion

Assessment of irritating effects: Not irritating to eyes and skin. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition. The European Union (EU) has classified the substance as "irritating to skin and eyes".

Skin

Species: rabbit

Result: non-irritant

Method: OECD Guideline 404

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Eye

Species: rabbit

Result: non-irritant

Method: OECD Guideline 405

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Sensitization

Assessment of sensitization: Skin sensitizing effects were not observed in animal studies. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Mouse Local Lymph Node Assay (LLNA)

Species: mouse

Result: Non-sensitizing.

Method: OECD Guideline 429

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Aspiration Hazard

No aspiration hazard expected.

Chronic Toxicity/Effects

Safety Data Sheet

Lauryl Methacrylate 1214 F (LMA 1214 F)

Revision date: 2025/01/14

Version: 5.1

Page: 10/13

(30534155/SDS_GEN_US/EN)

Repeated dose toxicity

Assessment of repeated dose toxicity: The information available on the product provides no indication of toxicity on target organs after repeated exposure. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Genetic toxicity

Assessment of mutagenicity: The substance was not mutagenic in bacteria. The substance was not mutagenic in mammalian cell culture. The substance was not mutagenic in a test with mammals. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Carcinogenicity

Assessment of carcinogenicity: No data available concerning carcinogenic effects. The chemical structure does not suggest a specific alert for such an effect.

Reproductive toxicity

Assessment of reproduction toxicity: The results of animal studies gave no indication of a fertility impairing effect. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Teratogenicity

Assessment of teratogenicity: No indications of a developmental toxic / teratogenic effect were seen in animal studies. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

12. Ecological Information

Toxicity

Aquatic toxicity

Assessment of aquatic toxicity:

Harmful to aquatic life with long lasting effects. The inhibition of the degradation activity of activated sludge is not anticipated when introduced to biological treatment plants in appropriate low concentrations.

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Aquatic toxicity

Information on: tetradecanol

Assessment of aquatic toxicity:

Very toxic to aquatic life with long lasting effects.

Information on: dodecan-1-ol

Assessment of aquatic toxicity:

The inhibition of the degradation activity of activated sludge is not anticipated when introduced to biological treatment plants in appropriate low concentrations. Very toxic to aquatic life. Toxic to aquatic life with long lasting effects.

Information on: 2-Propenoic acid, 2-methyl-, decyl ester

Assessment of aquatic toxicity:

There is a high probability that the product is not acutely harmful to aquatic organisms. Very toxic to aquatic organisms based on long-term (chronic) toxicity study data. The inhibition of the degradation

Safety Data Sheet

Lauryl Methacrylate 1214 F (LMA 1214 F)

Revision date: 2025/01/14

Version: 5.1

Page: 11/13

(30534155/SDS_GEN_US/EN)

activity of activated sludge is not anticipated when introduced to biological treatment plants in appropriate low concentrations.

Persistence and degradability

Assessment biodegradation and elimination (H₂O)

Readily biodegradable (according to OECD criteria). The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Elimination information

88.5 % CO₂ formation relative to the theoretical value (28 d) (OECD 301C; ISO 9408; 92/69/EWG, C.4-F) (aerobic, activated sludge)

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Assessment of stability in water

No data available.

Study scientifically not justified.

Bioaccumulative potential

Assessment bioaccumulation potential

Does not accumulate in organisms.

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Bioaccumulation potential

Bioconcentration factor: 37 (56 h), Brachydanio rerio (OECD Guideline 305 E)

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Mobility in soil

Assessment transport between environmental compartments

Study scientifically not justified.

Additional information

Other ecotoxicological advice:

Do not discharge product into the environment without control.

13. Disposal considerations

Waste disposal of substance:

Dispose of in accordance with national, state and local regulations.

Container disposal:

Disposal must be made according to official regulations.

RCRA:

Not a hazardous waste under RCRA (40 CFR 261).

Safety Data Sheet

Lauryl Methacrylate 1214 F (LMA 1214 F)

Revision date: 2025/01/14
Version: 5.1

Page: 12/13
(30534155/SDS_GEN_US/EN)

14. Transport Information

Land transport

USDOT

Not classified as a dangerous good under transport regulations

Sea transport

IMDG

Not classified as a dangerous good under transport regulations

Air transport

IATA/ICAO

Not classified as a dangerous good under transport regulations

15. Regulatory Information

Federal Regulations

Registration status:

Chemical TSCA, US released / listed

EPCRA 311/312 (Hazard categories): Refer to SDS section 2 for GHS hazard classes applicable for this product.

CERCLA RQ

100 LBS

CAS Number

123-31-9

Chemical name

1,4-dihydroxybenzene

NFPA Hazard codes:

Health: 2 Fire: 1 Reactivity: 1 Special: -

HMIS III rating

Health: 2 Flammability: 1 Physical hazard: 1

Assessment of the hazard classes according to UN GHS criteria (most recent version):

Acute Tox.	5 (dermal)	Acute toxicity
Aquatic Acute	3	Hazardous to the aquatic environment - acute
Aquatic Chronic	3	Hazardous to the aquatic environment - chronic

16. Other Information

SDS Prepared by:

BASF NA Product Regulations

SDS Prepared on: 2025/01/14

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in

Safety Data Sheet

Lauryl Methacrylate 1214 F (LMA 1214 F)

Revision date: 2025/01/14

Version: 5.1

Page: 13/13

(30534155/SDS_GEN_US/EN)

a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.

END OF DATA SHEET