

Prolia® FLR-200/70+15%

SECTION 1: Identification

Product identifier

Brandname

Prolia® FLR-200/70+15%

Product name

Relecithinated soy flour

Revision date

02-06-2015

Relevant identified uses of the substance

Ingredient for use in Food

Company identification

Cargill, Incorporated, Cargill Texturizing Solutions

15407 McGinty Road West

Wayzata, MN 55391-2399

US

Non emergency telephone

+1 877 650 7080

Emergency telephone number

Emergency telephone

+1-800-255-3924 / +1-813-248-0585

SECTION 2: Hazards identification

Physical hazards

Not classified.

Health hazards

Not classified.

OSHA defined hazards

Combustible dust

Hazard symbol

None

Signal word

WARNING

Hazard statement

May form combustible dust concentrations in air.

Precautionary statements

Prevention

Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Keep container tightly closed.
Ground/bond container and receiving equipment. Prevent dust accumulation to minimize explosion hazard.

Response

Prolia® FLR-200/70+15%

Wash hands after handling.

Storage

Store away from incompatible materials.

Disposal

Dispose of waste and residues in accordance with local authority requirements.

Hazard(s) not otherwise classified (HNOC)

None known.

Supplemental information

Not applicable.

SECTION 3: Composition/information on ingredients

Product identifiers substances

Chemical name	CAS No
Soy flour	68308-36-1

SECTION 4: First aid measures

Inhalation

Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact

Wash off with soap and water. Get medical attention if irritation develops and persists.

Eye contact

Rinse with water. Get medical attention if irritation develops and persists.

Ingestion

Rinse mouth. Get medical attention if symptoms occur.

Most important symptoms and effects, both acute and delayed

Direct contact with eyes may cause temporary irritation.

Information on medical attendance

Provide general supportive measures and treat symptomatically.

General information

Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

*Prolia® FLR-200/70+15%***SECTION 5: Firefighting measures**

Suitable extinguishing media

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO₂). Apply extinguishing media carefully to avoid creating airborne dust.

Unsuitable extinguishing media

None known.

Specific hazards arising from the chemical

Dust may form explosive mixture with air. Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.

Special protective equipment and precautions for firefighter

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire fighting equipment/instructions

In the event of fire, cool tanks with water spray.

Specific methods

Cool containers exposed to flames with water until well after the fire is out.

General fire hazards

No unusual fire or explosion hazards noted.

SECTION 6: Accidental release measures

Personal precautions

Use only non-sparking tools. Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration.

Wear appropriate personal protective equipment. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained.

Methods for cleaning up

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air). Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Environmental precautions

Avoid discharge into drains, water courses or onto the ground.

SECTION 7: Handling and storage

Prolia® FLR-200/70+15%

Precautions for safe handling

Use with adequate ventilation. Eliminate all sources of ignition. Minimize dust generation and accumulation. Combustible dust clouds may be created where operations produce fine material (dust). Avoid significant deposits of material, especially on horizontal surfaces, which may become airborne and form combustible dust clouds and may contribute to secondary explosions. Handling and processing operations should be conducted in accordance with 'best practices' (e.g. NFPA-654). Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices. Avoid direct contact with eyes.

Conditions for safe storage, including any incompatibilities

Keep away from heat, sparks and open flame. Dry powders can build static electricity charges when subjected to the friction of transfer and mixing operations. Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres. Keep container tightly closed. Store in a cool, dry place out of direct sunlight. Store in a well-ventilated place. Routine housekeeping should be instituted to ensure that dusts do not accumulate on surfaces.

SECTION 8: Exposure controls/personal protection

Occupational exposure limits

OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Type	Value	Form
Dust	PEL	5 mg/m3	Respirable fraction.
		15 mg/m3	Total dust.

Soybean Oil (CAS 8001-22-7)	PEL	5 mg/m3	Respirable fraction.
		15 mg/m3	Total dust.

US. OSHA Table Z-3 (29 CFR 1910.1000)

Components	Type	Value	Form
Dust	TWA	5 mg/m3	Respirable fraction.
		15 mg/m3	Total dust.
		50 mppcf	Total dust.
		15 mppcf	Respirable fraction.

US. ACGIH Theshold Limit Values

Components	Type	Value	Form
Dust	TWA	3 mg/m3	Respirable particles.
		10 mg/m3	Inhalable particles.

US. NIOSH: Pocket Guide to Chemical Hazards

Components	Type	Value	Form
Soybean Oil (CAS 8001-22-7)	TWA	5 mg/m3	Respirable.
		10 mg/m3	Mist.

Biological limit values

No biological exposure limits noted for the ingredient(s).

Appropriate engineering controls

Prolia® FLR-200/70+15%

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. It is recommended that all dust control equipment such as local exhaust ventilation and material transport systems involved in handling of this product contain explosion relief vents or an explosion suppression system or an oxygen-deficient environment. Ensure that dust-handling systems (such as exhaust ducts, dust collectors, vessels, and processing equipment) are designed in a manner to prevent the escape of dust into the work area (i.e., there is no leakage from the equipment). Use only appropriately classified electrical equipment and powered industrial trucks.

Individual protection measures, such as personal protective equipment

Eye/face protection

Wear safety glasses with side shields (or goggles).

Skin protection

Hand protection

Wear suitable gloves.

Other

Wear suitable protective clothing.

Respiratory protection

In case of insufficient ventilation, wear suitable respiratory equipment.

Thermal hazards

Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

Color	Not available.
Odor	Not available.
Odor threshold	Not available.
Physical state	Solid.
pH	Not available.
Melting Point/ freezing point	Not available.
Initial boiling point and boiling range (°C)	Not available.
Flash Point	Not available.
Evaporation rate	Not available.
Flammability (solid, gas)	Not available.

Prolia® FLR-200/70+15%

Flammability limits in air, upper, % by volume	Not available.
Flammability limits in air, lower, % by volume	Not available.
Explosive limit lower	Not available.
Explosive limit upper	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Relative density	Not available.
Solubility in water	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Kst	117 bar.m/s
St class	1
Minimum ignition energy (MIE) - dust cloud	1184 - 1220 °F (640 - 660 °C)

Other information

Minimum explosible concentration (MEC) - 80 - 90 g/m³

SECTION 10: Stability and reactivity

Reactivity

The product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability

Material is stable under normal conditions.

Possibility of hazardous reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid

Keep away from heat, sparks and open flame. Minimize dust generation and accumulation.
Contact with incompatible materials. Humidity.

Incompatible materials

Strong oxidizing agents.

Hazardous decomposition products

Carbon oxides.

SECTION 11: Toxicological information

Information on likely routes of exposure

Prolia® FLR-200/70+15%

Inhalation

No adverse effects due to inhalation are expected.

Skin contact

May cause skin irritation.

Eye contact

May cause eye irritation.

Ingestion

Ingestion may cause irritation and malaise.

Symptoms related to the physical, chemical and toxicological
Irritant effects.

Information on toxicological effects

Acute toxicity

Not available.

Skin corrosion/irritation

Prolonged skin contact may cause temporary irritation.

Serious eye damage/eye irritation

Direct contact with eyes may cause temporary irritation.

Respiratory sensitization

No data available.

Skin sensitization

No data available.

Germ cell mutagenicity

No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.

Carcinogenicity

This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

OSHA Specifically Regulated Substances 29 CFR 1910.1001-1050

Not listed.

Reproductive toxicity

No data available.

Specific target organ toxicity - single exposure

No data available.

Prolia® FLR-200/70+15%

Specific target organ toxicity - repeated exposure

No data available.

Aspiration hazard

No data available.

SECTION 12: Ecological information

Ecotoxicity

Not expected to be harmful to aquatic organisms.

Persistence and degradability

No data is available on the degradability of this product.

Bioaccumulative potential

No data available for this product.

Mobility in soil

No data available.

Other adverse effects

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

SECTION 13: Disposal considerations

Disposal instructions

Collect and reclaim or dispose in sealed containers at licensed waste disposal site. This material and its container must be disposed of as hazardous waste. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazardous waste code

The waste code should be assigned in discussion between the user, the producer and the waste disposal company.

Waste from residues / unused products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).

Contaminated packaging

Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied.

SECTION 14: Transport information

Transport hazard class(es)

DOT	Not regulated as dangerous goods.
IATA	Not regulated as dangerous goods.
IMDG	Not regulated as dangerous goods.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code
Not established.

SECTION 15: Regulatory information

US federal regulations

This product is hazardous according to OSHA 29 CFR 1910.1200 due to the potential for dust explosion.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)
Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)
Not listed.

CERCLA Hazardous Substance List (40 CFR 302.4)
Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories

Immediate Hazard - No
Delayed Hazard - No
Fire Hazard - Yes
Pressure Hazard - No
Reactivity Hazard - No

SARA 302 Extremely hazardous substance
Not listed.

SARA 311/312 Hazardous chemical
No

SARA 313 (TRI reporting)
Not regulated.

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List
Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)
Not regulated.

Safe Drinking Water Act (SDWA)
Not regulated.

Prolia® FLR-200/70+15%

US state regulations

This product does not contain a chemical known to the State of California to cause cancer, birth defects or other reproductive harm.

US. Massachusetts RTK - Substance List
Soybean Oil (CAS 8001-22-7)

US. New Jersey Worker and Community Right-to-Know Act
Not listed.

US. Pennsylvania Worker and Community Right-to-Know Law
Soybean Oil (CAS 8001-22-7)

US. Rhode Island RTK
Not regulated.

US - California Proposition 65 - Carcinogens & Reproductive Toxicity (CRT): Listed substance
Not listed.

Inventory status

Country(s) or region	Inventory name	On inventory
Australia	Australian Inventory of Chemical Substances (AICS)	No
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	No
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	No
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No
United States	Toxic Substances Control Act (TSCA) Inventory	No
Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	No

Remark

*A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s).

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

SECTION 16: Other information



Prolia® FLR-200/70+15%

Revision information

Date of first issue

06-02-2015

Further information

Refer to NFPA 654, Standard for the Prevention of Fire and Dust Explosions from the Manufacturing, Processing, and Handling of Combustible Particulate Solids, for safe handling.

Disclaimer:

The information contained herein is believed to be true and accurate. However, all statements, recommendations or suggestions are made without any guarantee, representation or warranty, express or implied, on our part. Therefore, no warranty is made or to be implied that the information set out in this document is accurate or complete, and we accordingly exclude all liability in connection with the use of this information or the products referred to herein. All such risks are assumed by the purchaser/user. For the avoidance of doubt, however, nothing in this document excludes or limits our liability for death or personal injury caused by our negligence or for fraudulent misrepresentation.