

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard

EASTMAN

Benzoflex(TM) 9-88 SG Plasticizer

Customer PO: 4527509712

Delivery number: 0092521589 / N07

Customer: 0004347976

PRD / SDSUS / Z8 / 0001

Version	Revision Date:	SDS Number:	Date of last issue: 01/10/2022
1.4	07/26/2024	150000071435	Date of first issue: 09/06/2016

SECTION 1. IDENTIFICATION

Product name : Benzoflex(TM) 9-88 SG Plasticizer

Product code : P3260201

Manufacturer or supplier's details

Company name of supplier : Eastman Chemical Company

Address : 200 South Wilcox Drive
Kingsport TN 37660-5147

Telephone : (423) 229-2000

Emergency telephone : CHEMTREC: +1-800-424-9300, +1-703-527-3887 CCN7321

Recommended use of the chemical and restrictions on use

Recommended use : Plasticizer

Restrictions on use : None known.

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Not a hazardous substance or mixture.

GHS label elements

Not a hazardous substance or mixture.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Substance

Components

No hazardous ingredients

Eastman is committed to the safety, health and environment of our employees, our customers, and the communities we operate within. As part of this commitment, Eastman's Safety Data Sheets (SDS) are prepared in accordance with all applicable national and local regulations. The compositions of our documents reflect these requirements which include, but are not limited to, requirements under the

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard

EASTMAN

Benzoflex(TM) 9-88 SG Plasticizer

Customer PO: 4527509712

Delivery number: 0092521589 / N07

Customer: 0004347976

PRD / SDSUS / Z8 / 0001

Version	Revision Date:	SDS Number:	Date of last issue: 01/10/2022
1.4	07/26/2024	150000071435	Date of first issue: 09/06/2016

Globally Harmonized System of Classification and Labeling (GHS). These compositions commonly involve the use of ranges versus specific analytical values. If you require a composition that is more specific, please refer to the Certificate of Analysis, sales specification, or contact your Customer Service Representative.

SECTION 4. FIRST AID MEASURES

If inhaled	:	Move to fresh air. Treat symptomatically. If symptoms persist, call a physician.
In case of skin contact	:	Wash off with soap and water. If symptoms persist, call a physician.
In case of eye contact	:	In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
If swallowed	:	Seek medical advice.
Most important symptoms and effects, both acute and delayed	:	None known.
Notes to physician	:	Treat symptomatically.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	:	Carbon dioxide (CO2) Dry chemical Water spray
Unsuitable extinguishing media	:	Do not use a solid water stream as it may scatter and spread fire. Do NOT use water jet.
Specific hazards during fire fighting	:	None known.
Hazardous combustion products	:	No hazardous combustion products are known
Further information	:	None known.
Special protective equipment for fire-fighters	:	Wear an approved positive pressure self-contained breathing apparatus in addition to standard fire fighting gear.

SECTION 6. ACCIDENTAL RELEASE MEASURES

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard

EASTMAN

Benzoflex(TM) 9-88 SG Plasticizer

Customer PO: 4527509712

Delivery number: 0092521589 / N07

Customer: 0004347976

PRD / SDSUS / Z8 / 0001

Version	Revision Date:	SDS Number:	Date of last issue: 01/10/2022
1.4	07/26/2024	150000071435	Date of first issue: 09/06/2016

Personal precautions, protective equipment and emergency procedures	: Wear appropriate personal protective equipment. Local authorities should be advised if significant spillages cannot be contained.
Environmental precautions	: Avoid release to the environment.
Methods and materials for containment and cleaning up	: Sweep up or vacuum up spillage and collect in suitable container for disposal. Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local / national regulations (see section 13).

SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion	: None known.
Advice on safe handling	: Do not swallow. Wash thoroughly after handling.
Conditions for safe storage	: Keep tightly closed.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

Engineering measures	: Good general ventilation (typically 10 air changes per hour) should be sufficient to control airborne levels.
----------------------	---

Personal protective equipment

Respiratory protection	: Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.
------------------------	---

Hand protection

Remarks	: Wear suitable gloves.
---------	-------------------------

Eye protection	: Safety glasses
----------------	------------------

Skin and body protection	: Any specific clothing information provided is based on published literature and manufacturer data. Body protection suitability and breakthrough time will differ depending on the specific use conditions. Clothing to be considered for this material may include sleeves, aprons, pants depending on the use and likelihood of skin contact.
--------------------------	--

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard

EASTMAN

Benzoflex(TM) 9-88 SG Plasticizer

Customer PO: 4527509712

Delivery number: 0092521589 / N07

Customer: 0004347976

PRD / SDSUS / Z8 / 0001

Version	Revision Date:	SDS Number:	Date of last issue: 01/10/2022
1.4	07/26/2024	150000071435	Date of first issue: 09/06/2016

Please refer to the hand protection section for material type.

Protective measures : Remove respiratory and skin/eye protection only after vapors have been cleared from the area.
Ensure that eye flushing systems and safety showers are located close to the working place.
Use personal protective equipment as required.

Hygiene measures : Handle in accordance with good industrial hygiene and safety practice.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Color : colorless, light yellow

Odor : mild

Odor Threshold : not determined

pH : not determined

Melting point/freezing point : -4 °F / -20 °C

Boiling point/boiling range : 657 °F / 347 °C

Flash point : 360 °F / 182 °C

Method: Seta closed cup

Evaporation rate : not determined

Flammability (solid, gas) : Not applicable

Self-ignition : Not applicable

Upper explosion limit / Upper flammability limit : not determined

Lower explosion limit / Lower flammability limit : not determined

Vapor pressure : <0.00001 torr @ 20°C

Relative vapor density : not determined

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard

EASTMAN

Benzoflex(TM) 9-88 SG Plasticizer

Customer PO: 4527509712

Delivery number: 0092521589 / N07

Customer: 0004347976

PRD / SDSUS / Z8 / 0001

Version	Revision Date:	SDS Number:	Date of last issue: 01/10/2022
1.4	07/26/2024	150000071435	Date of first issue: 09/06/2016

Relative density	:	1.12 (68 °F / 20 °C)
Solubility(ies)	:	
Water solubility	:	negligible
Partition coefficient: n-octanol/water	:	log Pow: 3.9 (68 °F / 20 °C)
Autoignition temperature	:	not determined
Decomposition temperature	:	Thermal stability not tested. Low stability hazard expected at normal operating temperatures.
Viscosity	:	
Viscosity, dynamic	:	111 mPa.s (68 °F / 20 °C)
Viscosity, kinematic	:	105 mm ² /s (77 °F / 25 °C)
Explosive properties	:	Not classified

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	None reasonably foreseeable.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	Stable None known.
Conditions to avoid	:	None known.
Incompatible materials	:	Strong oxidizing agents
Hazardous decomposition products	:	Carbon dioxide (CO ₂) Carbon monoxide

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity :

Remarks: May be harmful if swallowed.

Acute inhalation toxicity : Remarks: No significant adverse effects were reported

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard

EASTMAN

Benzoflex(TM) 9-88 SG Plasticizer

Customer PO: 4527509712

Delivery number: 0092521589 / N07

Customer: 0004347976

PRD / SDSUS / Z8 / 0001

Version	Revision Date:	SDS Number:	Date of last issue: 01/10/2022
1.4	07/26/2024	150000071435	Date of first issue: 09/06/2016

Acute dermal toxicity : Remarks: No significant adverse effects were reported

Skin corrosion/irritation

Not classified based on available information.

Serious eye damage/eye irritation

Not classified based on available information.

Respiratory or skin sensitization

Skin sensitization

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

IARC No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

Not classified based on available information.

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

Product:

No aspiration toxicity classification

Further information

Product:

Remarks : None known.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard

EASTMAN

Benzoflex(TM) 9-88 SG Plasticizer

Customer PO: 4527509712

Delivery number: 0092521589 / N07

Customer: 0004347976

PRD / SDSUS / Z8 / 0001

Version	Revision Date:	SDS Number:	Date of last issue: 01/10/2022
1.4	07/26/2024	150000071435	Date of first issue: 09/06/2016

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

No data available

Persistence and degradability

No data available

Bioaccumulative potential

No data available

Mobility in soil

No data available

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Dispose of in accordance with local regulations.

SECTION 14. TRANSPORT INFORMATION

International Regulations

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

49 CFR

Not regulated as a dangerous good

Special precautions for user

Not applicable

SECTION 15. REGULATORY INFORMATION

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard

EASTMAN

Benzoflex(TM) 9-88 SG Plasticizer

Customer PO: 4527509712

Delivery number: 0092521589 / N07

Customer: 0004347976

PRD / SDSUS / Z8 / 0001

Version	Revision Date:	SDS Number:	Date of last issue: 01/10/2022
1.4	07/26/2024	150000071435	Date of first issue: 09/06/2016

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : No SARA Hazards

SARA 313 : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

California Prop. 65

This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

The ingredients of this product are reported in the following inventories:

TCSI	: On the inventory, or in compliance with the inventory
TSCA	: All substances listed as active on the TSCA inventory
AIIC	: On the inventory, or in compliance with the inventory
DSL	: All components of this product are on the Canadian DSL
KECI	: On the inventory, or in compliance with the inventory
PICCS	: On the inventory, or in compliance with the inventory
IECSC	: On the inventory, or in compliance with the inventory

TSCA list

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

SECTION 16. OTHER INFORMATION

Further information

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard

EASTMAN

Benzoflex(TM) 9-88 SG Plasticizer

Customer PO: 4527509712

Delivery number: 0092521589 / N07

Customer: 0004347976

PRD / SDSUS / Z8 / 0001


Version
1.4

Revision Date:
07/26/2024

SDS Number:
150000071435

Date of last issue: 01/10/2022
Date of first issue: 09/06/2016

NFPA 704:



HMIS® IV:

HEALTH	/	1
FLAMMABILITY		1
PHYSICAL HAZARD		0

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard

EASTMAN

Benzoflex(TM) 9-88 SG Plasticizer

Customer PO: 4527509712

Delivery number: 0092521589 / N07

Customer: 0004347976

PRD / SDSUS / Z8 / 0001

Version	Revision Date:	SDS Number:	Date of last issue: 01/10/2022
1.4	07/26/2024	150000071435	Date of first issue: 09/06/2016

Inventory; TECl - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Revision Date : 07/26/2024

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / Z8