

RHODASURF LA 799

Revision Date 06/06/2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1 Product identifier**

- Trade name RHODASURF LA 799

1.2 Relevant identified uses of the substance or mixture and uses advised against**Uses of the Substance / Mixture**

- Emulsifier

1.3 Details of the supplier of the safety data sheet**Company**

Solvay USA Inc.,
NOVECARE
504 Carnegie Center
Princeton, NJ, 08540, US
Telephone Number: 800-973-7873

1.4 Emergency telephone

FOR EMERGENCIES INVOLVING A SPILL, LEAK, FIRE, EXPOSURE OR ACCIDENT, CONTACT CHEMTREC (24-Hour Number): +1-800-424-9300 within the United States and Canada, or +1-703-527-3887 for international collect calls.

SECTION 2: Hazards identification

Although OSHA has not adopted the environmental portion of the GHS regulations, this document may include information on environmental effects.

2.1 Classification of the substance or mixture**HCS 2012 (29 CFR 1910.1200)**

Acute toxicity, Category 4
Serious eye damage, Category 1

H302: Harmful if swallowed.
H318: Causes serious eye damage.

2.2 Label elements**HCS 2012 (29 CFR 1910.1200)****Pictogram****Signal Word**

- Danger

Hazard Statements

- H302 Harmful if swallowed.
- H318 Causes serious eye damage.

Precautionary Statements

RHODASURF LA 799

Revision Date 06/06/2023

Prevention

- P264
- P270
- P280

Wash skin thoroughly after handling.
Do not eat, drink or smoke when using this product.
Wear eye protection/ face protection.

Response

- P301 + P312 + P330
- P305 + P351 + P338 + P310

IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Rinse mouth.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.

Disposal

- P501

Dispose of contents/ container to an approved waste disposal plant.

2.3 Other hazards which do not result in classification

- H401: Toxic to aquatic life.
- H412: Harmful to aquatic life with long lasting effects.

SECTION 3: Composition/information on ingredients**3.1 Substance**

- Not applicable, this product is a mixture.

3.2 Mixture**Hazardous Ingredients and Impurities**

Chemical name	Identification number CAS-No.	Concentration [%]
Alcohols, C12-15, ethoxylated	68131-39-5	>= 40 - < 50
Alcohols, C12-15, ethoxylated	68131-39-5	>= 40 - < 50

The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

SECTION 4: First aid measures**4.1 Description of first-aid measures****General advice**

- First responder needs to protect himself.
- Show this material safety data sheet to the doctor in attendance.
- Place affected apparel in a sealed bag for subsequent decontamination.
- When symptoms persist or in all cases of doubt seek medical advice.

In case of inhalation

- Move to fresh air.
- Keep at rest.
- Consult a physician if necessary.

In case of skin contact

- Take off contaminated clothing and shoes immediately.
- Wash off immediately with soap and plenty of water.
- Use a mild soap if available.
- Consult a physician.

PRCO90101746

Version : 1.00 / US (Z8)

www.solvay.com



In case of eye contact

- Rinse immediately with plenty of water, also under the eyelids.
- Take victim immediately to hospital.
- Continue rinsing eyes during transport to hospital.

In case of ingestion

- Do not induce vomiting without medical advice.
- Rinse mouth with water.
- Do not give anything to drink.
- Keep at rest.
- Consult a physician if necessary.
- If a large amount is swallowed, get medical attention.

4.2 Most important symptoms and effects, both acute and delayed

- no data available

4.3 Indication of any immediate medical attention and special treatment needed**Notes to physician**

- All treatments should be based on observed signs and symptoms of distress in the patient. Consideration should be given to the possibility that overexposure to materials other than this product may have occurred.

SECTION 5: Firefighting measures**Flash point**

>212 °F (100 °C)
Method: closed cup

Flammability class: Will burn

Autoignition temperature

No data available

Flammability / Explosive limit

No data available

5.1 Extinguishing media**Suitable extinguishing media**

- Extinguishing media - small fires
- Water spray
- Multipurpose powders
- Carbon dioxide (CO₂)
- Alcohol Resistant Aqueous Film Forming Foam (AR-AFFF)
- Extinguishing media - large fires
- Water spray
- Multipurpose powders
- Alcohol Resistant Aqueous Film Forming Foam (AR-AFFF)

Unsuitable extinguishing media

- Do not use a solid water stream as it may scatter and spread fire.

5.2 Special hazards arising from the substance or mixture**Specific hazards during fire fighting**

- The pressure in sealed containers can increase under the influence of heat.
- Combustible. However, does not present any particular risk in the event of a fire.
- Hazardous decomposition products formed under fire conditions.
(following evaporation of water)
- High concentrations of toxic or harmful products may remain in the residual liquid once the fire has been extinguished.

Hazardous combustion products:

- Carbon monoxide, carbon dioxide and unburned hydrocarbons (smoke).

5.3 Advice for firefighters**Special protective equipment for fire-fighters**

- Firefighters should wear NIOSH/MSHA approved self-contained breathing apparatus and full protective clothing.
- Personal protective equipment comprising: suitable protective gloves, safety goggles and protective clothing

Specific fire fighting methods

- Stay upwind.
- Fight fire with normal precautions from a reasonable distance.
- Do not use a solid water stream as it may scatter and spread fire.
- Cool down the containers / equipment exposed to heat with a water spray. Ensure that there is NO direct contact between the water and the product.
- Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Further information

- Evacuate personnel to safe areas.
- Intervention only by capable personnel who are trained and aware of the hazards of the product.
- Never approach containers which have been exposed to fire, without cooling them sufficiently.
- Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
- Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures**6.1 Personal precautions, protective equipment and emergency procedures**

- Avoid inhalation, ingestion and contact with skin and eyes.
- Wear chemical resistant personal protective equipment
- Wear suitable gloves.
- Wear suitable protective clothing.
- Wear as appropriate:
 - Face-shield
 - Tightly fitting safety goggles
- In the case of dust or aerosol formation use respirator with an approved filter.
- In the case of vapor formation use a respirator with an approved filter.
- Stop leak if safe to do so.

- For further information refer to section 8 "Exposure controls / personal protection."

6.2 Environmental precautions

- Take all necessary measures to avoid accidental discharge of products into drains and waterways due to the rupture of containers or transfer systems.
- Prevent further leakage or spillage if safe to do so.
- Contain the spilled material by diking.
- The product should not be allowed to enter drains, water courses or the soil.
- Spills may be reportable to the National Response Center (800-424-8802) and to state and/or local agencies

6.3 Methods and materials for containment and cleaning up

- Stop leak if safe to do so.
- Dam up with sand or inert earth (do not use combustible materials).
- Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder).
- Shovel or sweep up.
- Keep in suitable, closed containers for disposal.
- Never return spills in original containers for re-use.
- Wash nonrecoverable remainder with large amounts of water.
- Clean contaminated surface thoroughly.
- Recover the cleaning water for subsequent disposal.
- Decontaminate tools, equipment and personal protective equipment in a segregated area.
- Dispose of in accordance with local regulations.

Additional advice

- Material can create slippery conditions.

6.4 Reference to other sections

- 7. HANDLING AND STORAGE
- 8. EXPOSURE CONTROLS/PERSONAL PROTECTION
- 13. DISPOSAL CONSIDERATIONS

SECTION 7: Handling and storage

7.1 Precautions for safe handling

- Handle in accordance with good industrial hygiene and safety practice.
- Wear personal protective equipment.
- Wear suitable protective clothing.
- Avoid inhalation, ingestion and contact with skin and eyes.
- Avoid splashes.
- Avoid formation of aerosol.
- Ethylene oxide may collect in container head space.
- Provide adequate ventilation.

- For personal protection see section 8.

Hygiene measures

- Personal hygiene is an important work practice exposure control measure and the following general measures should be taken when working with or handling this materials:
 - 1) Do not store, use, and/or consume foods, beverages, tobacco products, or cosmetics in areas where this material is stored.
 - 2) Wash hands and face carefully before eating, drinking, using tobacco, applying cosmetics, or using the toilet.
 - 3) Wash exposed skin promptly to remove accidental splashes or contact with material.
- The user is responsible for monitoring the working environment in accordance with local laws and regulations.

7.2 Conditions for safe storage, including any incompatibilities**Technical measures/Storage conditions**

- Take all necessary measures to avoid accidental discharge of products into drains and waterways due to the rupture of containers or transfer systems.
- Keep containers tightly closed in a dry, cool and well-ventilated place.
- Keep away from open flames, hot surfaces and sources of ignition.
- Keep away from incompatible materials to be indicated by the manufacturer
- Keep away from: Hazardous reactions may occur on contact with certain chemicals. (Refer to the list of incompatible materials section 10: "Stability-Reactivity").

Packaging material**Suitable material**

- Plastic materials.
- Coated metals.
- Stainless steel

7.3 Specific end use(s)

- no data available

SECTION 8: Exposure controls/personal protection

Introductory Remarks: These recommendations provide general guidance for handling this product. Because specific work environments and material handling practices vary, safety procedures should be developed for each intended application. Assistance with selection, use and maintenance of worker protection equipment is generally available from equipment manufacturers.

8.1 Control parameters

- Contains no substances with occupational exposure limit values.

8.2 Exposure controls

Control measures

Engineering measures

- Where engineering controls are indicated by use conditions or a potential for excessive exposure exists, the following traditional exposure control techniques may be used to effectively minimize employee exposures :
- Effective exhaust ventilation system
- Ensure adequate ventilation.
- Extract at emission point.
- Ensure that extracted air cannot be returned to the workplace through the ventilation system.
- Avoid splashes.
- Avoid formation of aerosol.

Individual protection measures

Respiratory protection

- This should be achieved by a good general extraction and -if practically feasible- by the use of a local exhaust ventilation.
- When respirators are required, select NIOSH/MSHA approved equipment based on actual or potential airborne concentrations and in accordance with the appropriate regulatory standards and/or industrial recommendations.
- Use a respirator with an approved filter if a risk assessment indicates this is necessary.

Hand protection

- Where there is a risk of contact with hands, use appropriate gloves
- Gloves must be inspected prior to use.
- Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time.
- Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.

Suitable material

- Neoprene
- Nitrile rubber
- butyl-rubber

Eye protection

- Eye and face protection requirements will vary dependent upon work environment conditions and material handling practices. Appropriate ANSI Z87 approved equipment should be selected for the particular use intended for this material.
- Eye contact should be prevented through the use of:
 - Tightly fitting safety goggles
 - Face-shield

Skin and body protection

- Full protective suit
- Footwear protecting against chemicals
- Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Hygiene measures

- Personal hygiene is an important work practice exposure control measure and the following general measures should be taken when working with or handling this materials:

RHODASURF LA 799

Revision Date 06/06/2023

- 1) Do not store, use, and/or consume foods, beverages, tobacco products, or cosmetics in areas where this material is stored.
- 2) Wash hands and face carefully before eating, drinking, using tobacco, applying cosmetics, or using the toilet.
- 3) Wash exposed skin promptly to remove accidental splashes or contact with material.
- The user is responsible for monitoring the working environment in accordance with local laws and regulations.

Protective measures

- Emergency equipment immediately accessible, with instructions for use.
- Ensure that eyewash stations and safety showers are close to the workstation location.
- Selection of appropriate personal protective equipment should be based on an evaluation of the performance characteristics of the protective equipment relative to the task(s) to be performed, conditions present, duration of use, and the potential hazards, and/or risks that may occur during use.
- The protective equipment must be selected in accordance with current local regulations and in cooperation with the supplier of the protective equipment.

SECTION 9: Physical and chemical properties

Physical and Chemical properties here represent typical properties of this product. Contact the business area using the Product information phone number in Section 1 for its exact specifications.

9.1 Information on basic physical and chemical properties

<u>Physical state</u>	liquid (68 °F (20 °C))
<u>Form</u>	liquid
<u>Color</u>	clear
<u>Odor</u>	slight
<u>Odor Threshold</u>	No data available
<u>Melting point/freezing point</u>	No data available
<u>Initial boiling point and boiling range</u>	<u>Boiling point/boiling range:</u> > 500 °F (260 °C) (759.81 mmHg (1,013 hPa))
<u>Flammability (solid, gas)</u>	No data available
<u>Flammability (liquids)</u>	No data available
<u>Flammability / Explosive limit</u>	No data available
<u>Flash point</u>	> 212 °F (100 °C) Method: closed cup Flammability class: Will burn
<u>Autoignition temperature</u>	No data available
<u>Decomposition temperature</u>	No data available
<u>pH</u>	4.0 - 9.0 (100 g/l)
<u>Viscosity</u>	No data available
<u>Solubility</u>	<u>Water solubility:</u> soluble

<u>Partition coefficient: n-octanol/water</u>	No data available
<u>Vapor pressure</u>	No data available
<u>Density</u>	1 g/cm ³ (68 °F (20 °C))
<u>Relative density</u>	No data available
<u>Relative vapor density</u>	No data available
<u>Particle characteristics</u>	No data available
<u>Evaporation rate (Butylacetate = 1)</u>	No data available

9.2 Other information

<u>Oxidizing properties</u>	Not considered as oxidizing., Structure-activity relationship (SAR)
------------------------------------	---

SECTION 10: Stability and reactivity

10.1 Reactivity

- Stable at normal ambient temperature and pressure.

10.2 Chemical stability

- Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

- No dangerous reaction known under conditions of normal use.
- Hazardous polymerization does not occur.

10.4 Conditions to avoid

- Keep away from open flames, hot surfaces and sources of ignition.
- Avoid excessive heat for prolonged periods of time.

10.5 Incompatible materials

- Strong oxidizing agents

10.6 Hazardous decomposition products

- On combustion or on thermal decomposition (pyrolysis), releases:
- Carbon monoxide, carbon dioxide and unburned hydrocarbons (smoke).

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Acute oral toxicity

Alcohols, C12-15, ethoxylated

This product is classified as acute toxicity category 4

RHODASURF LA 799

Revision Date 06/06/2023

LD50: 1,700 mg/kg - Rat , male and female
Method: OECD Test Guideline 401
Published data
CESIO

Alcohols, C12-15, ethoxylated

LD50 : 1,610 mg/kg - Rat , male and female
Method: OECD Test Guideline 401
This product is classified as acute toxicity category 4
CESIO
Harmful if swallowed.
Published data

Acute inhalation toxicity

No data available

Acute dermal toxicity

Alcohols, C12-15, ethoxylated

The product has a low acute toxicity

LD50 : 2,300 mg/kg - Rabbit
Published data

LD50 : > 2,000 mg/kg - Rat
Published data

Alcohols, C12-15, ethoxylated

LD50 : 2,500 mg/kg - Rabbit
The product has a low acute toxicity
Published data

Acute toxicity (other routes of administration)

No data available

Skin corrosion/irritation

Alcohols, C12-15, ethoxylated

No skin irritation
category approach

Alcohols, C12-15, ethoxylated

4 h
No skin irritation

Serious eye damage/eye irritation

Alcohols, C12-15, ethoxylated

Risk of serious damage to eyes.
category approach

Alcohols, C12-15, ethoxylated

Rabbit
Risk of serious damage to eyes.
Severe eye irritation
Published data

Respiratory or skin sensitization

Alcohols, C12-15, ethoxylated

Does not cause skin sensitization.
category approach
Published data

Alcohols, C12-15, ethoxylated

Does not cause skin sensitization.
category approach
Published data

Mutagenicity

PRCO90101746

Version : 1.00 / US (Z8)

www.solvay.com



RHODASURF LA 799

Revision Date 06/06/2023

Genotoxicity in vitro

Alcohols, C12-15, ethoxylated

In vitro tests did not show mutagenic effects
category approach

Alcohols, C12-15, ethoxylated

In vitro tests did not show mutagenic effects
category approach**Genotoxicity in vivo**

Alcohols, C12-15, ethoxylated

In vivo tests did not show mutagenic effects
category approach

Alcohols, C12-15, ethoxylated

In vivo tests did not show mutagenic effects
category approach**Carcinogenicity**

No data available

This product does not contain any ingredient designated as probable or suspected human carcinogens by:

NTP
IARC
OSHA**Toxicity for reproduction and development****Toxicity to reproduction / fertility**

No data available

Developmental Toxicity/Teratogenicity

No data available

STOT**STOT-single exposure**

Alcohols, C12-15, ethoxylated

The substance or mixture is not classified as specific target organ toxicant, single exposure according to GHS criteria.
internal evaluation, category approach

Alcohols, C12-15, ethoxylated

The substance or mixture is not classified as specific target organ toxicant, single exposure according to GHS criteria.
internal evaluation, category approach**STOT-repeated exposure**

Alcohols, C12-15, ethoxylated

The substance or mixture is not classified as specific target organ toxicant, repeated exposure according to GHS criteria.
internal evaluation, category approach

The substance or mixture is not classified as specific target organ toxicant, repeated exposure according to GHS criteria.

Alcohols, C12-15, ethoxylated

The substance or mixture is not classified as specific target organ toxicant, repeated exposure according to GHS criteria.
internal evaluation, category approach

Alcohols, C12-15, ethoxylated

Oral - Rat
NOAEL: 102 mg / kg / day
Published data**Experience with human exposure**

No data available

Aspiration toxicity

No data available

SECTION 12: Ecological information**12.1 Toxicity****Aquatic Compartment****Acute toxicity to fish**

Alcohols, C12-15, ethoxylated

LC50 - 96 h : 1.1 mg/l - *Oncorhynchus mykiss* (rainbow trout)

Method: OECD Test Guideline 203

Toxic to fish.

Fresh water

CESIO

mortality

LC50 - 96 h : 1 - 2 mg/l - *Brachydanio rerio* (zebrafish)

Toxic to fish.

Fresh water

Published data

mortality

Alcohols, C12-15, ethoxylated

LC50 - 96 h : 1.6 mg/l - *Pimephales promelas* (fathead minnow)

End point: mortality

static test

Method: OECD Test Guideline 203

Fresh water

Published data

CESIO

LC50 - 96 h : 2.1 mg/l - *Lepomis macrochirus* (Bluegill sunfish)

End point: mortality

static test

Fresh water

Published data

LC50 - 96 h : 1.2 mg/l - *Ictalurus punctatus* (channel catfish)

End point: mortality

Fresh water

Published data

LC50 - 96 h : 2.8 mg/l - Fishes, *Salmo gairdneri*

End point: mortality

Method: OECD Test Guideline 203

Fresh water

Published data

Toxic to fish.

Acute toxicity to daphnia and other aquatic invertebrates

Alcohols, C12-15, ethoxylated

EC50 - 48 h : 1 - 2 mg/l - *Daphnia magna* (Water flea)

Toxic to aquatic invertebrates.

Fresh water

Published data

RHODASURF LA 799

Revision Date 06/06/2023

EC50 - 48 h : 4.3 mg/l - Daphnia magna (Water flea)
 Method: OECD Test Guideline 202
 Toxic to aquatic invertebrates.
 Fresh water
 Published data
 CESIO

EC50 - 48 h : 1 - 2 mg/l - Daphnia magna (Water flea)
 Published data

EC50 - 48 h : 4.3 mg/l - Daphnia magna (Water flea)
 Method: OECD Test Guideline 202
 Published data

EC50 - 48 h : 0.4 mg/l - Daphnia magna (Water flea)
 Published data

Alcohols, C12-15, ethoxylated

EC50 - 48 h : 1.3 mg/l - Daphnia magna (Water flea)
 Method: OECD Test Guideline 202
 Fresh water
 Published data
 CESIO

EC50 - 48 h : 3.5 mg/l - Daphnia magna (Water flea)
 Method: OECD Test Guideline 202
 Fresh water
 CESIO

Toxic to aquatic invertebrates.

Toxicity to aquatic plants

Alcohols, C12-15, ethoxylated

EC50 - 96 h : 2.9 mg/l - Algae : Pseudokirchneriella subcapitata (Selenastrum capricornutum)
 Method: OECD Test Guideline 201
 Toxic to algae.
 Fresh water
 CESIO

Alcohols, C12-15, ethoxylated

EC50 - 96 h : 0.7 mg/l - Scenedesmus capricornutum (fresh water algae)
 Method: OECD Test Guideline 201
 Published data

EC50 - 96 h : 0.7 mg/l - Scenedesmus capricornutum (fresh water algae)
 Published data

ErC50 - 96 h : 0.7 mg/l - Scenedesmus capricornutum (fresh water algae)
 Cell multiplication inhibition test
 Method: OECD Test Guideline 201
 Published data

Toxicity to microorganisms

No data available

Chronic toxicity to fish

No data available

Chronic toxicity to daphnia and other aquatic invertebrates

Alcohols, C12-15, ethoxylated

EC10: 0.167 mg/l - Daphnia magna (Water flea)
 Reproduction Test
 Published data

Harmful to aquatic invertebrates with long lasting effects.

12.2 Persistence and degradability

Abiotic degradation

No data available

Physical- and photo-chemical elimination

No data available

Biodegradation

Biodegradability

Alcohols, C12-15, ethoxylated

The substance fulfills the criteria for ultimate aerobic biodegradability and ready biodegradability

Biochemical Oxygen Demand (BOD)

92 %

Readily biodegradable.

Theoretical oxygen demand

Ready biodegradability study:

82 % - 28 Days

Readily biodegradable.

Theoretical carbon dioxide production

Published data

Ready biodegradability study:

97 % - 28 Days

Readily biodegradable.

Dissolved organic carbon (DOC)

Published data

CESIO

Alcohols, C12-15, ethoxylated

The substance fulfills the criteria for ultimate aerobic biodegradability and ready biodegradability

Ready biodegradability study:

Method: OECD Test Guideline 301 B

64 - 79 % - 28 Days

Readily biodegradable.

CO₂ evolution test

Published data

Ready biodegradability study:

Method: according to a standardized method

78 % - 28 Days

Readily biodegradable.

CO₂ evolution test

Published data

Ready biodegradability study:

Method: OECD Test Guideline 301 F

74 % - 28 Days

Readily biodegradable.

Published data

12.3 Bioaccumulative potential

PRCO90101746

Version : 1.00 / US (Z8)

www.solvay.com



RHODASURF LA 799

Revision Date 06/06/2023

Partition coefficient: n-octanol/water No data available

Bioconcentration factor (BCF) No data available

12.4 Mobility in soil

Adsorption potential (Koc) No data available

Known distribution to environmental compartments No data available

12.5 Results of PBT and vPvB assessment

Alcohols, C12-15, ethoxylated This substance is not considered to be persistent, bioaccumulating, and toxic (PBT).
This substance is not considered to be very persistent and very bioaccumulating (vPvB).

Alcohols, C12-15, ethoxylated This substance is not considered to be persistent, bioaccumulating, and toxic (PBT).
This substance is not considered to be very persistent and very bioaccumulating (vPvB).

12.6 Other adverse effects

Ecotoxicity assessment

Short-term (acute) aquatic hazard

Alcohols, C12-15, ethoxylated Toxic to aquatic life.
category approach

Alcohols, C12-15, ethoxylated Toxic to aquatic life.
category approach

Long-term (chronic) aquatic hazard

Alcohols, C12-15, ethoxylated Harmful to aquatic life with long lasting effects.
category approach

Alcohols, C12-15, ethoxylated Harmful to aquatic life with long lasting effects.
category approach

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product Disposal

Prohibition

- Do not discharge directly into the environment.
- Dispose of in accordance with local regulations.
- Chemical additions, processing or otherwise altering this material may make the waste management information presented in this SDS incomplete, inaccurate or otherwise inappropriate. Please be advised that state and local requirements for waste disposal may be more restrictive or otherwise different from federal laws and regulations. Consult state and local regulations regarding the proper disposal of this material.

Waste Code

- Environmental Protection Agency
- Hazardous Waste – NO

PRCO90101746

Version : 1.00 / US (Z8)

www.solvay.com



Advice on cleaning and disposal of packaging**Prohibition**

- Do NOT dispose of untreated packaging with industrial waste.
- Do not dispose of with domestic refuse.
- Empty remaining contents.
- Clean using steam.
- Monitor the residual vapors.
- Dispose of rinse water in accordance with local and national regulations.
- Containers that cannot be cleaned must be treated as waste.
- Dispose of contents/ container to an approved waste disposal plant.
- Dispose of in accordance with local regulations.
- Where possible recycling is preferred to disposal or incineration.
- The recycled material must be completely dry and free of pollutants.

SECTION 14: Transport information**49 CFR**

not regulated

TDG

not regulated

NOM

not regulated

IMDG

not regulated

IATA

not regulated

Note: The above regulatory prescriptions are those valid on the date of publication of this sheet. Given the possible evolution of transportation regulations for hazardous materials, it would be advisable to check their validity with your sales office.

SECTION 15: Regulatory information**15.1 Notification status**

Inventory Information	Status
United States TSCA Inventory	- All substances listed as active on the TSCA inventory
Canadian Domestic Substances List (DSL)	- Listed on Inventory
Australian Inventory of Industrial Chemicals (AIIC)	- Listed on Inventory
Japan. CSCL - Inventory of Existing and New Chemical Substances	- Listed on Inventory

PRCO90101746

Version : 1.00 / US (Z8)

www.solvay.com



RHODASURF LA 799

Revision Date 06/06/2023

Korea. Korean Existing Chemicals Inventory (KECI)	- Listed on Inventory
China. Inventory of Existing Chemical Substances in China (IECSC)	- Listed on Inventory
Philippines Inventory of Chemicals and Chemical Substances (PICCS)	- Listed on Inventory
Taiwan Chemical Substance Inventory (TCSI)	- Listed on Inventory
New Zealand. Inventory of Chemical Substances	- One or more components is not listed on the NZIoC inventory. Additional HSNO obligations may apply. Please refer to Section 15 of SDS for New Zealand.
EU. European Registration, Evaluation, Authorization and Restriction of Chemical (REACH)	- When purchased from a Solvay legal entity based in the EEA ("European Economic Area"), this product is compliant with the registration provisions of the REACH Regulation (EC) No. 1907/2006 as all its components are either excluded, exempt, and/or registered. When purchased from a legal entity outside of the EEA, please contact your local representative for additional information.
Korea. Act on Registration and Evaluation of Chemicals	- When purchased from a Solvay legal entity based in Korea, this product is compliant with "Act on Registration and Evaluation of Chemicals" (AREC or K-REACH, Article 10) as all its components are either excluded, exempt, and/or (pre)registered. When purchased from a legal entity outside of Korea, please contact your local representative for additional information.

15.2 Federal Regulations

US. EPA EPCRA SARA Title III**SARA HAZARD DESIGNATION SECTIONS 311/312 (40 CFR 370)**

Acute toxicity (any route of exposure)	Yes
Serious eye damage or eye irritation	Yes

The categories not mentioned are not relevant for the product.

Section 313 Toxic Chemicals (40 CFR 372.65)

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Section 302 Emergency Planning Extremely Hazardous Substance Threshold Planning Quantity (40 CFR 355)

This material does not contain any components with a section 302 EHS TPQ.

Section 302 Emergency Planning Extremely Hazardous Substance Reportable Quantity (40 CFR 355)

Components	CAS-No.	Reportable quantity
Oxirane	75-21-8	10 lb

PRCO90101746

Version : 1.00 / US (Z8)

www.solvay.com



RHODASURF LA 799

Revision Date 06/06/2023

Section 304 Emergency Release Notification Reportable Quantity (40 CFR 355)

Components	CAS-No.	Reportable quantity
Oxirane	75-21-8	10 lb

US. EPA CERCLA Hazardous Substances and Reportable Quantities (40 CFR 302.4)

Components	CAS-No.	Reportable quantity
Oxirane	75-21-8	10 lb
1,4-Dioxane	123-91-1	100 lb

15.3 State Regulations**US. California Safe Drinking Water & Toxic Enforcement Act (Proposition 65)**

This product can expose you to chemicals including Oxirane (CAS # 75-21-8), 1,4-Dioxane (CAS # 123-91-1), which is/are known to the State of California to cause cancer, and

This product can expose you to chemicals including Oxirane (CAS # 75-21-8), which is/are known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

SECTION 16: Other information**NFPA (National Fire Protection Association) - Classification**

Health	2 moderate
Flammability	1 slight
Instability or Reactivity	0 minimal

HMIS (Hazardous Materials Identification System (Paint & Coating)) - Classification

Health	2 moderate
Flammability	1 slight
Reactivity	0 minimal
PPE	Determined by User; dependent on local conditions

Further information

- Distribute new edition to clients

Date Prepared: 06/06/2023

Key or legend to abbreviations and acronyms used in the safety data sheet

- ACGIH: American Conference of Governmental Industrial Hygienists
- OSHA: Occupational Safety and Health Administration
- NTP: National Toxicology Program
- IARC: International Agency for Research on Cancer
- NIOSH: National Institute for Occupational Safety and Health
- ADR: European Agreement on International Carriage of Dangerous Goods by Road.
- ADN: European Agreement on the International Carriage of Dangerous Goods by Inland Waterways.
- RID: European Agreement concerning the International Carriage of Dangerous Goods by Rail.
- IATA: International Air Transport Association.
- ICAO-TI: Technical Specification for Safe Transport of Dangerous Goods by Air.
- IMDG: International Maritime Dangerous Goods.
- TWA: Time weighted average
- ATE: Estimated value of acute toxicity

PRCO90101746

Version : 1.00 / US (Z8)

www.solvay.com



RHODASURF LA 799

Revision Date 06/06/2023

- EC:	European Community number
- CAS:	Chemical Abstracts Service.
- LD50:	Substance that causes 50% (half) death in the test animals group (Median Fatal Dose).
- LC50:	Substance concentration causing 50% (half) death in the test animals group.
- EC50:	Effective Concentration of the substance causing the maximum of 50%.
- PBT:	Persistent, Bioaccumulative and Toxic substance.
- vPvB:	Very Persistent and Very Bioaccumulative.
- SEA:	Classification, labeling, packaging regulation
- DNEL:	Derived No Effect Level
- PNEC:	Predicted No Effect Concentration
- STOT:	Specific Target Organ Toxicity

Not all acronyms listed above are referenced in this SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information, and belief at the date of its publication. Such information is only given as a guidance to help the user handle, use, process, store, transport, dispose, and release the product in satisfactory safety conditions and is not to be considered as a warranty or quality specification. It should be used in conjunction with technical sheets but do not replace them. Thus, the information only relates to the designated specific product and may not be applicable if such product is used in combination with other materials or in any other manufacturing process, unless otherwise specifically indicated. It does not release the user from ensuring he is in conformity with all regulations linked to its activity.