

REGU®-FADE**5015131**

Version 2.2

Revision Date 02/20/2023

Date of last issue: 04/24/2018

SECTION 1. IDENTIFICATION

Product name : REGU®-FADE
Substance name : 1,3-Benzenediol, 5-(2-(4-hydroxyphenyl)ethenyl)-, (E)-

Manufacturer or supplier's details

Company name of supplier : DSM Nutritional Products LLC
Address : 250 Plainsboro Rd
Plainsboro NJ 08536
Telephone : (609) 452-1000
E-mail address of person responsible for the SDS : sds.nutritionalproducts@dsm.com

Recommended use of the chemical and restrictions on use

Recommended use : Ingredient for personal care products

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Combustible dust

GHS label elements

Signal word : Warning
Hazard statements : May form combustible dust concentrations in air.

Other hazards

Risk of dust explosion.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Synonyms : Trans-resveratrol
5-[(1E)-2-(4-Hydroxyphenyl) ethenyl]-1,3-benzenediol
Molecular formula : C₁₄H₁₂O₃
Brief description of the product : Substance
Substance name : 1,3-Benzenediol, 5-(2-(4-hydroxyphenyl)ethenyl)-, (E)-
CAS-No. : 501-36-0

Hazardous components

No hazardous ingredients

Further ingredients

Component	CAS-No.	Weight percent
trans-3,4',5-trihydroxystilbene	501-36-0	99 - 100

REGU®-FADE**5015131**

Version 2.2

Revision Date 02/20/2023

Date of last issue: 04/24/2018

SECTION 4. FIRST AID MEASURES

- General advice : No hazards which require special first aid measures.
- If inhaled : Move to fresh air.
If symptoms persist, call a physician.
- In case of skin contact : Take off contaminated clothing and shoes immediately.
Wash off with soap and plenty of water.
- In case of eye contact : Flush eyes with water as a precaution.
Remove contact lenses.
Protect unharmed eye.
Keep eye wide open while rinsing.
- If swallowed : Rinse mouth with water.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
- Most important symptoms and effects, both acute and delayed : No specific symptoms known.
- Notes to physician : Treat symptomatically.

SECTION 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Water
Foam
- Specific hazards during fire-fighting : None known.
- Further information : Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
Consider dust explosion hazard.
- Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.
Avoid dust formation.
- Environmental precautions : Try to prevent the material from entering drains or water courses.
- Methods and materials for containment and cleaning up : Pick up and arrange disposal without creating dust.

SECTION 7. HANDLING AND STORAGE

- Advice on protection against fire and explosion : Avoid dust formation.
Provide appropriate exhaust ventilation at places where dust

REGU®-FADE**5015131**

Version 2.2

Revision Date 02/20/2023

Date of last issue: 04/24/2018

is formed.

Take precautionary measures against static discharges.

Advice on safe handling : For personal protection see section 8.

Conditions for safe storage : Keep container tightly closed and dry.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**Components with workplace control parameters**

Contains no substances with occupational exposure limit values.

Personal protective equipment

Hand protection

Material : for example nitrile rubber

Eye protection : Safety glasses with side-shields

Skin and body protection : Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Hygiene measures : Handle in accordance with good industrial hygiene and safety practice.
Wash hands before breaks and at the end of workday.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**Information on basic physical and chemical properties**

Appearance : powder

Colour : off-white - beige

Odour : No information available.

Odour Threshold : No information available.

pH : No data available

Melting point/range : ca. 261 °C (OECD Test Guideline 102)
with decompositionBoiling point/boiling range : (OECD Test Guideline 103)
Could not be determined due to decomposition.

Flash point : Not applicable

Flammability (solid, gas) : not highly flammable (Method: Flammability (solids))
May form combustible dust concentrations in air.

Vapour pressure : 0.00014 kPa (25 °C; OECD Test Guideline 104)

Relative vapour density : Not applicable

Density : ca. 1.4 g/cm³ (20 °C; OECD Test Guideline 109)

Water solubility : ca. 22.5 mg/l (20 °C, pH ca. 7; OECD Test Guideline 105)

Solubility in other solvents : Ethanol: 110 g/kg (24.5 °C)
Oils and fats: slightly soluble

Partition coefficient: n-octanol/water : log Pow 1.28 (35 °C; OECD Test Guideline 117)

REGU®-FADE**5015131**

Version 2.2

Revision Date 02/20/2023

Date of last issue: 04/24/2018

Auto-ignition temperature	: No self ignition observed in the Grewer oven at temperatures below melting point.
Auto-ignition temperature	: > 536 °F (> 280 °C) (Tested according to Directive 92/69/EEC.)
Thermal decomposition	: Decomposes on heating. Potential for exothermic hazard
Explosive properties	: Not explosive
Oxidizing properties	: Not oxidizing

Other information

Combustibility index for deposited dust	: 3 (23 °C) : 3 (100 °C)
Dust explosion class	: St(H)1 (Product sample, Median value of the tested sample 0.063 mm, Loss on drying 0.4 %; The value was determined in the modified Hartmann tube.)
Minimum ignition energy	: 10 - 30 mJ (Product sample, Median value of the tested sample 0.063 mm, Loss on drying 0.4 %, EN 13821) The Minimum ignition energy (MIE) of a dust/air mix depends on the particle size the water content and the temperature of the dust. The finer and the dryer the dust the lower the MIE. : General remark: The indicated dust explosion characteristics are only valid for this product and are sensitive to the sample's parameters.
Powder volume resistivity	: ca. 6E+11 Ohmm (Product sample, Median value of the tested sample 0.063 mm, Loss on drying 0.4 %) The material can accumulate static charge and can therefore cause electrical ignition.
Minimum ignition temperature of a dust/air mix	: 500 °C (Median value of the tested sample 0.063 mm) determined in the BAM oven
Molecular weight	: 228.25 g/mol
Surface tension	: 72.14 mN/m (20 °C, OECD Test Guideline 115)

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: No hazards to be specially mentioned.
Chemical stability	: Stable under recommended storage conditions.
Possibility of hazardous reactions	: Dust may form explosive mixture in air.
Conditions to avoid	: Heat
Incompatible materials	: Strong acids and strong bases Strong oxidizing agents
Hazardous decomposition products	: No decomposition if used as directed.

SECTION 11. TOXICOLOGICAL INFORMATION

Acute oral toxicity	: LD50 (Rat): > 2,000 mg/kg
Skin irritation	: No skin irritation (Rabbit, OECD Test Guideline 404, 4 h) : No skin irritation (Rabbit, 14 day repeated application test) : not phototoxic (In vitro study, OECD Test Guideline 432)
Eye irritation	: No eye irritation (Rabbit, OECD Test Guideline 405) : Dust contact with the eyes can lead to mechanical irritation.
Sensitisation	: Did not cause sensitization. (Mouse, Local Lymph Node Assay (LLNA), OECD Test Guideline 429) : Did not cause sensitization. (human, HRIPT: Human Repeat Insult Patch Test, 2% solution) : no photoallergenic skin reaction (Guinea pig)
Genotoxicity in vitro	: not mutagenic (Ames test, OECD Test Guideline 471) : genotoxic (Chromosome aberration test in vitro, OECD Test Guideline 473) : not photomutagenic (OECD Test Guideline 471)
Genotoxicity in vivo	: not genotoxic (In vivo micronucleus test, Rat, Oral, OECD Test Guideline 474)
Carcinogenicity	: No indication for carcinogenicity known.
IARC	No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
OSHA	No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.
NTP	No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
Reproductive toxicity	: No indication for adverse effects on fertility known.
Teratogenicity	: not teratogenic NOAEL: 750 mg/kg bw/d (Rat females, Oral, OECD Test Guideline 414)

REGU®-FADE**5015131**

Version 2.2

Revision Date 02/20/2023

Date of last issue: 04/24/2018

- STOT - single exposure (Acute exposure) : The substance or mixture is not classified as specific target organ toxicant, single exposure.
- STOT - repeated exposure : NOAEL (Oral, Rat) : 500 mg/kg bw/d
Subacute toxicity study (28 days)
(OECD Test Guideline 407)
: NOAEL (Oral, Rat) : 750 mg/kg bw/d
Sub-chronic toxicity study (90-day)
(OECD Test Guideline 408)
- Aspiration toxicity : No aspiration toxicity classification

SECTION 12. ECOLOGICAL INFORMATION**Toxicity**

- Toxicity to fish : Danio rerio (zebra fish)
LC0 (96 h) 23 mg/l
The substance tested had no adverse effects up to the maximum water solubility.
- Toxicity to daphnia and other aquatic invertebrates : Daphnia magna (Water flea)
EC50 (48 h) 7.4 mg/l
(OECD Test Guideline 202)
: EC0 (48 h) 0.65 mg/l
- Toxicity to algae : Desmodesmus subspicatus (green algae)
ErC50 (72 h) 2.5 mg/l
(OECD Test Guideline 201)
: ErC0 (72 h) 0.12 mg/l
- Toxicity to bacteria : activated sludge
Concentration of the substance (28 d) 101 mg/l
No inhibition was observed under the biodegradation test conditions.
(OECD Test Guideline 301F)

Persistence and degradability

- Biodegradability : Readily biodegradable.
86 % (28 d)
(OECD Test Guideline 301F)

Bioaccumulative potential

- Partition coefficient: n-octanol/water : log Pow 1.28 (35 °C ; OECD Test Guideline 117)

Mobility in soil

- Distribution among environmental compartments : No data available
- Surface tension : 72.14 mN/m (20 °C, OECD Test Guideline 115)

REGU®-FADE**5015131**

Version 2.2

Revision Date 02/20/2023

Date of last issue: 04/24/2018

Results of PBT and vPvB assessment

Assessment : The substance does not fulfill the PBT criteria.
: The substance does not fulfill the vPvB criteria.

Other adverse effects

Regulation 40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances
Remarks This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

Additional ecological information : Toxic to aquatic organisms.

SECTION 13. DISPOSAL CONSIDERATIONS**Disposal methods**

Waste from residues : User must determine if any wastes generated exhibit hazardous characteristics as per 40 CFR Part 261 or other national / local legislation.

Discharge into the environment must be avoided.
Do not contaminate ponds, waterways or ditches with chemical or used container.
Do not dispose of waste into sewer.
Offer surplus and non-recyclable solutions to a licensed disposal company.

Contaminated packaging : Dispose of as unused product.
Do not re-use empty containers.
Empty containers should be taken to an approved waste handling site for recycling or disposal.

SECTION 14. TRANSPORT INFORMATION**International Regulations****UNRTDG**

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations**49 CFR**

Not regulated as a dangerous good

SECTION 15. REGULATORY INFORMATION**EPCRA - Emergency Planning and Community Right-to-Know Act****CERCLA Reportable Quantity**

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : Combustible dust

SARA 313 : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Clean Air Act

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCM Intermediate or Final VOC's (40 CFR 60.489).

Clean Water Act

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

This product does not contain any priority pollutants related to the U.S. Clean Water Act

US State Regulations**Massachusetts Right To Know**

No components are subject to the Massachusetts Right to Know Act.

Pennsylvania Right To Know

trans-3,4',5-trihydroxystilbene

501-36-0

Maine Chemicals of High Concern

Product does not contain any listed chemicals

Vermont Chemicals of High Concern

Product does not contain any listed chemicals


Washington Chemicals of High Concern

Product does not contain any listed chemicals

TSCA list

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

SECTION 16. OTHER INFORMATION**Further information****NFPA 704:****HMIS® IV:**

HEALTH	/	0
FLAMMABILITY		2
PHYSICAL HAZARD		1

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

REGU®-FADE**5015131**

Version 2.2

Revision Date 02/20/2023

Date of last issue: 04/24/2018

ACGIH = American Conference of Governmental Industrial Hygienists. CFR = Code of Federal Regulations. EPA = Environmental Protection Agency. NIOSH = National Institute of Occupational Safety and Health. OSHA = Occupational Safety and Health Administration. STEL = Short term exposure limit. TLV = Threshold Limit Value. TLV-C = Ceiling Limit Value. TWA = Time Weighted Average.

Revision Date : 02/20/2023

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN