

Safety Data Sheet

Triethylamine anhydrous

Revision date : 2025/05/02

Version: 13.0

Page: 1/14

(30036819/SDS_GEN_US/EN)

1. Identification

Product identifier used on the label

Triethylamine anhydrous

Recommended use of the chemical and restriction on use

Recommended use*: Chemical used in synthesis and/or formulation of industrial products

Recommended use*: Agricultural industry; Textile chemical; Pharmaceutical agent

Unsuitable for use: Not intended for sale to or use by the general public.

* The "Recommended use" identified for this product is provided solely to comply with a Federal requirement and is not part of the seller's published specification. The terms of this Safety Data Sheet (SDS) do not create or infer any warranty, express or implied, including by incorporation into or reference in the seller's sales agreement.

Details of the supplier of the safety data sheet

Company:

BASF CORPORATION
100 Park Avenue
Florham Park, NJ 07932, USA

Telephone: +1 973 245-6000

Emergency telephone number

24 Hour Emergency Response Information

CHEMTREC: 1-800-424-9300

BASF HOTLINE: 1-800-832-HELP (4357)

Other means of identification

Molecular formula:	C(6)H(15)N
Chemical family:	tertiary, amine, aliphatic
Synonyms:	N,N-DIETHYLETHANAMINE TRIETHYLAMINE

2. Hazards Identification

According to Regulation 2024 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

Classification of the product

Flam. Liq.	2	Flammable liquids
Acute Tox.	3 (Inhalation - vapour)	Acute toxicity

Safety Data Sheet

Triethylamine anhydrous

Revision date: 2025/05/02
Version: 13.0

Page: 2/14
(30036819/SDS_GEN_US/EN)

Acute Tox.	4 (oral)	Acute toxicity
Acute Tox.	3 (dermal)	Acute toxicity
Skin Corr.	1A	Skin corrosion
Eye Dam.	1	Serious eye damage
STOT SE	3 (irritating to respiratory system)	Specific target organ toxicity — single exposure
Aquatic Acute	2	Hazardous to the aquatic environment - acute

Label elements

Pictogram:



Signal Word:
Danger

Hazard Statement:

H225	Highly flammable liquid and vapour.
H302	Harmful if swallowed.
H335	May cause respiratory irritation.
H314	Causes severe skin burns and eye damage.
H311 + H331	Toxic in contact with skin or if inhaled.
H401	Toxic to aquatic life.

Precautionary Statements (Prevention):

P271	Use only outdoors or in a well-ventilated area.
P280	Wear protective gloves, protective clothing and eye protection or face protection.
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P260	Do not breathe mist or vapour or spray.
P243	Take action to prevent static discharges.
P273	Avoid release to the environment.
P241	Use explosion-proof electrical, ventilating and lighting equipment.
P270	Do not eat, drink or smoke when using this product.
P264	Wash contaminated body parts thoroughly after handling.
P242	Use non-sparking tools.
P240	Ground and bond container and receiving equipment.

Precautionary Statements (Response):

P310	Immediately call a POISON CENTER or physician.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P304 + P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P303 + P361 + P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
P361 + P364	Take off immediately all contaminated clothing and wash it before reuse.
P301 + P330 + P331	IF SWALLOWED: rinse mouth. Do NOT induce vomiting.
P370 + P378	In case of fire: Use water spray, dry powder, foam or carbon dioxide for extinction.

Precautionary Statements (Storage):

Safety Data Sheet

Triethylamine anhydrous

Revision date: 2025/05/02
Version: 13.0

Page: 3/14
(30036819/SDS_GEN_US/EN)

P233 Keep container tightly closed.
P403 + P235 Store in a well-ventilated place. Keep cool.
P405 Store locked up.

Precautionary Statements (Disposal):

P501 Dispose of contents and container to hazardous or special waste collection point.

Hazards not otherwise classified

In the presence of nitrosating agents, it is possible that this substance forms nitrosamines.

3. Composition / Information on Ingredients

According to Regulation 2024 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

triethylamine

CAS Number: 121-44-8
Content (W/W): ≥ 99.5 - $\leq 100.0\%$
Synonym: N,N-Diethylethanamine

butylamine

CAS Number: 109-73-9
Content (W/W): ≥ 0.0 - $\leq 0.2\%$
Synonym: 1-Bulanamine; n-Butylamine

4. First-Aid Measures

Description of first aid measures

General advice:

Remove contaminated clothing. Keep patient calm, remove to fresh air, seek medical attention.

If inhaled:

Keep patient calm, remove to fresh air, seek medical attention. Immediately administer a corticosteroid from a controlled/metered dose inhaler.

If on skin:

Immediately remove contaminated clothing. Rinse skin immediately with plenty of water for 15 - 20 minutes. Consult a doctor if skin irritation persists.

Immediately wash thoroughly with plenty of water, apply sterile dressings, consult a skin specialist.

If in eyes:

Hold eyes open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing. If irritation develops, seek medical attention.

Safety Data Sheet

Triethylamine anhydrous

Revision date: 2025/05/02
Version: 13.0

Page: 4/14
(30036819/SDS_GEN_US/EN)

Immediately wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

If swallowed:

Do not induce vomiting. Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

Most important symptoms and effects, both acute and delayed

Symptoms: Overexposure may cause: respiratory disorders, coughing

Hazards: (Further) symptoms and / or effects are not known so far

Indication of any immediate medical attention and special treatment needed

Note to physician

Treatment:

Treat according to symptoms (decontamination, vital functions), no known specific antidote. Pulmonary odema prophylaxis. Medical monitoring for at least 24 hours.

5. Fire-Fighting Measures

Extinguishing media

Suitable extinguishing media:

water spray, dry powder, foam, carbon dioxide

Unsuitable extinguishing media for safety reasons:

water jet

Special hazards arising from the substance or mixture

Hazards during fire-fighting:

Substance/product is dangerous when exposed to heat or flames. If product is heated above decomposition temperature, toxic vapours will be released.

Advice for fire-fighters

Protective equipment for fire-fighting:

Firefighters should be equipped with self-contained breathing apparatus and turn-out gear.

Further information:

If exposed to fire, keep containers cool by spraying with water.

Impact Sensitivity:

Remarks:

Based on the chemical structure there is no shock-sensitivity.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Breathing protection required. Do not breathe vapour/aerosol/spray mists. Keep people away and stay on the upwind side. Avoid contact with the skin, eyes and clothing. Sources of ignition should be kept well clear.

Safety Data Sheet

Triethylamine anhydrous

Revision date: 2025/05/02
Version: 13.0

Page: 5/14
(30036819/SDS_GEN_US/EN)

Wind direction should be noted. Extinguish sources of ignition nearby and downwind. Warn all occupants of downwind areas of explosion potential. Ensure adequate ventilation. Personal protection: wear a tightly closed chemical protection suit and a self-contained breathing apparatus.

Environmental precautions

Substance/product is RCRA hazardous due to its properties.

Methods and material for containment and cleaning up

Spills should be contained, solidified, and placed in suitable containers for disposal.

7. Handling and Storage

Precautions for safe handling

Containers should be opened carefully in well-ventilated areas to avoid static discharge. Use only in well-ventilated areas. Keep away from sources of ignition - No smoking. Handle in accordance with good industrial hygiene and safety practice.

Protection against fire and explosion:

Avoid all sources of ignition: heat, sparks, open flame. Fire extinguishers should be kept handy. Ground all transfer equipment properly to prevent electrostatic discharge.

Conditions for safe storage, including any incompatibilities

Segregate from acids and acid forming substances.

Unsuitable materials for containers: Aluminium, Paper/Fibreboard, List does not exclude further unsuitable materials.

Further information on storage conditions: Keep container tightly closed in a cool, well-ventilated place. Keep under nitrogen. Avoid all sources of ignition: heat, sparks, open flame. Keep container tightly closed and in a cool place. Keep away from sources of ignition - No smoking. Avoid extreme heat.

Storage stability:

Storage temperature: < 35 °C

Storage duration: 24 Months

From the data on storage duration in this safety data sheet no agreed statement regarding the warrantee of application properties can be deduced.

8. Exposure Controls/Personal Protection

Components with occupational exposure limits

butylamine	ACGIH, US:	CLV 5 ppm ;
	OSHA Z1:	Skin Designation ; The substance can be absorbed through the skin.
	OSHA Z1:	CLV 5 ppm 15 mg/m3 ;
	ACGIH, US:	Skin Designation ; Danger of cutaneous absorption
	ACGIH, US:	Skin Designation ; Danger of cutaneous absorption
	NIO ID, US:	IDLH 300 ppm ; IDLH values based on the 1994 Revised Criteria
	NIO ID, US:	LEL 1.7 % ;

Safety Data Sheet

Triethylamine anhydrous

Revision date: 2025/05/02
Version: 13.0

Page: 6/14
(30036819/SDS_GEN_US/EN)

triethylamine	ACGIH, US:	TWA value 0.5 ppm ;
	ACGIH, US:	STEL value 1 ppm ;
	OSHA Z1:	PEL 25 ppm 100 mg/m3 ;
	ACGIH, US:	Skin Designation ; Danger of cutaneous absorption
	ACGIH, US:	Skin Designation ; Danger of cutaneous absorption
	NIO ID, US:	IDLH 200 ppm ; IDLH values based on the 1994 Revised Criteria
	NIO ID, US:	LEL 1.2 % ;

Advice on system design:

Provide local exhaust ventilation to control vapours/mists.

Personal protective equipment

Respiratory protection:

Wear a NIOSH-certified (or equivalent) organic vapour respirator. Do not exceed the maximum use concentration for the respirator facepiece/cartridge combination. For emergency or non-routine, high exposure situations, use a NIOSH-certified full facepiece pressure demand self-contained breathing apparatus (SCBA) or a full facepiece pressure demand supplied-air respirator (SAR) with escape provisions.

Observe OSHA regulations for respirator use (29 CFR 1910.134).

Hand protection:

Chemical resistant protective gloves should be worn to prevent all skin contact., Suitable materials may include, nitrile rubber (Buna N), fluoroelastomer (Viton), Consult with glove manufacturer for testing data., Protective glove selection must be based on the user's assessment of the workplace hazards.

Eye protection:

Tightly fitting safety goggles (chemical goggles) and face shield.

Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. head protection, apron, protective boots, chemical-protection suit.

General safety and hygiene measures:

Eye wash fountains and safety showers must be easily accessible. Wear protective clothing as necessary to prevent contact. Do not get in eyes, on skin, or on clothing. Remove contaminated clothing immediately and dispose of safely. Personal protective equipment should be decontaminated prior to reuse. When using, do not eat, drink or smoke.

9. Physical and Chemical Properties

Physical state:	liquid
Form:	liquid
Odour:	strong, ammonia-like
Odour threshold:	Not determined since toxic by inhalation.
Colour:	colourless to yellow

Safety Data Sheet

Triethylamine anhydrous

Revision date: 2025/05/02
Version: 13.0

Page: 7/14
(30036819/SDS_GEN_US/EN)

pH value:	12.7 (100 g/l, 15 °C)	
Melting point:	-114.7 °C	(other)
Freezing point:	Literature data.	
Boiling point:	No data available.	
	89.3 °C (1,013.25 hPa)	
	Literature data.	
Boiling range:	No data available.	
Sublimation point:	No applicable information available.	
Flash point:	-11 °C	(ISO 13736, closed cup)
Flammability:	Highly flammable liquid and vapour.	(derived from flash - and boiling point)
Lower explosion limit:	1.6 %(V) Literature data.	
Upper explosion limit:	9.3 %(V) Literature data.	
Heat of Combustion:	42.9 kJ/g	
Autoignition:	249 °C Literature data.	
Vapour pressure:	72 hPa (20 °C)	(internal method)
Density:	0.7275 g/cm3 (20 °C, 1,013 hPa) Literature data.	(other)
	0.695 g/cm3 (55 °C, approx. 1,013 hPa)	(calculated)
Relative density:	0.73 (20 °C)	
Relative vapour density:	> 1 (20 °C) Heavier than air.	(estimated)
Partitioning coefficient n-octanol/water (log Pow):	1.45 (25 °C) Literature data.	(calculated)
Self-ignition temperature:	Based on its structural properties the product is not classified as self-igniting.	
Thermal decomposition:	No decomposition if stored and handled as prescribed/indicated.	
Viscosity, dynamic:	0.363 mPa.s (25 °C) Literature data.	
Viscosity, kinematic:	No applicable information available.	
Solubility in water:	112,400 mg/l (20 °C) Literature data.	
Solubility (quantitative):	No applicable information available.	
Solubility (qualitative):	No applicable information available.	
Molecular weight:	101.19 g/mol	

Particle characteristics

Particle size distribution: The substance / product is marketed or used in a non solid or granular form.

Safety Data Sheet

Triethylamine anhydrous

Revision date: 2025/05/02
Version: 13.0

Page: 8/14
(30036819/SDS_GEN_US/EN)

10. Stability and Reactivity

Reactivity

Corrosion to metals:

Corrosive effects to metal are not anticipated. In the presence of water or moisture metal corrosion cannot be excluded.

Oxidizing properties:

Based on its structural properties the product is not classified as oxidizing.

Formation of
flammable gases:

Remarks:

Forms no flammable gases in the
presence of water.

Chemical stability

The product is chemically stable.

Possibility of hazardous reactions

Reacts with oxidizing agents.

Conditions to avoid

Avoid all sources of ignition: heat, sparks, open flame. Avoid electro-static charge.

Incompatible materials

mineral acids

Hazardous decomposition products

Decomposition products:

Hazardous decomposition products: carbon dioxide, carbon monoxide, Nitric acid, Ammonium hydroxide, nitrogen oxides, nitrosamines

Thermal decomposition:

No decomposition if stored and handled as prescribed/indicated.

11. Toxicological information

Primary routes of exposure

Routes of entry for solids and liquids are ingestion and inhalation, but may include eye or skin contact. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquefied gases.

Acute Toxicity/Effects

Acute toxicity

Assessment of acute toxicity: Of moderate toxicity after single ingestion. Of pronounced toxicity after short-term skin contact. The substance can be absorbed through the skin. Of pronounced toxicity after short-term inhalation. The inhalation of a highly enriched/saturated vapor-air-mixture represents a severe acute hazard.

Oral

Type of value: LD50

Safety Data Sheet

Triethylamine anhydrous

Revision date: 2025/05/02
Version: 13.0

Page: 9/14
(30036819/SDS_GEN_US/EN)

Species: rat (male/female)
Value: 730 mg/kg (similar to OECD guideline 401)

Inhalation

Type of value: LC50
Species: rat (male/female)
Value: 7.22 mg/l (OECD Guideline 403)
Exposure time: 4 h
The vapour was tested.

Dermal

Type of value: LD50
Species: rabbit (male)
Value: 580 mg/kg (similar to OECD guideline 402)
Literature data.

Assessment other acute effects

Assessment of STOT single:
Causes temporary irritation of the respiratory tract.

Irritation / corrosion

Assessment of irritating effects: Highly corrosive! Damages skin and eyes.

Skin

Species: rabbit
Result: Corrosive.
Method: BASF-Test

Eye

Species: rabbit
Result: irreversible damage
Method: similar to OECD guideline 405

Sensitization

Assessment of sensitization: Skin sensitizing effects were not observed in animal studies.

Mouse ear swelling test (MEST)
Species: mouse
Result: Non-sensitizing.

Aspiration Hazard

No aspiration hazard expected.

Chronic Toxicity/Effects

Repeated dose toxicity

Assessment of repeated dose toxicity: After repeated exposure the prominent effect is local irritation.

Genetic toxicity

Assessment of mutagenicity: No mutagenic effect was found in various tests with bacteria and mammalian cell culture. The substance was not mutagenic in studies with mammals. Literature data.

Carcinogenicity

Assessment of carcinogenicity: No data available concerning carcinogenic effects. Under certain conditions the substance can form nitrosamines. Nitrosamines are carcinogenic in animal studies.

Safety Data Sheet

Triethylamine anhydrous

Revision date: 2025/05/02
Version: 13.0

Page: 10/14
(30036819/SDS_GEN_US/EN)

Reproductive toxicity

Assessment of reproduction toxicity: The results of animal studies gave no indication of a fertility impairing effect. The results were determined in a Screening test (OECD 421/422). The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Teratogenicity

Assessment of teratogenicity: No indications of a developmental toxic / teratogenic effect were seen in animal studies. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

12. Ecological Information

Toxicity

Aquatic toxicity

Assessment of aquatic toxicity:

Acutely toxic for aquatic organisms. The inhibition of the degradation activity of activated sludge is not anticipated when introduced to biological treatment plants in appropriate low concentrations.

Toxicity to fish

LC50 (96 h) 24 mg/l, *Oryzias latipes* (OECD Guideline 203)

Aquatic invertebrates

LC50 (48 h) 17 mg/l, *Ceriodaphnia dubia* (Daphnia test acute, semistatic)

The statement of the toxic effect relates to the analytically determined concentration.

EC50 (48 h) 34 mg/l, *Daphnia magna* (OECD Guideline 202, part 1)

The statement of the toxic effect relates to the analytically determined concentration.

Aquatic plants

EC50 (72 h) 9.8 mg/l (growth rate), *Pseudokirchneriella subcapitata* (OECD Guideline 201)

The statement of the toxic effect relates to the analytically determined concentration.

EC10 (72 h) 5.05 mg/l (growth rate), *Pseudokirchneriella subcapitata* (OECD Guideline 201)

The statement of the toxic effect relates to the analytically determined concentration.

Chronic toxicity to fish

No observed effect concentration (60 d) 3.2 mg/l, *Oncorhynchus mykiss* (OECD Guideline 210, semistatic)

Chronic toxicity to aquatic invertebrates

No observed effect concentration (21 d) 11 mg/l, *Daphnia magna* (OECD Guideline 211)

The statement of the toxic effect relates to the analytically determined concentration.

Assessment of terrestrial toxicity

No data available.

Study not necessary due to exposure considerations.

Microorganisms/Effect on activated sludge

Toxicity to microorganisms

DIN 38412 Part 8 aerobic

Safety Data Sheet

Triethylamine anhydrous

Revision date: 2025/05/02
Version: 13.0

Page: 11/14
(30036819/SDS_GEN_US/EN)

bacterium/EC50 (17 h): 95 mg/l

The product is highly volatile. Tested in a closed test system. The details of the toxic effect relate to the nominal concentration. After neutralization, it is no longer toxic.

Persistence and degradability

Assessment biodegradation and elimination (H2O)

Readily biodegradable (according to OECD criteria).

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Elimination information

80.3 % CO₂ formation relative to the theoretical value (29 d) (OECD 301B; ISO 9439; 92/69/EWG, C.4-C) (aerobic, activated sludge, domestic)

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Assessment of stability in water

According to structural properties, hydrolysis is not expected/probable.

Information on Stability in Water (Hydrolysis)

According to structural properties, hydrolysis is not expected/probable.

Bioaccumulative potential

Assessment bioaccumulation potential

Significant accumulation in organisms is not to be expected.

Bioaccumulation potential

Bioconcentration factor: 0.5 (42 d), Cyprinus carpio (OECD Guideline 305 C)

Significant accumulation in organisms is not to be expected.

Mobility in soil

Assessment transport between environmental compartments

The substance will slowly evaporate into the atmosphere from the water surface.

Adsorption to solid soil phase is not expected.

Additional information

Adsorbable organically-bound halogen(AOX):

This product contains no organically-bound halogen.

Add. remarks environm. fate & pathway:

Treatment in biological waste water treatment plants has to be performed according to local and administrative regulations.

13. Disposal considerations

Waste disposal of substance:

Dispose of in a RCRA-licensed facility.

Safety Data Sheet

Triethylamine anhydrous

Revision date: 2025/05/02
Version: 13.0

Page: 12/14
(30036819/SDS_GEN_US/EN)

Container disposal:

Empty containers with less than 1 inch of residue may be landfilled at a licensed facility. Recommend crushing, puncturing or other means to prevent unauthorized use of used containers. If containers are not empty, they must be disposed of in a RCRA-licensed facility.

RCRA: D001

14. Transport Information

Land transport

USDOT

Hazard class: 3
Packing group: II
ID number: UN 1296
Hazard label: 3, 8
Proper shipping name: TRIETHYLAMINE

Sea transport

IMDG

Hazard class: 3
Packing group: II
ID number: UN 1296
Hazard label: 3, 8
Marine pollutant: NO
Proper shipping name: TRIETHYLAMINE

Air transport

IATA/ICAO

Hazard class: 3
Packing group: II
ID number: UN 1296
Hazard label: 3, 8
Proper shipping name: TRIETHYLAMINE

15. Regulatory Information

Federal Regulations

Registration status:

Chemical TSCA, US released / listed

EPCRA 311/312 (Hazard categories): Refer to SDS section 2 for GHS hazard classes applicable for this product.

EPCRA 313:

<u>CAS Number</u>	Chemical name
121-44-8	triethylamine

<u>CERCLA RQ</u>	<u>CAS Number</u>	<u>Chemical name</u>
5000 LBS	121-44-8	triethylamine

State regulations

Safety Data Sheet

Triethylamine anhydrous

Revision date: 2025/05/02

Version: 13.0

Page: 13/14

(30036819/SDS_GEN_US/EN)

<u>State RTK</u>	<u>CAS Number</u>	<u>Chemical name</u>
NJ	121-44-8	triethylamine
PA	121-44-8	triethylamine

Safe Drinking Water & Toxic Enforcement Act, CA Prop. 65:

WARNING: This product can expose you to chemicals including ETHANOL IN ALCOHOLIC BEVERAGES, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, go to www.P65Warnings.ca.gov.

NFPA Hazard codes:

Health: 3 Fire: 3 Reactivity: 1 Special:

Assessment of the hazard classes according to UN GHS criteria (most recent version):

Skin Corr.	1A	Skin corrosion
Acute Tox.	3 (dermal)	Acute toxicity
Acute Tox.	4 (oral)	Acute toxicity
Acute Tox.	3 (Inhalation - vapour)	Acute toxicity
Aquatic Acute	2	Hazardous to the aquatic environment - acute
STOT SE	3 (irritating to respiratory system)	Specific target organ toxicity — single exposure
Flam. Liq.	2	Flammable liquids
Eye Dam.	1	Serious eye damage

16. Other Information

SDS Prepared by:

BASF NA Product Regulations

SDS Prepared on: 2025/05/02

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.

IMPORTANT: WHILE THE DESCRIPTIONS, DESIGNS, DATA AND INFORMATION CONTAINED HEREIN ARE PRESENTED IN GOOD FAITH AND BELIEVED TO BE ACCURATE, IT IS PROVIDED FOR YOUR GUIDANCE ONLY. BECAUSE MANY FACTORS MAY AFFECT PROCESSING OR APPLICATION/USE, WE RECOMMEND THAT YOU MAKE TESTS TO DETERMINE THE SUITABILITY OF A PRODUCT FOR YOUR PARTICULAR PURPOSE PRIOR TO USE. NO WARRANTIES OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE MADE REGARDING PRODUCTS DESCRIBED OR DESIGNS, DATA OR INFORMATION SET FORTH, OR THAT THE PRODUCTS, DESIGNS, DATA OR INFORMATION MAY BE USED WITHOUT INFRINGING THE INTELLECTUAL PROPERTY RIGHTS OF OTHERS. IN NO CASE SHALL THE DESCRIPTIONS, INFORMATION, DATA OR DESIGNS PROVIDED BE CONSIDERED A PART OF OUR TERMS AND CONDITIONS OF SALE. FURTHER, YOU EXPRESSLY UNDERSTAND AND AGREE THAT THE DESCRIPTIONS, DESIGNS, DATA, AND INFORMATION FURNISHED BY OUR COMPANY HEREUNDER ARE GIVEN GRATIS AND WE ASSUME NO

Safety Data Sheet

Triethylamine anhydrous

Revision date: 2025/05/02

Version: 13.0

Page: 14/14

(30036819/SDS_GEN_US/EN)

OBLIGATION OR LIABILITY FOR THE DESCRIPTION, DESIGNS, DATA AND INFORMATION
GIVEN OR RESULTS OBTAINED, ALL SUCH BEING GIVEN AND ACCEPTED AT YOUR RISK.

Date / Revised: 2025/05/02

Version: 13.0

Date / Previous version: 2024/12/03

Previous version: 12.0

END OF DATA SHEET