

Safety Data Sheet

Acetic Acid Glacial 99.5%

Version 1.10

Revision Date: 06/06/2025

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Acetic Acid Glacial 99.5%

Recommended use of the chemical and restrictions on use

Recommended use : Solvent

Manufacturer or supplier's details

Company : Univar Solutions USA
Address : 3075 Highland Pkwy Suite 200
 Downers Grove, IL 60515
 United States of America (USA)

Emergency telephone number:

Transport North America: CHEMTREC (1-800-424-9300)

CHEMTREC INTERNATIONAL Tel # 703-527-3887

Additional Information: : Responsible Party: Product Compliance Department
 E-mail: SDSNA@univarsolutions.com
 SDS Requests: 1-855-429-2661
 Website: www.univarsolutions.com

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Flammable liquids : Category 3

Skin corrosion : Category 1A

Serious eye damage : Category 1

GHS label elements

Hazard pictograms :



Signal word : Danger

Hazard statements : H226 Flammable liquid and vapour.
 H314 Causes severe skin burns and eye damage.

Precautionary statements : **Prevention:**
 P210 Keep away from heat/ sparks/ open flames/ hot surfaces.
 No smoking.
 P233 Keep container tightly closed.
 P240 Ground/bond container and receiving equipment.
 P241 Use explosion-proof electrical/ ventilating/ lighting equip-
 ment.
 P242 Use only non-sparking tools.
 P243 Take precautionary measures against static discharge.
 P264 Wash skin thoroughly after handling.
 P280 Wear protective gloves/ protective clothing/ eye protection/
 face protection.
Response:

Safety Data Sheet
Acetic Acid Glacial 99.5%

Version 1.10

Revision Date: 06/06/2025

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower.
P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor.
P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.
P363 Wash contaminated clothing before reuse.
P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

Storage:

P403 + P235 Store in a well-ventilated place. Keep cool.
P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Substance
Chemical nature : organic

Hazardous components

CAS-No.	Chemical name	Weight percent
64-19-7	Acetic acid	90 - 100

Actual concentration is withheld as a trade secret
Any Concentration shown as a range is due to batch variation.

Molecular formula : C₂H₄O₂

SECTION 4. FIRST AID MEASURES

General advice : Move out of dangerous area.
Consult a physician.
Show this safety data sheet to the doctor in attendance.
Do not leave the victim unattended.

If inhaled : If unconscious, place in recovery position and seek medical advice.
If symptoms persist, call a physician.

In case of skin contact : Immediate medical treatment is necessary as untreated wounds from corrosion of the skin heal slowly and with difficulty.
If on skin, rinse well with water.
If on clothes, remove clothes.

In case of eye contact : Small amounts splashed into eyes can cause irreversible tissue damage and blindness.

Safety Data Sheet

Acetic Acid Glacial 99.5%

Version 1.10

Revision Date: 06/06/2025

- If swallowed :
- In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
 - Continue rinsing eyes during transport to hospital.
 - Keep eye wide open while rinsing.
 - If eye irritation persists, consult a specialist.
 - Take victim immediately to hospital.
 - Clean mouth with water and drink afterwards plenty of water.
 - Keep respiratory tract clear.
 - Do NOT induce vomiting.
 - Never give anything by mouth to an unconscious person.
 - Take victim immediately to hospital.

SECTION 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Alcohol-resistant foam
Carbon dioxide (CO₂)
Dry chemical
Water spray
- Unsuitable extinguishing media : High volume water jet
- Specific hazards during fire-fighting : Do not allow run-off from fire fighting to enter drains or water courses.
- Hazardous combustion products : No hazardous combustion products are known
- Specific extinguishing methods : Use a water spray to cool fully closed containers.
Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
- Further information : Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
For safety reasons in case of fire, cans should be stored separately in closed containments.
- Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.
Exposure to decomposition products may be a hazard to health.

SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.
Remove all sources of ignition.
Evacuate personnel to safe areas.
Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.
- Environmental precautions : Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities.
- Methods and materials for containment and cleaning up : Neutralize with chalk, alkali solution or ammonia.
Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, ver-

Safety Data Sheet

Acetic Acid Glacial 99.5%

Version 1.10

Revision Date: 06/06/2025

miculite) and place in container for disposal according to local / national regulations (see section 13).

SECTION 7. HANDLING AND STORAGE

- Advice on protection against fire and explosion : Do not spray on a naked flame or any incandescent material. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapours). Keep away from open flames, hot surfaces and sources of ignition. Vapours are heavier than air and may spread along floors.
- Advice on safe handling : Avoid formation of aerosol. Do not breathe vapours/dust. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Take precautionary measures against static discharges. Provide sufficient air exchange and/or exhaust in work rooms. Open drum carefully as content may be under pressure. To avoid spills during handling keep bottle on a metal tray. Dispose of rinse water in accordance with local and national regulations.
- Conditions for safe storage : No smoking. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Observe label precautions. Electrical installations / working materials must comply with the technological safety standards.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

CAS-No.	Components	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
64-19-7	Acetic acid	TWA	10 ppm	ACGIH
		STEL	15 ppm	ACGIH
		ST	15 ppm 37 mg/m3	NIOSH REL
		TWA	10 ppm 25 mg/m3	NIOSH REL
		TWA	10 ppm 25 mg/m3	OSHA Z-1
		TWA	10 ppm 25 mg/m3	OSHA P0
		PEL	10 ppm 25 mg/m3	CAL PEL
		C	40 ppm	CAL PEL
		STEL	15 ppm	CAL PEL

Safety Data Sheet

Acetic Acid Glacial 99.5%

Version 1.10

Revision Date: 06/06/2025

		37 mg/m3	
--	--	----------	--

Personal protective equipment

Respiratory protection : Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.

Hand protection

Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Eye protection : Eye wash bottle with pure water
Tightly fitting safety goggles
Wear face-shield and protective suit for abnormal processing problems.

Skin and body protection : Impervious clothing
Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Hygiene measures : When using do not eat or drink.
When using do not smoke.
Wash hands before breaks and at the end of workday.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid
Colour : colourless, clear
Odour : pungent
Odour Threshold : 0.48 ppm

pH : 2.4 @ 60 g/l @ 20 - 25 °C (68 - 77 °F)

Freezing Point (Freezing Point) : 16.64 °C (61.95 °F)

Boiling Point (Boiling point/boiling range) : 117.9 °C (244.2 °F)

Flash point : 39 °C (102 °F)
(1,013 hPa)
Method: Tag closed cup

Evaporation rate : 0.97

Flammability (solid, gas) : No data available
Upper explosion limit : 19.9 %(V)

Lower explosion limit : 4 %(V)

Vapour pressure : 15.5925000 mmHg @ 25 °C (77 °F)

Relative vapour density : 2.1 @ 20 - 25 °C (68 - 77 °F)
(Air = 1.0)

Relative density : 1.0446 @ 25 °C (77 °F)
Reference substance: (water = 1)

Safety Data Sheet

Acetic Acid Glacial 99.5%

Version 1.10

Revision Date: 06/06/2025

Density	: 1.05 g/cm ³ @ 25 °C (77 °F)
Solubility(ies)	
Water solubility	: 602.9 g/l completely soluble @ 25 °C (77 °F)
Solubility in other solvents	: No data available
Partition coefficient: n-octanol/water	: log Pow: -0.17
Auto-ignition temperature	: 463 °C 1,013 hPa
Thermal decomposition	: No data available
Viscosity	
Viscosity, dynamic	: 1.056 mPa.s @ 25 °C (77 °F)
Viscosity, kinematic	: 1.011 mm ² /s

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: No dangerous reaction known under conditions of normal use.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: Vapours may form explosive mixture with air.
Conditions to avoid	: Keep away from heat, flame, sparks and other ignition sources. Exposure to sunlight. Freezing temperatures.
Incompatible materials	: Alcohols Amines peroxides halogens Metals Strong oxidizing agents perchloric acid chromium trioxide sulphuric acid Bases Nitric acid hydroxides potassium permanganate Chromic acid carbonates Acetic anhydride acetaldehyde
Hazardous decomposition products	: carbon dioxide and carbon monoxide

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Safety Data Sheet

Acetic Acid Glacial 99.5%

Version 1.10

Revision Date: 06/06/2025

Components:

64-19-7:

Acute oral toxicity : LD50 (Rat, male and female): 3,310 mg/kg
Remarks: Information given is based on data obtained from similar substances.

Serious eye damage/eye irritation

Components:

64-19-7:

Species: Rabbit

Result: Risk of serious damage to eyes.

Carcinogenicity

IARC

No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA

No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP

No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Further information

Product:

Remarks: Solvents may degrease the skin.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

No data available

Persistence and degradability

Product:

Biodegradability : Test Type: aerobic
Biodegradation: 96 %
Exposure time: 20 d
Remarks: Readily biodegradable

Components:

64-19-7:

Bioaccumulative potential

Product:

Safety Data Sheet

Acetic Acid Glacial 99.5%

Version 1.10

Revision Date: 06/06/2025

Bioaccumulation : Bioconcentration factor (BCF): 3.16
Remarks: Bioaccumulation is unlikely.

Mobility in soil

No data available

Other adverse effects

Product:

Ozone-Depletion Potential : Regulation: 40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances
Remarks: This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

Additional ecological information : No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Dispose of in accordance with all applicable local, state and federal regulations.
For assistance with your waste management needs - including disposal, recycling and waste stream reduction, contact Univar Solutions ChemCare: 1-800-637-7922

Contaminated packaging : Empty remaining contents.
Dispose of as unused product.
Do not re-use empty containers.
Do not burn, or use a cutting torch on, the empty drum.

SECTION 14. TRANSPORT INFORMATION

DOT (Department of Transportation):

UN2789, Acetic acid, glacial, 8 (3), II

IATA (International Air Transport Association):

UN2789, Acetic acid, glacial, 8 (3), II

IMDG (International Maritime Dangerous Goods):

UN2789, ACETIC ACID, GLACIAL, 8, (3), II, Flash Point:39 °C(102 °F)

SECTION 15. REGULATORY INFORMATION

WHMIS Classification : B3: Combustible Liquid
E: Corrosive Material

Safety Data Sheet

Acetic Acid Glacial 99.5%

Version 1.10

Revision Date: 06/06/2025

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
Acetic acid	64-19-7	5000	5000

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

- SARA 311/312 Hazards** : Flammable (gases, aerosols, liquids, or solids)
Skin corrosion or irritation
Serious eye damage or eye irritation
- SARA 302** : No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.
- SARA 313** : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Clean Air Act

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

The following chemical(s) are listed under the U.S. Clean Air Act Section 111 SOCM I Intermediate or Final VOC's (40 CFR 60.489):

64-19-7 Acetic acid

Clean Water Act

The following Hazardous Substances are listed under the U.S. CleanWater Act, Section 311, Table 116.4A:

64-19-7 Acetic acid

The following Hazardous Chemicals are listed under the U.S. CleanWater Act, Section 311, Table 117.3:

64-19-7 Acetic acid

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

Massachusetts Right To Know

64-19-7 Acetic acid

Pennsylvania Right To Know

64-19-7 Acetic acid

- California Prop 65** : This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

The components of this product are reported in the following inventories:

- TSCA : On TSCA Inventory
- DSL : All components of this product are on the Canadian DSL
- AICS : On the inventory, or in compliance with the inventory

Safety Data Sheet

Acetic Acid Glacial 99.5%


Version 1.10

Revision Date: 06/06/2025

NZIoC	: Not in compliance with the inventory
ENCS	: On the inventory, or in compliance with the inventory
KECI	: On the inventory, or in compliance with the inventory
PICCS	: On the inventory, or in compliance with the inventory
IECSC	: On the inventory, or in compliance with the inventory

SECTION16. OTHER INFORMATION

NFPA:



HMIS III:

HEALTH	3/
FLAMMABILITY	2
PHYSICAL HAZARD	0

0 = not significant, 1 =Slight,
2 = Moderate, 3 = High
4 =Extreme, * = Chronic

The information accumulated is based on the data of which we are aware and is believed to be correct as of the date hereof. Since this information may be applied under conditions beyond our control and with which we may be unfamiliar and since data made become available subsequently to the date hereof, we do not assume any responsibility for the results of its use. Recipients are advised to confirm in advance of need that the information is current, applicable, and suitable to their circumstances. This SDS has been prepared by Univar Solutions Product Compliance Department (1-855-429-2661) SDSNA@univarsolutions.com.

Revision Date : 06/06/2025

Legacy SDS: : R0000012

Material number:

16226271, 16226080, 16225105, 16222120, 16216841, 16214599, 16215393, 16211851, 16209547, 16208196, 16207355, 16207207, 16207080, 16206673, 16197915, 16162191, 16192885, 16181454, 16187877, 16184552, 16184437, 16182786, 16181433, 16161555, 16174518, 16176438, 16175402, 16174614, 16180823, 16175940, 16174516, 16168978, 16168274, 16168105, 16169515, 16169535, 16146759, 16147259, 16145251, 16144364, 16151804, 16163671, 16159746, 16152491, 16163881, 16146357, 16152494, 16152493, 16161558, 16161554, 16161557, 16159930, 16153512, 16144333, 16143942, 16137210, 16159761, 16145485, 16136391, 16159752, 16141834, 16140071, 16143542, 16140434, 16142377, 16142651, 16141463, 16145023, 16159196, 16144996, 16144207, 16143543,

Safety Data Sheet

Acetic Acid Glacial 99.5%

Version 1.10

Revision Date: 06/06/2025

16151920, 16141378, 16143544, 52700, 16133825, 16036206, 589291, 16055920, 16055919, 16038528, 16044849, 766662, 676067, 675941, 632756, 577796, 577885, 576228, 554133, 70343, 53810, 70347, 70193, 69074, 53964, 70014, 85461, 53809

Key or legend to abbreviations and acronyms used in the safety data sheet			
ACGIH	American Conference of Government Industrial Hygienists	LD50	Lethal Dose 50%
AIC	Australian Inventory of Industrial Chemicals	LOAEL	Lowest Observed Adverse Effect Level
DSL	Canada, Domestic Substances List	NFPA	National Fire Protection Agency
NDSL	Canada, Non-Domestic Substances List	NIOSH	National Institute for Occupational Safety & Health
CNS	Central Nervous System	NTP	National Toxicology Program
CAS	Chemical Abstract Service	NZIoC	New Zealand Inventory of Chemicals
EC50	Effective Concentration	NOAEL	No Observable Adverse Effect Level
EC50	Effective Concentration 50%	NOEC	No Observed Effect Concentration
EGEST	EOSCA Generic Exposure Scenario Tool	OSHA	Occupational Safety & Health Administration
EOSCA	European Oilfield Specialty Chemicals Association	PEL	Permissible Exposure Limit
EINECS	European Inventory of Existing Chemical Substances	PICCS	Philippines Inventory of Commercial Chemical Substances
MAK	Germany Maximum Concentration Values	PRNT	Presumed Not Toxic
GHS	Globally Harmonized System	RCRA	Resource Conservation Recovery Act
>=	Greater Than or Equal To	STEL	Short-term Exposure Limit
IC50	Inhibition Concentration 50%	SARA	Superfund Amendments and Reauthorization Act.
IARC	International Agency for Research on Cancer	TLV	Threshold Limit Value
IECSC	Inventory of Existing Chemical Substances in China	TWA	Time Weighted Average
ENCS	Japan, Inventory of Existing and New Chemical Substances	TSCA	Toxic Substance Control Act
KECI	Korea, Existing Chemical Inventory	UVCB	Unknown or Variable Composition, Complex Reaction Products, and Biological Materials
<=	Less Than or Equal To	WHMIS	Workplace Hazardous Materials Information System
LC50	Lethal Concentration 50%		