

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



SULFURIC ACID 91 - 100%

Version	Revision Date:	SDS Number:	Date of last issue: 12/15/2025
1.1	09/01/2026	100000081938	Date of first issue: 12/15/2025

SECTION 1. IDENTIFICATION

Product Identifier : SULFURIC ACID 91 - 100%
Product code : 000000000000089466
Synonyms : SULFURIC ACID 93% 66BE
Manufacturer or supplier's details
Company : Univar Solutions USA
Address : 3250 Lacey Rd., Suite 600
Downers Grove, IL 60515
United States of America (USA)

Emergency telephone number:

Univar Solutions USA:-CHEMTREC: 1-800-424-9300
CHEMTREC INTERNATIONAL Tel # 703-527-3887

Additional Information: : Phone: 1-855-429-2661
Regulatory Information Number: 1-855-429-2661
Email: SDSNA@univarsolutions.com

Recommended use of the chemical and restrictions on use

Recommended use : Reserved for industrial and professional use.
Restrictions on use : Uses other than those identified are not recommended.

SECTION 2. HAZARD IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Hazards for the product as supplied

Corrosive to metals : Category 1
Skin corrosion : Sub-category 1A
Serious eye damage : Category 1
Carcinogenicity : Category 1A
Specific target organ toxicity : Category 3 (Respiratory system)
- single exposure

Other hazards

None known.

Hazards associated with a change in physical form:

No data available

GHS label elements

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



SULFURIC ACID 91 - 100%

Version 1.1	Revision Date: 09/01/2026	SDS Number: 100000081938	Date of last issue: 12/15/2025 Date of first issue: 12/15/2025
----------------	------------------------------	-----------------------------	---

Hazard pictograms

:



Signal word

: Danger

Hazard statements

: H290 May be corrosive to metals.
H314 Causes severe skin burns and eye damage.
H335 May cause respiratory irritation.
H350 May cause cancer.

Precautionary statements

: **Prevention:**
P201 Obtain special instructions before use.
P202 Do not handle until all safety precautions have been read and understood.
P234 Keep only in original packaging.
P261 Avoid breathing mist or vapours.
P264 Wash skin thoroughly after handling.
P271 Use only outdoors or in a well-ventilated area.
P280 Wear protective gloves, protective clothing, eye protection and face protection.
Response:
P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower.
P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor.
P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.
P308 + P313 IF exposed or concerned: Get medical advice/ attention.
P363 Wash contaminated clothing before reuse.
P390 Absorb spillage to prevent material damage.
Storage:
P403 + P233 Store in a well-ventilated place. Keep container tightly closed.
P405 Store locked up.
P406 Store in a corrosion resistant container with a resistant inner liner.
Disposal:
P501 Dispose of contents/ container to an approved waste disposal plant.

Hazards resulting from a reaction with other chemicals under normal conditions of use:

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



SULFURIC ACID 91 - 100%

Version 1.1	Revision Date: 09/01/2026	SDS Number: 100000081938	Date of last issue: 12/15/2025 Date of first issue: 12/15/2025
----------------	------------------------------	-----------------------------	---

No data available

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous components

CAS-No.	Chemical name	Weight percent	Trade secret
7664-93-9	Sulfuric acid	90 - 100	-

Actual concentration is withheld as a trade secret

Any concentration shown as a range is due to batch variation.

Synonyms : SULFURIC ACID 93% 66BE

SECTION 4. FIRST-AID MEASURES

General advice	: Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance. Do not leave the victim unattended.
If inhaled	: If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician.
In case of skin contact	: Immediate medical treatment is necessary as untreated wounds from corrosion of the skin heal slowly and with difficulty. If on skin, rinse well with water. If on clothes, remove clothes.
In case of eye contact	: Small amounts splashed into eyes can cause irreversible tissue damage and blindness. In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Continue rinsing eyes during transport to hospital. Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.
If swallowed	: Clean mouth with water and drink afterwards plenty of water. Keep respiratory tract clear. Do NOT induce vomiting. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician. Take victim immediately to hospital.
Most important symptoms and effects, both acute and delayed	: Causes serious eye damage. May cause respiratory irritation. May cause cancer. Causes severe burns.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



SULFURIC ACID 91 - 100%

Version 1.1	Revision Date: 09/01/2026	SDS Number: 100000081938	Date of last issue: 12/15/2025 Date of first issue: 12/15/2025
----------------	------------------------------	-----------------------------	---

Immediate Medical Attention : Treat symptomatically.
and Special Treatment

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Unsuitable extinguishing media : High volume water jet

Specific hazards during fire-fighting : Do not allow run-off from fire fighting to enter drains or water courses.

Hazardous combustion products : sulfur oxides
Gases hazardous to health may be formed.
Sulphuric acid

Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

Special protective equipment and precautions for fire-fighters : Wear self-contained breathing apparatus for firefighting if necessary.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.

Environmental precautions : Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities.

Methods and materials for containment and cleaning up : Neutralize with chalk, alkali solution or ammonia.
Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).
Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion : Normal measures for preventive fire protection.

Precautions for safe handling : Do not breathe vapours/dust.
Avoid contact with skin and eyes.
For personal protection see section 8.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



SULFURIC ACID 91 - 100%

Version 1.1 Revision Date: 09/01/2026 SDS Number: 100000081938 Date of last issue: 12/15/2025
Date of first issue: 12/15/2025

Smoking, eating and drinking should be prohibited in the application area.
To avoid spills during handling keep bottle on a metal tray.
Dispose of rinse water in accordance with local and national regulations.

Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.
Containers which are opened must be carefully resealed and kept upright to prevent leakage.
Observe label precautions.
Electrical installations / working materials must comply with the technological safety standards.

Materials to avoid : Do not store near acids.

Further information on storage stability : No decomposition if stored and applied as directed.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

CAS-No.	Components	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
7664-93-9	Sulfuric acid	TWA (Thoracic particulate matter)	0.2 mg/m ³	ACGIH
		TWA	1 mg/m ³	NIOSH REL
		TWA	1 mg/m ³	OSHA Z-1
		TWA	1 mg/m ³	OSHA P0

Engineering measures : Ensure adequate ventilation, especially in confined areas.

Personal protective equipment

Respiratory protection : General and local exhaust ventilation is recommended to maintain vapor exposures below recommended limits. Where concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provided by air purifying respirators against exposure to any hazardous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other circumstance where air purifying respirators may not provide adequate protection.

Hand protection

Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Eye protection : Eye wash bottle with pure water
Tightly fitting safety goggles
Wear face-shield and protective suit for abnormal processing problems.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



SULFURIC ACID 91 - 100%

Version	Revision Date:	SDS Number:	Date of last issue: 12/15/2025
1.1	09/01/2026	100000081938	Date of first issue: 12/15/2025

Skin and body protection : Impervious clothing
Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Hygiene measures : When using do not eat or drink.
When using do not smoke.
Wash hands before breaks and at the end of workday.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State : liquid
Colour : Clear, colorless, amber
Odour : pungent
Odour Threshold : No data available
pH : 0.3
Freezing point (Melting point/freezing point) : -31 - 10.56 °C (-24 - 51.01 °F)
Boiling point (Boiling point/boiling range) : 217 - 330 °C (423 - 626 °F)
Flash point : does not flash

Evaporation rate : No data available
Flammability (solid, gas) : No data available
Upper explosion limit : No data available

Lower explosion limit : No data available

Vapour pressure : < 0.3 mmHg @ 25 °C (77 °F)

Relative vapour density : 3.4 @ 20 °C (68 °F)

Relative density : Estimated 1.8347 @ 25 °C (77 °F)
Reference substance: (water = 1)

Density : estimated 1.837 g/cm³ @ 20 °C (68 °F)

Solubility(ies)
Water solubility : completely miscible
Solubility in other solvents : No data available
Partition coefficient: n-octanol/water : No data available
Auto-ignition temperature : No data available
Thermal decomposition : No data available
Particle characteristics : No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity : Reacts violently with water.
Chemical stability : Stable under normal conditions.
Possibility of hazardous reactions : No decomposition if stored and applied as directed.
Conditions to avoid : Keep away from heat, flame, sparks and other ignition sources.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



SULFURIC ACID 91 - 100%

Version	Revision Date:	SDS Number:	Date of last issue: 12/15/2025
1.1	09/01/2026	100000081938	Date of first issue: 12/15/2025

Incompatible materials	:	acetylenes Acids Ammonia Combustible material Flammable materials Metals nitrates Nitriles nitrites Organic materials Oxidizing agents phosphorus Powdered metals Reducing agents water Peroxides
Hazardous decomposition products	:	No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Not classified due to lack of data.

Product:

Acute inhalation toxicity : Assessment: Not corrosive to the respiratory tract

Components:

7664-93-9:

Acute oral toxicity : LC50 (Rat, male and female): 2,140 mg/kg

Acute inhalation toxicity : LC50 (Rat, male and female): Exposure time: 4 h
Test atmosphere: dust/mist

Acute dermal toxicity : Remarks: No data available

Skin corrosion/irritation

Causes severe burns.

Components:

7664-93-9:

Species : Rabbit
Result : Causes severe burns.

Serious eye damage/eye irritation

Causes serious eye damage.

Components:

7664-93-9:

Remarks : No data available

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



SULFURIC ACID 91 - 100%

Version	Revision Date:	SDS Number:	Date of last issue: 12/15/2025
1.1	09/01/2026	100000081938	Date of first issue: 12/15/2025

Respiratory or skin sensitisation

Skin sensitisation

Not classified due to lack of data.

Respiratory sensitisation

Not classified due to lack of data.

Components:

7664-93-9:

Remarks : No data available

Germ cell mutagenicity

Not classified due to lack of data.

Components:

7664-93-9:

Genotoxicity in vitro : Test Type: Ames test
Test system: Salmonella typhimurium
Metabolic activation: with and without metabolic activation
Result: negative

Germ cell mutagenicity - Assessment : Not mutagenic in Ames Test

Carcinogenicity

May cause cancer.

Product:

Carcinogenicity - Assessment : Human carcinogen.

Components:

7664-93-9:

Carcinogenicity - Assessment : Weight of evidence does not support classification as a carcinogen

IARC	Group 1: Carcinogenic to humans 7664-93-9 (Acid mists, strong inorganic)	Sulfuric acid
-------------	--	---------------

OSHA	No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.
-------------	--

NTP	Known to be human carcinogen 7664-93-9	Sulfuric acid
------------	---	---------------

Reproductive toxicity

Not classified due to lack of data.

Components:

7664-93-9:

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



SULFURIC ACID 91 - 100%

Version	Revision Date:	SDS Number:	Date of last issue: 12/15/2025
1.1	09/01/2026	100000081938	Date of first issue: 12/15/2025

Reproductive toxicity - Assessment : Fertility classification not possible from current data.
Did not show teratogenic effects in animal experiments.

STOT - single exposure

May cause respiratory irritation.

Product:

Assessment : The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with respiratory tract irritation.

STOT - repeated exposure

Not classified due to lack of data.

Aspiration toxicity

Not classified due to lack of data.

Further information

Product:

Remarks : No data available

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

No data available

Persistence and degradability

No data available

Bioaccumulative potential

No data available

Mobility in soil

No data available

Other adverse effects

Product:

Ozone-Depletion Potential : Regulation: 40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances
Remarks: This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

Additional ecological information : No data available

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



SULFURIC ACID 91 - 100%

Version	Revision Date:	SDS Number:	Date of last issue: 12/15/2025
1.1	09/01/2026	100000081938	Date of first issue: 12/15/2025

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

- Waste from residues : Dispose of in accordance with all applicable local, state and federal regulations.
For assistance with your waste management needs - including disposal, recycling and waste stream reduction, contact Univar Solutions ChemCare: 1-800-637-7922
- Contaminated packaging : Empty remaining contents.
Dispose of as unused product.
Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION

International Regulations

IATA-DGR

- UN/ID No. : UN 1830
Proper shipping name : SULPHURIC ACID, Sulphuric acid
Class : 8
Packing group : II
Labels : Corrosive
Packing instruction (cargo aircraft) : 855
Packing instruction (passenger aircraft) : 855

IMDG-Code

- UN number : UN 1830
Proper shipping name : SULPHURIC ACID
Class : 8
Packing group : II
Labels : 8
EmS Code : F-A, S-B
Marine pollutant : no

Transport in bulk according to IMO instruments

Not applicable for product as supplied.

National Regulations

49 CFR Road

- UN/ID/NA number : UN 1830
Proper shipping name : SULFURIC ACID, Sulfuric acid
Class : 8
Packing group : II
Labels : CORROSIVE
ERG Code : 137
Marine pollutant : no

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



SULFURIC ACID 91 - 100%

Version	Revision Date:	SDS Number:	Date of last issue: 12/15/2025
1.1	09/01/2026	100000081938	Date of first issue: 12/15/2025

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

CERCLA Reportable Quantity

CAS-No.	Components	Component RQ (lbs)	Calculated product RQ (lbs)
7664-93-9	Sulfuric acid	1000	1000

SARA 304 Extremely Hazardous Substances Reportable Quantity

CAS-No.	Components	Component RQ (lbs)	Calculated product RQ (lbs)
7664-93-9	Sulfuric acid	1000	1000

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

CAS-No.	Components	Component TPQ (lbs)
7664-93-9	Sulfuric acid	1000

SARA 311/312 Hazards : Corrosive to metals
Carcinogenicity
Skin corrosion or irritation
Serious eye damage or eye irritation
Specific target organ toxicity (single or repeated exposure)

SARA 313 : The following components are subject to reporting levels established by SARA Title III, Section 313:

7664-93-9	Sulfuric acid	>= 90 - <= 100 %
-----------	---------------	------------------

Clean Air Act

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCM Intermediate or Final VOC's (40 CFR 60.489).

Clean Water Act

The following Hazardous Substances are listed under the U.S. CleanWater Act, Section 311, Table 116.4A:

7664-93-9	Sulfuric acid	>= 90 - <= 100 %
-----------	---------------	------------------

The following Hazardous Chemicals are listed under the U.S. CleanWater Act, Section 311, Table 117.3:

7664-93-9	Sulfuric acid	>= 90 - <= 100 %
-----------	---------------	------------------

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



SULFURIC ACID 91 - 100%

Version 1.1	Revision Date: 09/01/2026	SDS Number: 100000081938	Date of last issue: 12/15/2025 Date of first issue: 12/15/2025
----------------	------------------------------	-----------------------------	---

This product does not contain any priority pollutants related to the U.S. Clean Water Act

US State Regulations

Massachusetts Right To Know

7664-93-9

Sulfuric acid

Pennsylvania Right To Know

7664-93-9

Sulfuric acid

7732-18-5

Water

Maine Chemicals of High Concern

Product does not contain any listed chemicals

Vermont Chemicals of High Concern

Product does not contain any listed chemicals

Washington Chemicals of High Concern

Product does not contain any listed chemicals

California Prop 65

 **WARNING:** This product can expose you to chemicals including Sulfuric acid, which is/are known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

California List of Hazardous Substances

7664-93-9

Sulfuric acid

California Permissible Exposure Limits for Chemical Contaminants

7664-93-9

Sulfuric acid

The components of this product are reported in the following inventories:

TSCA	: All substances listed as active on the TSCA inventory
AIIC	: On the inventory, or in compliance with the inventory
CA. DSL	: All components of this product are on the Canadian DSL
ENCS	: On the inventory, or in compliance with the inventory
KECI	: On the inventory, or in compliance with the inventory
PICCS	: On the inventory, or in compliance with the inventory
IECSC	: On the inventory, or in compliance with the inventory
NZIoC	: Not in compliance with the inventory

TSCA list

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard




SULFURIC ACID 91 - 100%

Version	Revision Date:	SDS Number:	Date of last issue: 12/15/2025
1.1	09/01/2026	100000081938	Date of first issue: 12/15/2025

SECTION 16. OTHER INFORMATION

Further information

NFPA 704:



HMIS® IV:

HEALTH	*	3
FLAMMABILITY		0
PHYSICAL HAZARD		2

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Full text of other abbreviations

ACGIH	: USA. ACGIH Threshold Limit Values (TLV)
NIOSH REL	: USA. NIOSH Recommended Exposure Limits
OSHA P0	: USA. Table Z-1-A Limits for Air Contaminants (1989 vacated values)
OSHA Z-1	: USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
ACGIH / TWA	: 8-hour, time-weighted average
NIOSH REL / TWA	: Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek
OSHA P0 / TWA	: 8-hour time weighted average
OSHA Z-1 / TWA	: 8-hour time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardization; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



SULFURIC ACID 91 - 100%

Version	Revision Date:	SDS Number:	Date of last issue: 12/15/2025
1.1	09/01/2026	100000081938	Date of first issue: 12/15/2025

System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organization for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorization and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

The information accumulated is based on the data of which we are aware and is believed to be correct as of the date hereof. Since this information may be applied under conditions beyond our control and with which we may be unfamiliar and since data made become available subsequently to the date hereof, we do not assume any responsibility for the results of its use. Recipients are advised to confirm in advance of need that the information is current, applicable, and suitable to their circumstances. This SDS has been prepared by Univar Solutions Product Compliance Department (1-855-429-2661) SDSNA@univarsolutions.com.

Revision Date : 09/01/2026

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN